

FIELD
NOTES

CONGRESS
LANDS
UNITED STATES
RESERVES
AND
TOWNS
(1)

VOL.-18

AUDITOR
OF
STATE

Bindery 5-4-42 By _____
Returned from Bindery _____

U. S. Surveys.

*Records
of
Field Notes
of
Miscellaneous Surveys,
viz.*


- (1.) *Twelve Miles Square, at Maumee Rapids;*
- (2.) *Two Miles Square, at Lower Sandusky;*
- (3.) *Town of Perrysburg, on Maumee R.;*
- (4.) *Town of Croghanville, on Sandusky R.*

OHIO.


Vol. 18.

INDEX MAPS.

T. 1, at the Rapids Maumee. *Mer.*



T. 1, — (River Lots,) *Mer.*



INDEX MAPS.

T. 2, at the Rapids Maumee. *Mer.*

72 70	71 70	71 70	71 69	71 69	70 69	
6	90	5	87	4	84	3
91	90	87	83	80	77	1
72 68	7	89	8	86	9	83
91	89	86	83	79	76	12
73 68	18	89	17	86	16	82
91	89	85	82	79	75	13
73 68	19	88	20	85	21	82
90	88	85	81	78	75	24
73 67	30	88	29	85	28	81
90	87	84	81	78	74	25
73 67	31	87	32	84	33	81
65	64	64	64	63	63	36

T. 2, — (Private Claims.) *Mer.*

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Private Claims

Section 26

Section 35

Section 36

Section 37

Section 38

Section 39

Section 40

Section 41

Section 42

Section 43

Section 44

Section 45

Section 46

Section 47

Section 48

Section 49

Section 50

Section 51

Section 52

Section 53

Section 54

Section 55

Section 56

Section 57

Section 58

Section 59

Section 60

Section 61

Section 62

Section 63

Section 64

Section 65

Section 66

Section 67

Section 68

Section 69

Section 70

Section 71

Section 72

Section 73

Section 74

Section 75

Section 76

Section 77

Section 78

Section 79

Section 80

Section 81

Section 82

Section 83

Section 84

Section 85

Section 86

Section 87

Section 88

Section 89

Section 90

Section 91

Section 92

Section 93

Section 94

Section 95

Section 96

Section 97

Section 98


Section 99

Section 100

The figures on the lines refer to the page.


INDEX MAPS.

T. 3, at the Rapids Maumee, ~~Mer.~~



T. 3.

T. 3, (River Lots.) ~~Mer.~~



(The figures on the lines refer to the page.)

Township 1, at Maumee Rapids. 1

Chs. 24.

A Survey of Township 1, lying at the Foot of the Rapids of the Miami of the Lakes; Surveyed by order of Jared Mansfield, Esquire, Surveyor General of the United States.

By observation [at the center of the Reserve] found the Variation of the Needle to be $3^{\circ} 25'$ East.

October 15th 1805.

C. Glover, D.S.

East Boundary.

Began at the center of the United States Reservation of Twelve Miles square, at the Foot of the Rapids of the Miami River of the Lakes, Reserved to the U. S. by the Treaty at Greenville, of August 3^d 1795.

Set a post by the side of the road, near an old Indian village, on the top of the bank of the Miami River (of the Lakes) — corner to Townships 1, 2, 3, 4, from which a W. Oak 20 in. dia. bears S 15 E 1.53 link, & a Red Oak 10 in. dia. bears N 25 W 2.29 link, dist.

Thence surveyed line between T^s 1 & 4,

South on East side of Section 1, T. 1

14.54 Set post on West (left) bank of Maumee R.

34.84 Set post on South (right) bank of Miami R.

40.00 Set quarter Section post, — no bearing trees.

66.00 A Stream 10 link wide, course S. W.

80.00 Set post corner to Sec^s 1 & 12, from which a Hickory 12 in. dia. bears N 40 E 9 link, & a Hickory 12 in. dia. bears S 40 W 47 link, dist.

Land, somewhat uneven; timber Oak, Hickory, &c

South on East side of Section 12, T. 1

40.00 Set quarter Section post, from which an

T. 1 - Maumee Rapids

Ch^d. Lks

Elm 12 in. dia. bears N 75 E 50 links, & a
W. Oak 12 in. dia. bears S 36 W 33 link, dist.

Level Upland; timber Oak, Ash, Elm, &c

80.00 Set post corner to Sec^s 12 & 13, from which an

Elm 10 in. dia. bears S 32 E 13 link, & an

Ash 8 in. dia. bears N 84 E 33 link, dist.

Level land; timber Ash, Elm &c

South On East side of Section 13, T. 1

40.00 Set quarter section post from which an

Elm 12 in. dia. bears S 72 W 6 link, & an

Elm 14 in. dia. bears N 44 E 48 link, dist.

Level Upland; timber Ash, Elm &c

80.00 Set post corner to Sec^s 13 & 24, from which an

Ash 10 in. dia. bears N 45 E 9 link, & a

Cottonwood 14 in. dia. bears S 40 W 28 lb. dist.

Level upland; timber Ash, Oak, Hickory,
Elm, &c

South On East side of Section 24, T. 1

40.00 Set quarter section post, from which an

Elm 18 in. dia. bears S 64 E 28 link, & a

Maple 20 in. dia. bears S 78 W 35 link, dist.

Level upland; timber Oak, Ash, &c

80.00 Set post corner to Sec^s 24 & 25, from which a

Cottonwood 18 in. dia. bears N 59 E 50 link, & a

Cottonwood 12 in. dia. bears S 74 W 20 link, dist.

Sand level; timber Cottonwood, Ash,
Elm, Oak &c

South On East side of Section 25, T. 1

40.00 Set quarter section post, from which a

Lynx 8 in. dia. bears N 49 E 16 link, & a

Red Oak 12 in. dia. bears S 77 W 25 lb. dist.

Sand, level; timber Oak, Ash, Elm, &c

80.00 Set post corner to Sec^s 25 & 36, from which an

T. 1 - Maumee R.

Ch^d. Lks.

Elm 18 in. dia. bears S 62 E 30 link, & a

Cottonwood in. dia. bears S 67 W 37 link, distant.

Sand level; timber Ash, Elm, Oak, &c

South On East side of Section 36, T. 1

40.00 Set quarter section post, from which an

Ash 8 in. dia. bears S 76 E 33 link, dist. & an

Ash 8 in. dia. bears S 41 W 24 link, distant

80.00 Set post, corner of Townships 1 & 4, from which an

Elm 20 in. dia. bears N 62 E 56 link, & an

Elm 10 in. dia. bears N 69 W 28 link, dist.

Sand level & wet; timber Elm, Ash &c

October 15, 1805

South Boundary.

Began at the S. E. corner of Township 1, thence
West On South side of Section 36, T. 1

40.00 Set quarter section post, from which an

Ash 12 in. dia. bears S 44 E 14 link, & a

Hickory 12 in. dia. bears N 33 W 6 link, dist.

Sand level; timber Oak, Ash, Elm &c

80.00 Set post in prairie, corner to Sections, 35

& 36, where there are no bearing trees.

Sand, level prairie

West On South side of Section 35, T. 1

40.00 Set quarter section post, from which there

are no bearing trees, being in prairie

Sand, level wet prairie

80.00 Set post corner to Sections 34 & 35, in prairie,

no bearing trees.

Sand, level wet prairie

West On South side of Section 34, T. 1

40.00 Set quarter section post in prairie, no

bearing trees.

Ch. Lk.

58.00 a path, course N. & S.

80.00 Set post corner to Sections 33 & 34, from which an Elm 12 in. dia. bears N 15 E 61 link, Dist. no other tree near.

Land, level, wet prairie.

West On South side of Section 33, T. 1

40.00 Set quarter section post, in prairie, from which no bearing trees.

Land level; part prairie, part oak land.

80.00 Set post corner to Sect 32 & 33, from which a Blk Oak 15 in. dia. bears N 56 E W 39 link, & a R Oak 24 in. dia. bears N 46 E 112 Ch. Dist. Land, level; timber Oak, Ash, Elm, Hickory.

West On South side of Section 32, T. 1

40.00 Set quarter section post, from which a Blk. Oak 8 in. dia. bears N 50 W 26 link, & an Elm 18 in. dia. bears N 36 E 40 link, distant.

Land, level; timber Oak, Elm, Hickory. &

60.50 To right bank of Miami River; corner is a Red Oak 15 in. dia.

71.60 To East bank of an Island [Roche de bonte R.]

80.00 Set post on Island; corner to Sect 31 & 32, where an Elm 24 in. dia. bears S 10 E 33 link, & a Sugar 10 in. dia. bears, N 75 W 41 link, Dist.

West On South side of Section 31, T. 1

11.12 Across island, & set post on west side thereof, from which a Hickory 12 in. dia. bears S 41 W 28 links distant.

23.00 Over River to left bank. Set post, from which a W. Oak 14 in. dia. bears, N 23 E 50 link, Dist.

40.00 Set quarter section post, from which a Hickory 10 in. dia. bears N 52 W 53 link, & a Hickory 14 in. dia. bears S 53 W 38 link, Dist.

Ch. Lk.

Land - broken

80.00 Set post for S. W. corner of Township 1, from which an Elm 20 in. dia. bears S 39 E 39 link, & a Hickory 12 in. dia. bears N 28 W 25 link, & an Elm 30 in. dia. bears S 49 W 65 links distant.

Level upland; timber Oak, Hickory &

Surveyed, October 15, 1805

by Elias Glover D.S.

South Boundary - Resurveyed.

Began at S. W. Corner of Township 1. Thence East on South side. Side of Section 31, T. 1

39.70 Set quarter section post, from which a Hickory 14 in. dia. bears S 53 W 38 link, & a Hickory 10 in. dia. bears N 52 W 53 link, Dist.

Leave oak land

57.20 To left bank of Miami River. Set post, - [no bearings given.]

Beginning, again, at post on right bank of the River, in South boundary of the Township; Thence

East on South side of Section 32, T. 1

6.00 a Run 4 link, wide, course N. & S.

9.60 a Run 4 link, wide, course North

21.24 Set new quarter section post, from which a Blk. Oak 10 in. dia. bears N 89 W 26 link, & a R Oak 20 in. dia. bears N 28 E 40 link, Dist.

40.00 Enter a small prairie

46.00 Leave prairie

50.00 a Run 10 link, wide, course North

57.00 a Run 10 link, wide, course North

62.24 Old corner of Sections 32 & 33, T. 1. Set new post, from which a

R. Oak 15 in. dia. bears N 56 W 39 link, & a Red Oak 24, N 41 E 112 links distant

T. 1. — Maumee R.

Ch. Sh.

Land, level, wet, & brushy; soil good

East On South side of Section 33, T. 1

40.00 Set quarter section post, in edge of prairie
from which a W. Oak 30 in. dia. bears N 4 W
256 links distant

53.00 a Run 20 links wide, course —

67.00 Enter prairie, very extensive to the South & E.

80.00 Set post in prairie, corner to Sections 33 &
34, no bearing trees. Land, wet prairie

East On South boundary of Section 34, T. 1.

40.00 Set quarter section post, in prairie. no trees

80.00 Set post corner to Sections 34 & 35, in prairie,
no bearing trees.

Very wet prairie Land

East On South side of Section 35, T. 1

40.00 Set quarter section post in prairie no bearings

80.00 Set post corner to Secs. 35 & 36, in prairie, no
bearing trees. Very wet prairie Land

East On South side of Section 36, T. 1

20.00 Over prairie, to wood land

38.80 Set quarter section post, from which a
Hickory 15 in. dia. bears N 44 1/2 W 5 links, & a
Ash — in. dia. bears S 48 E 14 links, dist.

Level, wet land

78.80 Set post corner to Township, 144, where an
Elm — in. dia. bears N 69 W 29 links, & an
Elm 24 in. dia. bears N 62 E 56 links, dist.Land swampy; timber Oak, Elm, Ash,
with spice & prickly ash.This Re-survey, made in 1816
by Jos. Wampler D.S.

T. 1. — Maumee R.

Ch. Sh.

West Boundary.

Beginning at S.W. corner of Township, Thence,
North On West side of Section 31, T. 1

11.54 a Bur Oak 20 in. dia.

40.00 Set quarter section post, from which a
Hickory 6 in. dia. bears N 70 E 21 links, & a
Bur Oak 20 in. dia. bears S 70 W 21 links, dist.

Level Upland; timber Oak, Hickory, &c

80.00 Set post corner to Secs. 30 & 31, from which an

Elm 8 in. dia. bears S 85 E 31 links, & a

Elm 10 in. dia. bears N 56 W 19 links, distant

Land level; timber Ash, Elm, Oak &c

North On West side of Section 30, T. 1

40.00 Set quarter section post, from which a
Red Oak 27 in. dia. bears S 59 E 19 links, & a
Red Oak 10 in. dia. bears S 54 W 10 links, dist.

Land level; timber Oak, Ash, Elm &c

80.00 Set post corner to Secs. 19 & 30, from which a

Blk. Oak 14 in. dia. bears N 58 W 19 links, & a

Ash 20 in. dia. bears S 31 E 46 links, distant

Level Upland, Ash, Elm &c

North On the West side of Section 19, T. 1

40.00 Set quarter section post, from which an
Ash 12 in. dia. bears S 58 E 16 links, & a
Ash 12 in. dia. bears N 45 W 35 links, dist.

Level land; timber Ash, Elm &c

80.00 Set post corner to Secs. 18 & 19, from which an

Ash 10 in. dia. bears N 64 E 25 links, & an

Ash 14 in. dia. bears N 70 W 27 links, distant

Level land; timber Ash, Elm, &c

North On West side of Section 18, T. 1

40.00 Set quarter section post, from which an
Elm 12 in. dia. bears S 46 E 29 links, & a

Ch. Lks.

Ash 18 in. dia. bears N 64 W 30 link, dist.
 Level land; timber Elm, Ash, &c
 80.00 Set post corner of Sec. 7 & 18, from which a
 Lynn 10 in. dia. bears N 70 E 37 link, & a
 Lynn 14 in. dia. bears S 67 W 38 link, distant
 Land level; timber ash, Elm &c

North On West side of Section 7, T. 1

6.00 Swan Creek 50 links wide, course N.E.
 40.00 Set quarter section post, from which a
 Hickory 8 in. dia. bears N 61 E 36 link, & a
 Elm 6 in. dia. bears S 75 W 23 link, dist.
 59.20 a Blk. Oak 24 in. dia.
 80.00 Set post corner to Sec. 6 & 7, from which a
 Blk. Oak 30 in. dia. bears S 52 W 11 link, & a
 Elm 24 in. dia. bears N 54 E 35 link, dist.
 Level upland; timber Oak, Hickory &c

North On West side of Section 6, T. 1

40.00 Set quarter section post, from which a
 cherry 14 in. dia. bears N 21 W 11 link, & a
 Cottonwood 10 in. dia. bears S 60 E 42 link, dist.
 Level Upland; timber Oak, Hickory &c
 80.00 Intersected East & West Township line, at post.
 Land level, timber Oak, scattering.
 Surveyed, Oct. 19th 1865.
 by Elias Glover D.S.

West Boundary - Resurveyed.

From post in March, on poor plains, no bearing trees. Thence, re-surveyed West Boundary of T. 1

South On West side of Section 6, T. 1

38.00 a Cottonwood 12 in. dia.
 40.12 Set new quarter section post, from which a
 Cottonwood 9 in. dia. bears S 82 E 42 link, & a

Ch. Lks.

cherry 14 in. dia. bears N 21 W 11 link, distant
 Level, Oak & Hickory land
 80.35 Set new post corner to Sec. 6 & 7, from which an
 Ash 8 in. dia. bears S 72 E 47 link, & a
 B. Oak 30 in. dia. bears S 52 W 11 link, dist.
 Level upland [timber not noted]

South On West side of Section 7, T. 1

13.43 an Elm 7 in. dia.
 40.00 Set new post for quarter sections, from which an
 Elm 10 in. dia. bears N 16 E 7 link, & an
 Elm 7 in. dia. bears S 75 W 23 link, dist.
 Level upland [timber not noted]
 73.60 Swan Creek 70 link, wide [course not noted]
 80.00 Set new post corner to Sec. 7 & 18, from which an
 Elm 10 in. dia. bears S 44 E 33 link, & a
 Lynn 14 in. dia. bears S 67 W 38 link, dist.
 Land broken

South On West side of Section 18, T. 1

40.27 Set new quarter section post, from which an
 Ash 8 in. dia. bears N 59 E 15 link, & an
 Ash 18 in. dia. bears N 64 W 30 link, dist.
 Land, low; timber Oak, Ash, Elm,
 Hickory, Lynn, &c
 80.63 Set ^{new} post corner to Sec. 18 & 19, from which a
 Maple 12 in. dia. bears N 89 E 22 link, & a
 Ash 16 in. dia. bears N 70 W 27 link, dist.
 Swampy land

South On West side of Section 19, T. 1

40.11 Set new quarter section post, from which an
 Ash 18 in. dia. bears N 2 E 49 link, & a
 Ash 13 in. dia. bears S 45 W 35 link, distant
 80.28 Set new post corner to Sec. 19 & 30, from which a
 B. Oak 10 in. dia. bears N 89 E 28 link, & a

ch^d Sh.

B. Oak 16 in. dia. bears N 58 W 19 link, dist.
good land

South On West side of Section 30, T. 1

40.00 Set new quarter section post, from which an
Elm 14 in. dia. bears N 23 E 27 link, & a
R. Oak 10 in. dia. bears S 54 W 10 link, dist.

80.17 Set post corner to Sec. 30 & 31, from which an
Elm 8 in. dia. bears S 85 E 31 link, & an
Elm 11 in. dia. bears N 56 W 19 link, dist.
Good level land; timber Oak, Ash, Elm, &c.

South On West side of Section 31, T. 1

21.28 An Ash 22 in. dia.

40.36 Set new quarter section post, from which a
W. Oak 24 in. dia. bears S 70 W 21 link, & an
Elm 8 in. dia. bears S 70 E 21 link, dist.

44.92 a W. Oak 34 in. dia.

68.75 a W. Oak 26 in. dia.

81.09 Set new post for South West corner of Town-
ship 1, from which an
Elm 22 in. dia. bears S 39 E 39 link, & a
Hickory 12 in. dia. bears N 28 W 25 link, dist.
Land level & wet; timber Ash, Hickory,
Elm, &c.

This Re-survey, made in 1816, by
Jos. Wampler D.S.

North Boundary. var. S 25 E.

Beginning at the center of the Reserve, at
post corner to Towns. 1, 2, 3, 4, thence
between Townships, 1 & 2.

West On South side of Section 36, T. 2.

40.00 Set quarter section post, from which a
Hickory 12 in. dia. bears N 37 W 21 link, & a
Hickory 12 in. dia. bears S 10 W 25 link, dist.

ch^d Sh.

80.00 Set post corner to Sec. 35 & 36, from which an
Elm 18 in. dia. bears N 51 E 28 link, & an
Elm 12 in. dia. bears S 33 W 12 link, distant
Blk. Ash 8 in. dia. bears N 26 W 53 link, distant
Level land, middling soil; timber
Oak, Hickory, Ash, Elm, &c.

West On South side of Section 35, T. 2

40.00 Set quarter section post from which a
Hickory 12 in. dia. bears S 22 E 22 link, & a
Hickory 12 in. dia. bears N 37 E 22 link, dist.
Level land; timber Oak, Ash, Hickory, Elm, &c.

80.00 Set post corner to Sec. 34 & 35, from which an
Ash 12 in. dia. bears N 47 E 31 link, & an
Ash 10 in. dia. bears N 52 E 35 link, dist.
Level land, middling soil; timber Oak,
Ash, Elm, Hickory &c.

West On South side of Section 34, T. 2

40.00 Set quarter section post, from which a
fork Hickory 15 in. dia. bears S 8 W 14 link, & an
Ash 15 in. dia. bears N 25 W 52 link, dist.
Level land; timber Ash, Elm, Hickory &c.

74.60 An Elm 15 in. dia.

80.00 Set post corner to Section, 33 & 34, from which an
Elm 20 in. dia. bears N 52 E 16 link, & a
Maple 18 in. dia. bears N 26 W 57 link, & an
Elm 30 in. dia. bears S 22 W 32 link, dist.
Level land, middling soil; timber Oak,
Elm, Oak, &c.

West On South side of Section 33, T. 2.

40.00 Set quarter section post, from which a
Lyn 14 in. dia. bears N 26 link, & an
Elm 8 in. dia. bears S 10 W 41 link, dist.

61.00 A stream 5 link, wide, course N. & E.

Chl. Sk.

79.00 Swan Creek, link wide, course North
80.00 Set post, 25 link, from West bank of Swan
Creek, corner to Sections, 32 & 33, from which an
Ash 12 in. dia. bears N 45 E 14 link, & a
Walnut 8 in. dia. bears N 62 W 19 link, dist.
Land of a pretty good soil.

West On South side of Section 32, T. 2.

1.50 Swan Creek 60 link wide, course South
8.50 Same Creek, course North
40.00 Set quarter section post, from which a
W. Oak 12 in. dia. bears N 13 1/2 W 21 link, & a
Blk. Oak 12 in. dia. bears S 17 E 49 link, dist.
Land something broken; timber Oak
80.00 Set post corner to Sect. 31 & 32, from which a
Bur Oak 14 in. dia. bears S 26 W 87 link, & a
Elm 24 in. dia. bears S 36 E 58 link, dist.
Level land; timber Oak, Elm &c.

West On South side of Section 31, T. 2.

40.00 Set quarter section post in a thicket of
hazel, from which no bearing trees.
Level land; some scattering oak timber
80.00 Set post for corner of Township, 1 & 2,
in prairie, no bearing trees.
Level land; last part swampy.
Surveyed in 1805, by Elias Glover D.S.

Subdivisions.

North Between Sections, 35 & 36, T. 1.

40.00 Set quarter section post, from which a
Bur Oak 20 in. dia. bears S 54 E 25 link, & an
Elm 10 in. dia. bears S 80 W 27 link, dist.
Level prairie
80.00 Set post corner to Sect. 25, 26, 35, 36, from which a
Hickory 8 in. dia. bears S 77 W 36 link, & an

Chl. Sk.

Elm 12 in. dia. bears S 61 E 26 link, distant
Level land; timber Oak, Ash, Elm &c.

East On Random between Sections, 25 & 36, T. 1

40.00 Set temporary half mile post
Level land; timber Oak, Ash, Elm, &c.
80.00 Intersected N. & S. line 20 link, North of post.
Level land; timber Oak, Ash, Elm, Hickory, &c.

West Corrected line back between Sect. 25 & 36

40.00 Set quarter section post at average dist-
ance, on true line, from which a
Red Oak 30 in. dia. bears N 38 W 18 link, & a
Lynx 6 in. dia. bears S 39 W 37 link, dist.
80.00 Section corner.

North Between Sections 25 & 26, T. 1.

40.00 Set quarter section post, from which an
Elm 12 in. dia. bears S 70 E 18 link, & an
Elm 9 in. dia. bears N 63 W 15 link, dist.
Level Upland; timber Oak, Ash, Elm, &c.
80.00 Set post corner to Sect. 23, 24, 25, 26, from which an
Ash 22 in. dia. bears N 48 W 15 link, & an
Ash 8 in. dia. bears N 68 E 18 link, dist.
Level land; timber Oak, ash, Elm, &c.

East On Random between Sections, 24 & 25, T. 1

40.00 Set temporary quarter section post
Level land; timber Ash, Elm, &c.
80.00 Intersected Town Line 25 link, North of post
Level land; timber Oak, Elm, &c.

West Corrected back between Sections, 24 & 25

40.00 Established quarter section post at average
distance, on true line, from which an
Elm 8 in. dia. bears N 27 E 43 link, & an
Elm 8 in. dia. bears S 38 W 15 link, dist.
80.00 Section corner. Oct. 21, 1805

T. 1. - Maumee R.

Ch. Lk.

- North Between Sections 23 & 24, T. 1
 40.00 Set quarter section post, from which an
 Elm 18 in. dia. bears S 35 E 11 links, & a
 Elm 12 in. dia. bears N 39 W 24 links, distant
 Level upland; timber ash, Elm, Oak, &c.
 80.00 Set post corner to Secs 13, 14, 23, 24, from which an
 Elm 8 in. dia. bears N 65 E 18 links, & an
 Elm 12 in. dia. bears S 71 W 17 links, dist.
 Level Upland; timber ash, Elm &c.

- East on Random between Section, 13 & 24, T. 1
 40.00 Set temporary quarter section post
 Level land; timber Oak, Ash, Elm, &c.
 80.00 Intersected Town. Line 40 links, south of post.
 Level land; timber Oak, Ash, Elm, &c.

- West Corrected back between Section, 13 & 24
 40.00 Set quarter section post at average dist-
 ance, on true line, from which an
 Ash 14 in. dia. bears S 32 W 10 links, & a
 Run Oak 12 in. dia. bears N 46 E 25 links, dist.
 80.00 Section corner

- North Between Sections, 13 & 14, T. 1.
 40.00 Set quarter section post, from which an
 Elm 12 in. dia. bears N 71 W 11 links, & a
 Run Oak 22 in. dia. bears N 35 E 17 links, dist.
 Level upland; timber Oak, Ash, Elm, &c.
 80.00 Set post corner to Secs 11, 12, 13, 14, from which an
 Elm 12 in. dia. bears N 38 W 35 links, & a
 Blk Oak 24 in. dia. bears S 69 E 26 links, dist.
 Level Upland; timber Oak, Ash, Elm, &c.

- East on Random between Sections, 12 & 13, T. 1
 40.00 Set temporary quarter section post.
 Level land; timber ash, Elm, &c.

T. 1 - Maumee R.

Ch. Lk.

- 80.00 Intersected Town line 6 links, south of post.
 Level land; timber ash, Elm &c.
 West Corrected back between Section, 12 & 13
 40.00 Set quarter section post at average dist-
 ance, on true line, from which an
 Elm 12 in. dia. bears S 46 W 10 links, & an
 Ash 6 in. dia. bears N 9 E 8 links, dist.
 80.00 Section corner

- North Between Sections, 11 & 12, T. 1
 40.00 Set quarter section post, from which a
 Span. Oak 8 in. dia. bears N 75 W 26 links, & a
 Hickory 10 in. dia. bears N 43 E 14 links, dist.
 Level Upland; timber Oak, Hickory, Ash, &c.
 66.50 To South (right) bank of the Miami River.
 Set post.
 74.60 Over River, and set post on North (left) bank
 80.00 Set post in prairie, corner to Secs 1, 2, 11, 12,
 from which no bearing trees.
 [Land not described]. Oct. 16. 1805

- West Between Sections, 1 & 12, T. 1
 40.00 Set quarter section post, in prairie
 bottom, from which no bearing trees.
 66.00 Set post on S.E. (right) bank of Miami R.
 Land Uncoven; middling soil.
 East (from corner of Secs 1, 2, 11, 12)
 5.38 Set post on N.W. (left) bank of River.
 October 23. 1805

- North Between Sections 1 & 2 T. 1
 4.50 A Water course 50 link, wide, course N.E.
 20.80 A Creek 140 link, wide, course East
 40.00 Set quarter section post, from which a
 W. Oak 24 in. dia. bears S 53 W 17 links, & a

Ch. Sh.

W. Oak 24 in. dia. bears N 72 W 12 links, dist.
80.00 Intersected Township line 20 links, West
of post. [note, say nothing of setting post
at intersection.]

Last half mile, level upland; timber
Oak, Hickory, &c

North Between Sections 34 & 35, T. 1

40.00 Set quarter section post, from which a
Blk. Oak 30 in. dia. bears S 44 E 19 links, & an
Elm 12 in. dia. bears S 80 W 46 links, dist.
Level land; Oak, Ash, Elm &c

80.00 Set post corner to Sec. 26, 27, 34, 35, from which a
Hickory 12 in. dia. bears N 25 E 24 links, & a
Hickory 10 in. dia. bears S 10 W 15 links, dist.
Level land; timber Oak, Ash, Hickory, &c

East On Random between Sections 26 & 35, T. 1

40.00 Set temporary quarter section post

42.00 A path N. & S.

80.00 Intersected N. & S. line 75 links, South of post
Level land; timber ash, Elm, Oak, &c

West Corrected back between Sections 26 & 35

40.00 Set quarter section post at average dist.
ance, on true line, from which an
Elm 20 in. dia. bears S 19 E 12 links, & a
Cottonwood 18 in. dia. bears N 13 E 24 links, dist.

80.00 Section corner

North Between Sections 26 & 27 T. 1

40.00 Set quarter section post, from which an
Elm 12 in. dia. bears S 67 E 44 links, & a
Elm 12 in. dia. bears S 29 W 14 links, dist.

Level upland; timber Oak, Elm, &c
80.00 Set post corner to Sec. 22, 23, 26, 27, from which an

Ch. Sh.

Ash 8 in. dia. bears S 24 E 28 links, & a
Hickory 12 in. dia. bears S 62 W 19 links, dist.
Level land; timber Oak, Ash, Elm, Hickory, &c

East On Random between Sections 23 & 26, T. 1

1.28 A path N. & S.

40.00 Set temporary quarter section post

46.25 A path N. & S.

80.00 Intersected N. & S. line 50 links, South of post
Land, level; timber Oak, Ash, Elm, &c

West Corrected back between Sections 23 & 26

40.00 Set quarter section ^{post} at average distance
on true line, from which an

Ash 10 in. dia. bears S 9 W 16 links, & a
Cottonwood 18 in. dia. bears N 39 W 26 links, dist.

80.00 Section corner.

North Between Sections 22 & 23, T. 1

2.00 A path E. & W.

40.00 Set quarter section post, from which a
Bur Oak 18 in. dia. bears S 81 E 41 links, & a
Bur Oak 18 in. dia. bears N 51 W 34 links, dist.
Level land; timber Ash, Elm, Oak, &c

80.00 Set post corner to Sec. 14, 15, 22, 23, from which a
Lycun 10 in. dia. bears N 21 E 14 links, & an
Elm 18 in. dia. bears S 30 W 31 links, distant
Level upland; timber Oak, Elm, Ash, &c

East On Random between Sections 14 & 23

16.00 A path N. & S.

40.00 Set temporary quarter section post by the
side of a path, running N. & S.

Level land; timber Oak, Ash, Elm, &c
80.00 Intersected N. & S. line 7 links, South of post
Level land; Oak, Ash, & Hickory, &c

ch. lks.

West Corrected back between Section, 14 & 23
 40.00 Set quarter section post at average distance, on true line, from which a
 Red Oak 18 in. dia. bears S 61 E 28 links, Dist. &
 Hickory 10 in. dia. bears N 71 S 36 link, Dist.
 80.00 Section corner.

North Between Sections, 10 & 11 T. 1.

40.00 Set quarter section post, on South (right) bank of the Miami River, from which no bearing trees
 53.00 Set post on North (left) bank of River
 80.00 Set post corner to Secs. 2, 3, 10, 11, from which a
 Blk. Oak 10 in. dia. bears S 88 E 30 links, & a
 W. Oak 8 in. dia. bears S 78 W 43 links, Dist.
 Prairie land, level bottom, except the last four chains.

East Between Sections 2 & 11, on Random - T. 1

40.00 Set quarter section post, temporarily
 80.00 Intersected N. & S. line 8 links, South of post
 Level prairie land, muddling soil.

West Corrected back between Section, 2 & 11

40.00 Set quarter section post at average distance, on true line, from which no bearings.
 50.00 Section corner

North Between Sections, 2 & 3 - T. 1.

40.00 Set quarter section post, from which an
 Elm 14 in. dia. bears S 17 E 17 links, & an
 Elm 12 in. dia. bears N 42 W 16 link, Dist.
 Level Upland; timber Oak, Hickory &c
 80.00 Intersected Township line, North boundary, at the post
 Level Upland; timber Oak, Ash, Elm, Hickory

ch. lks.

North Between Sections 33 & 34 T. 1.

40.00 Set quarter section post, from which an
 Elm 10 in. dia. bears S 80 W 13 links, & an
 Elm 6 in. dia. bears S 43 E 8 link, distant
 Level prairie

80.00 Set post corner to Secs. 27, 28, 33, 34, from which an
 Ash 12 in. dia. bears S 53 W 7 links, & a
 Maple 10 in. dia. bears N 73 E 36 link, Dist.
 Level land; timber ash, Elm, Oak, &c

East on Random between Sections 27 & 34 - T. 1

2.00 A path N. & S.
 40.00 Set temporary quarter section post
 Level land; timber Ash, Elm, Oak, &c
 80.00 Intersected N. & S. line at the post
 Level land; timber ash, Elm, Oak, &c

West Corrected back between Sections 27 & 34

40.00 Set quarter section post, from which an
 Elm 10 in. dia. bears S 32 E 14 links, & an
 Ash 6 in. dia. bears N 41 W 24 link, Dist.
 80.00 Section Corner

North Between Sections 27 & 28 T. 1.

5.00 A path, N. & S. & E.
 40.00 Set quarter section post, from which an
 Oak 18 in. dia. bears N 77 W 29 links, & a
 Bur oak 15 in. dia. bears S 60 E 37 link, Dist.
 80.00 Set post corner to Secs. 21, 22, 27, 28, from which an
 Ash 8 in. dia. bears S 70 W 28 links, & a
 Hickory 8 in. dia. bears N 54 E 19 link, Dist.
 Level Upland; timber Oak, Hickory, Elm &c

East on Random between Sections 22 & 27

40.00 Set temporary quarter section post
 Level land; timber ash, Oak, Hickory, &c

Ch. 1.

80.00 Intersected N. & S. line 8 links, south of post
Level land; timber Oak, Ash, Elm, &c

West corrected line back between Secs 22 & 27

40.00 Set quarter section post at average distance, on true line, from which a
Hickory 10 in. dia. bears N 8 E 17 links, & an
Elm 12 in. dia. bears S 33 E 16 links, dist.

80.00 Section corner.

North Between Sections 21 & 22 T. 1

40.00 Set quarter section post, from which a
Blk. Oak 18 in. dia. bears N 43 W 24 links, dist.
Level land, very brushy

80.00 Set post corner to Secs 15, 16, 21, 22, from which a
Walnut 12 in. dia. bears S 87 W 29 links, & an
Elm 10 in. dia. bears S 63 E 30 links, dist.
Land something uneven; timber Oak,
Ash, &c. Oct. 17, 1805

East On Random between Sections 15 & 22

40.00 Set temporary quarter section post
Level land; timber Oak, Hickory &c

80.00 Intersected N. & S. line 25 links, North of post
Level land; timber Oak, Hickory, &c

West corrected back between Sections 15 & 22

40.00 Set quarter section post, at average distance, on true line, from which a
Red Oak 14 in. dia. bears S 28 E 11 links, & a
Blk. Oak 10 in. dia. bears N 81 W 6 links, dist.

80.00 Section corner.

North Between Sections 15 & 16, T. 1

29.27 Intersected, & set post on the South (right)
bank of the Miami River.

Ch. 1.

48.35 Set post on North (left) bank of the River
Land - last half - level prairie - except River

80.00 Set post in prairie, corner to Sections 9, 10, 15, 16,
from which a Blk. Oak 12 in. dia. bears N 46 E
126 links, distant.

Land something uneven; timber Oak, Hickory, &c

East On Random between Sections 10 & 15

24.40 Set post on West (left) bank of Miami River

34.00 Set post on East (right) bank of said River.

40.00 Set temporary quarter section post

43.50 A Water course 100 links, runs N. E.

80.00 Intersected N. & S. line 8 links, North of post
Good land, no timber

West corrected back between Sections 10 & 15

40.00 Set quarter section post in prairie from
which no bearing trees.

80.00 Section corner

North Between Sections 9 & 10 T. 1

17.50 A Stream 5 links, wide, course S. W.

40.00 Set quarter section post, from which a
Hickory 12 in. dia. bears N 63 W 37 links, & an
Elm 10 in. dia. bears S 51 E 36 links, dist.

Level upland; timber Oak, Hickory &c

80.00 Set post corner to Secs 3, 4, 9, 10, from which an
Ash 12 in. dia. bears N 55 W 19 links, & an
Ash 10 in. dia. bears S 38 E 15 links, distant
Level upland; timber Oak, Ash, Hickory.

East On Random between Sections 3 & 10, T. 1

40.00 Set temporary quarter section post
Level land; timber Oak, Elm &c

80.00 Intersected N. & S. line 15 links, South of post
Level upland; timber Oak, Hickory, &c

ch. Sh.

West Corrected back, between Sections 3 & 10
 40.00 Set quarter Section post at average distance, on true line, from which an Elm 12 in. dia. bears N 18° W 17 links, & an Elm 12 in. dia. bears S 27° E 45 links, dist.
 80.00 Section Corner.

North Between Sections 3 & 4 T. 1

40.00 Set quarter Section post, from which an Elm 12 in. dia. bears N 60° E 24 links, & an Elm 12 in. dia. bears S 34° W 32 links, dist.
 Level upland; timber oak, Elm &c.
 80.00 Intersected Township line 25 links, west of post.
 [It does not appear that a post was set at intersection.]

North Between Sections 32 & 33 T. 1

12.50 A stream 10 links wide, course N.E.
 40.00 Set quarter section post on South (right) bank of the Miami river, in prairie, from which a Buckeye 10 in. dia. bears West 8 links, dist.
 53.75 Set post on North (left) bank of River.
 80.00 Set post corner to Sects. 28, 29, 32, 33, from which a W. Oak 30 in. dia. bears N 52° E 79 links, & a W. Oak 30 in. dia. bears N 49° W 61 links, dist.

East Between Sections 28 & 33 T. 1

28.31 Set post on West (left) bank of Miami R.
 34.00 To West side of an Island - Set post
 40.00 quarter Section post near the center of the island.
 45.60 Set post on the East side of the Island
 All prairie
 West Between Sects. 28 & 33, from cor. Sects. 27, 28, 33, 34.

ch. Sh.

29.38 Set post on East (right) bank of the River.
 Level land to the River bank; timber oak, Hickory, ash, &c.
 Oct. 20th 1805

North Between Sections 28 & 29 T. 1

31.00 A stream 5 links wide, course E.
 40.00 Set quarter Section post, from which a Burr Oak 30 in. dia. bears N 80° E 25 links, & a Locust 24 in. dia. bears S 53° W 20 links, dist.
 Upland; timber oak, Hickory &c.
 80.00 Set post corner to Sects. 20, 21, 28, 29, from which an Ash 10 in. dia. bears S 57° E 19 links, & a Hickory 15 in. dia. bears S 47° W 64 links, dist.
 Level upland; timber oak & Hickory.

East Between Sections 21 & 28 T. 1

38.00 Road leading up & down the River
 40.00 Set quarter section post, in prairie, from which no bearing trees
 45.00 Set post on West (left) bank of Miami R.
 West Between Sects. 21 & 28, from cor. of 21, 22, 27, 28.
 20.00 A path N. & S.
 30.25 Set post on East (right) bank of River
 Land something uneven; timber oak, & Hickory

North Between Sections 20 & 21 T. 1

40.00 Set quarter section post, from which an Elm 6 in. dia. bears S 40° E 31 links, & a Hickory 12 in. dia. bears S 46° W 38 links, dist.
 Level upland; timber oak, Hickory &c.
 80.00 Set post corner to Sects. 16, 17, 20, 21, from which an Elm 8 in. dia. bears S 52° E 40 links, & a Red Oak 12 in. dia. bears S 66° W 20 links, dist.
 Level upland; timber oak, Hickory, &c.

West Between Sections 16 & 21, from cor. of 15, 16, 21, 22,

- ch. Lk.
17.50 Set post on East (right) bank of the Miami R.
above prairie bottom land, good quality.
East Between Secs. 16 & 21, from cor. of 16, 17, 20, 21
40.00 Set quarter section post, from which a
 Hickory 12 in. dia. bears N 73 W 69 link, dist.
53.22 Set post on West (left) bank of River.
From the qtr. Sec. post, prairie bottom

- North Between Sections 16 & 17 T. 1.
40.00 Set quarter section post, from which a
 Bur Oak 20 in. dia. bears N 44 E 16 link, & a
 Elm 12 in. dia. bears S 13 W 27 link, dist.
Level land; timber Ash, Elm, &c.
80.00 Set post corner to Secs. 8, 9, 16, 17, from which an
 Ash 10 in. dia. bears S 37 E 9 link, & an
 Ash 6 in. dia. bears S 44 W 15 link, dist.
Level land; timber Ash, Elm, &c.

- East On Random between Sections 9 & 16
40.00 Set temporary quarter section post
Level upland; timber Oak, Ash, Elm, &c.
80.00 Intersected N. & S. line 10 link, North of post
Land somewhat uneven; timber Oak.

- West Corrected back between Sections 9 & 16
40.00 Set quarter section post at average dist-
ance, on true line, from which a
 W. Oak 24 in. dia. bears S 55 W 25 link, & a
 W. Oak 24 in. dia. bears N 61 E 41 link, dist.
80.00 Section corner. Oct. 22. 1805.

- North Between Sections 8 & 9 T. 1
40.00 Set quarter section post, from which an
 Elm 18 in. dia. bears N 37 E 41 link, & a
 Elm 12 in. dia. bears S 70 W 39 link, dist.
Level Upland; timber Oak, Elm, Oak, &c.

- ch. Lk.
80.00 Set post corner to Secs. 4, 5, 8, 9, from which a
 W. Oak 14 in. dia. bears S 42 E 24 link, & a
 W. Oak 18 in. dia. bears N 70 W 15 link, dist.
Level upland; timber Oak, Ash, Hickory, &c.

- East On Random between Sections 4 & 9 T. 1
40.00 Set temporary quarter section post
80.00 Intersected N. & S. line 25 link, North of post
Level land; timber Ash, Elm, &c.

- West Corrected back between Sections 4 & 9
40.00 Set quarter section post at average dist-
ance, on true line, from which a
 Bur Oak 20 in. dia. bears S 6 E 26 link, & a
 Bur Oak 30 in. dia. bears N 56 E 37 link, dist.
80.00 Section corner

- North Between Sections 4 & 5 T. 1
40.00 Set quarter section post, from which a
 W. Oak 18 in. dia. bears S 70 E 19 link, & a
 Ash 15 in. dia. bears S 57 W 28 link, dist.
Level upland
43.60 A stream 7 link, wide, course N.W.
77.50 Swan Creek 50 link, wide, course N.E.
80.00 Intersected Township line 10 link, West
of post. [Post at intersection, it seems, was
not set.]
Land somewhat uneven; timber Oak,
Ash, &c. Oct. 18. 1805

- North Between Sections 31 & 32 T. 1
13.28 Set post on N.W. side of [Roche de Bonte] Isl.
26.50 To N.W. (left) bank of the Miami R. Set post.
37.75 Road up & down the River
40.00 Set quarter section post, from which an
 Elm 14 in. dia. bears S 85 W 32 link, & a

Ch. Lk.

Hickory 8 in. dia. bears N 87° 29 links, dist.
 Sand broken; timber Oak, Hickory, &c
 80.00 Set post corner to Sec. 29, 30, 31, 32, from which a
 Hickory 15 in. dia. bears N 64° E 37 links, &c
 Hickory 15 in. dia. bears N 57° W 36 links, dist.
 Level upland; timber Oak, Hickory, &c

East on Random between Sections 29 & 32

40.00 Set temporary quarter section post
 Upland

80.00 Intersected N. & S. line at post.

Upland; timber Oak, Hickory &c

West Corrected back between Sections 29 & 32

40.00 Set quarter section post at average distance, on true line, from which an
 Elm 20 in. dia. bears N 78° E 31 links, &c
 Oak 36 in. dia. bears S 50° W 43 links, dist.

80.00 Section corner.

Level upland; timber Oak, Hickory, &c

North Between Sections 29 & 30 T. 1

32.00 a Lynn 36 in. dia.

40.00 Set quarter section post, from which an
 Elm 10 in. dia. bears S 49° E 10 links, &c
 Elm 10 in. dia. bears S 77° W 15 links, dist.

Level upland; timber Oak, Hickory, &c

80.00 Set post corner to Sec. 19, 20, 29, 30, from which an
 Elm 12 in. dia. bears N 57° W 21 links, &c
 Elm 12 in. dia. bears S 49° E 22 links, dist.

Level land; timber Ash, Elm &c

East on Random between Section, 20 & 29

40.00 Set temporary quarter section post

Level land, timber Ash, Elm, Oak, &c

80.00 Intersected N. & S. line at the post

Ch. Lk.

Level upland; timber Oak, Hickory, &c

West Corrected back, between Sections 20 & 29

40.00 Set quarter section post at average distance, on true line, from which an
 Ash 18 in. dia. bears S 39° W 16 links, &c
 Ash 10 in. dia. bears N 4° E 52 links, distant

80.00 Section corner.

North Between Sections 19 & 20 T. 1

40.00 Set quarter section post, from which a
 Hickory 6 in. dia. bears N 76° W 38 links, &c
 Elm 30 in. dia. bears S 78° E 30 links, dist.

Level land; timber Ash, Elm, &c

80.00 Set post corner to Sec. 17, 18, 19, 20, from which
 an Ash 20 in. dia. bears N 60° W 20 links, &c
 Ash 8 in. dia. bears S 71° E 17 links, distant

Level land; timber Ash, Elm, &c

East on Random between Sections 17 & 20

40.00 Set temporary quarter section post

Level land; timber Ash, Elm, &c

80.00 Intersected N. & S. line at the post

Level upland; timber Oak, Hickory &c

West Corrected back, between Sections 17 & 20

40.00 Set quarter section post at average distance, on true line, from which an
 Elm 6 in. dia. bears S 44° E 16 links, &c
 Ash 24 in. dia. bears N 54° W 21 links, dist.

80.00 Section corner

North Between Sections 17 & 18 T. 1

27.10 an Elm 36 in. dia.

40.00 Set quarter section post, from which an
 Elm 24 in. dia. bears N 19° W 33 links, &c

Ch. Sh.

- Ash 15 in. dia. bears S 40 E 15 link, distant
level land; timber Ash, Elm, &c.
- 74.70 a trace, E. & S.
- 80.00 Set post corner to Sec. 7, 8, 17, 18, from which an
Ash 14 in. dia. bears N 46 E 32 link, & a
Hickory 15 in. dia. bears S 61 E 35 link, dist.
level land; timber Ash, Elm, &c.
-
- East On Random between Sec. 8 & 17 T. 1
- 40.00 Set temporary quarter section post
level land; timber Oak, Ash, Elm &c.
- 80.00 Intersected N. & S. line at the post
level land; timber Ash, Elm, &c.
-
- West Corrected back, between Sections 8 & 17
- 40.00 Set quarter section post at average distance, on true line, from which a
Bur Oak 20 in. dia. bears N 49 W 14 link, & an
Elm 12 in. dia. bears S 60 E 20 link, dist.
- 80.00 Section corner
-
- North Between Sections 7 & 8 T. 1
- 6.20 an Elm 24 in. dia.
- 40.00 Set quarter section post, from which a
Lynn 8 in. dia. bears S 71 W 40 link, & a
Lynn 10 in. dia. bears N 84 E 18 link, dist.
level land; timber Ash, Elm, Hickory, &c.
- 71.00 Swan Creek 100 link, wide, course East
- 80.00 Set post corner to Sec. 5, 6, 7, 8, from which an
Ash 24 in. dia. bears S 41 W 36 link, & an
Ash 8 in. dia. bears N 70 E 37 link, dist.
land somewhat uneven; timber Oak,
Ash, Hickory, &c.
-
- East On Random between Sections 5 & 8
- 15.00 Swan Creek 100 link, wide, course N. E.

Ch. Sh.

- 40.00 Set temporary quarter section post
level land; timber Ash, Elm, Oak, &c.
- 71.00 a water course 20 link, wide, runs N. E.
- 80.00 Intersected N. & S. line at the post
level land; timber Oak, Ash, Elm, &c.
-
- West Corrected back, between Sections 5 & 8
- 40.00 Set quarter section post at average distance, on true line, from which a
W. Oak 30 in. dia. bears S 40 W 19 link, & a
W. Oak 36 in. dia. bears N 35 E 17 link, dist.
- 80.00 Section corner.
-
- North Between Sections 5 & 6 T. 1
- 40.00 Set quarter section post, from which a
W. Oak 36 in. dia. bears S 82 W 29 link, & a
Hickory 20 in. dia. bears S 57 E 45 link, dist.
level upland; timber Oak, Hickory, &c.
- 80.00 Intersected Township line 110 link, West of
the post. [no post set, it seems, at the
intersection.]
level upland; timber Oak, Hickory, &c.
-
- East On Random between Sections 30 & 31
- 40.00 Set temporary quarter section post
level land; timber Oak, Ash, Hickory, &c.
- 80.00 Intersected N. & S. line 20 link, North of post
level upland; timber Oak, Hickory, &c.
-
- West Corrected back, between Sections 30 & 31
- 40.00 Set quarter section post at average distance, on true line, from which an
Elm 12 in. dia. bears N 25 W 20 link, & a
Hickory 14 in. dia. bears S 53 E 27 link, dist.
- 80.00 Section corner

Ch. Sh.

East On Random between Sections 19 & 30
40.00 Set temporary quarter section post
Level land; timber Oak, Elm, Oak, &
80.00 Intersected N. & S. line 40 links, North of
Level land; timber Oak, Ash, Elm, &

West Corrected back, between Sections 19 & 30
40.00 Set quarter section post at average dist-
ance, on true line, from which an
Elm 18 in. dia. bears S 69 E 11 links, & a
Oak 12 in. dia. bears N 35 W 4 links, dist.
80.00 Section corner.

East On Random between Sections 18 & 19
40.00 Set temporary quarter section post
Level land; timber Oak, Elm, &
80.00 Intersected N. & S. line 50 links, North of post
Level land; timber Oak, Elm, &

West Corrected back between Sections 18 & 19
40.00 Set quarter section post at average dist-
ance, on true line, from which an
Ash 8 in. dia. bears S 13 W 8 links, & an
Elm 30 in. dia. bears N 53 W 28 links, dist.
80.00 Section corner.

East On Random between Sections 7 & 18, T. 1
40.00 Set temporary quarter section post
Level land; timber Oak, Elm, Oak, &
80.00 Intersected N. & S. line 30 links, North of post
Level land; timber Oak, Elm, Hickory, &

West Corrected back between Sections 7 & 18
40.00 Set quarter section post at average dist-
ance, on true line, from which an
Ash 10 in. dia. bears N 16 E 19 links, & a
Elm 12 in. dia. bears S 31 E 78 links, dist.

Ch. Sh.

See Oak 12 in. dia. bears N 46 E 28 links, dist.
80.00 Section corner.

East On Random between Sections 6 & 7 T. 1
40.00 Set temporary quarter section post
Level land; timber Oak, Hickory &
80.00 Intersected N. & S. line at the post
Level upland; timber Oak, Hickory &

West Corrected back between Sections 6 & 7
40.00 Set quarter section post at average dist-
ance, on true line, from which a
Hickory 12 in. dia. bears S 22 E 19 links, & a
Hickory 12 in. dia. bears N 46 E 17 links, dist.
80.00 Section corner.

Meanders.

Meanders of the Miami River (of the Lake,
in Township 1. Beginning at post
in the South boundary, on the N.W.
(or left) side of said River, in Sec-
tion 31. Thence down stream, on

corner, Ch. Sh. the left bank:-

N 34 1/2 E 5.95

N 38 E 8.50

N 41 1/2 E 5.61

N 45 1/2 E 11.80 - To line of Sec. 31 & 32

N 45 1/2 E 10.17 In Sec. 32

N 49 E 7.28

N 56 E 13.00

N 73 1/2 E 25.50

N 87 1/2 E 13.23

S 68 E 4.00

S 81 E 15.58 - To line of Sec. 32 & 33

N 75 E 10.36

N 62 E 10.87

Ch. Sh.	Ch. Sh.	
N 40 E	10.00	
N 19 E	5.00	
N 3½ E	4.96	- Line of Sect. 28 & 33
N 6½ W	4.92	In Sec. 28
North	24.48	
N 20 E	22.41	
N 15½ E	33.50	- Line of Sect. 21 & 28
N 9 E	4.17	In Sec. 21
N ½ W	24.50	
N 5 E	50.85	- Line of Sect. 16 & 21
N 25 E	19.00	In Sec. 16
N 32½ E	35.75	- Line of Sect. 15 & 16
N 31 E	17.60	In Sec. 15
N 41 E	22.50	- Line of Sect. 10 & 15
N 46 E	18.26	In Sec. 10
N 51 E	58.40	- Line of Sect. 10 & 11
N 51 E	22.30	In Sec. 11
N 78½ E	56.67	
N 50 E	4.20	- Line of Sect. 11 & 12
N 44½ E	7.50	- Line of Sect. 1 & 2
N 42 E	12.53	In Sec. 1
N 30 E	6.34	
N 72½ E	36.50	
N 35 E	10.00	
N 17 E	5.67	
N 4½ E	7.98	
N 63 E	12.25	
N 37 E	5.50	
N 24½ E	2.61	- To Line between Townships 1 & 4
[No meanders, by Mr. Glover, of the right bank.]		
Surveyed in October 1805, by		
Elias Glover.		
Dep. Sur.		

Ch. Sh.

River Lots.

Var. 5.15 E.

Began Surveying [River Lots, in Township 1] in the Reserve [of 12 miles square] at the Foot of the Rapids of the Miami of the Lake, July 27th 1816; W^m Wilson & David Brown, Chainmen, and W^m Gibbs Marker; being previously sworn, faithfully, to discharge their duties as such.

Found the Magnetic Variation to be 5.15 E. Beginning at the corner of Sections 11, 12, 13, 14 and ran thence -

East along the South side of Section 12 - T. 1
 25.00 Set temporary post corner of Lot 64 & Spafford's pre-emption claim.
 45.00 Set temporary post corner of Spafford's & Lot 65
 65.00 Set temporary post corner of Lot 65 & 66
 70.00 a Swale
 70.00 Over Swale
 82.10 Corner of Sections 12 & 13, on Township line.
 Level, wet land; timber ash, elm, oak, &c.

Set post, the old corner of Sections 12 & 13, on the East boundary of Township, & South East corner of Lot 66, from which an Elm 14 in. dia. bears S 28 W 13 links, & an Ash 11 in. dia. bears N 87 E 33 links dist.
 North thence, along township line, East side of Lot 66,
 49.00 a Swale, course N 30 E
 49.50 Over Swale
 93.00 Top of high bank, at a ravine
 95.00 a Run — link, wide, course —
 99.00 Over ravine
 100.00 Top of bank 36 feet high
 102.50 Descend bank to foot of it
 127.33 Set post on right bank of Miami River, and piled stones around it, for corner to Lots 66 &

ch^d. Lk.

67, in the Township line between Towns. 1 & 4
Land, - first mile, level; timber Oak, Ash,
elm, Hickory, Lym; with hazel, Spice & Sall
good; from thence to foot of high bank very
brushy; river bottom, very rich; dry prairie

West, from line of Townships 1 & 4,

15.00 Set post on right bank of the River, corner
of Lots 65 & 66, and piled stones around post.

South thence, between Lots 65 & 66

14.80 a run 8 link, wide, course West

15.00 Foot of high bank

17.50 Ditch at Fort Meigs

21.60 Over Fort Meigs ditch at ravine

25.00 Over ravine

46.00 a Blk. Jack 18 in. dia.

62.65 a Forked Elm 24 in. dia.

78.00 a Swale

79.00 Over swale

111.89 Intersected section line, between Sec^s 12 & 13,
1 ch. 90 lks. East of temporary post. Moved
the post to intersection, for corner to Lot,
65 & 66, from which a
Run Oak 22 in. dia. bears N 1 E 17 links, & an
Elm 12 in. dia. bears N 39 E 20 links, distant

Land - to the high bank is rich, dry prairie;
next $\frac{3}{4}$ of a mile is very brushy; timber
Oak, Elm, & Ash, with hazel &c; the residue
is very wet land. July 28, 1816.

Moved the temporary post, set for Lot 65
& Spafford's claim, 2 ch. 10 link, East, where
established it for corner to Lot, 64 & 65, on
line between Sec^s 12 & 13, from which an
Elm 15 in. dia. bears S 67 E 16 links, & a
Elm 8 in. dia. bears N 50 W 19 link, distant.

ch^d. Lk.

From a point near the river, on East bound-
ary of the Township, measured

West across Lots 66 & 65 -

35.00 Set post on the right bank of River, corner to
Lot 65 & Amos Spafford's tract, and piled stones
around it. Thence

South Between Lot 65 & Amos Spafford's tract -

6.50 Foot of steep high bank

14.60 Ascend to top of bank, 40 feet high

47.78 an Elm 22 in. dia.

81.49 Set post in West line of Lot 65, for South East
corner to Amos Spafford's tract from which a
B. Oak 12 in. dia. bears N 58 $\frac{1}{4}$ E 24 links, & a
W. Oak 13 in. dia. bears S 46 $\frac{1}{4}$ W 43 link, dist.

94.38 Intersected section line at post.

Land - Rich prairie from river to high bank;
the rest 40 ch. level & brushy; the residue wet
level land; timber Oak, Ash, Hickory, Elm; with
Spice, hazel &c

From the South East corner of Spafford's tract,
West along rear line of Spafford's tract, between
it and Lot 64 -

3.89 a W. Oak 30 in. dia.

19.39 an Ash 10 in. dia.

20.00 Set post for South West corner of said Spaf-
ford's tract & a corner of Lot 64, from which an
Ash 8 in. dia. bears S 22 W 13 links, & an
Ash 16 in. dia. bears N 12 E 13 link, distant
level wet land - thence

North Between Spafford's tract & Lot 64

15.91 a Black Jack 17 in. dia.

42.00 a ravine, course West

44.50 Over ravine

50.00 Top of bank 38 feet high

ch. Ls.

- 56.00 Descend to foot of bank - a pond, extends N 80 E & S 80 W.
 57.00 over pond
 59.50 a pond - extends N 60 W & S 60 E
 61.50 over pond
 68.50 a kind of bayou
 69.60 over bayou
 78.59 To right bank of the River; set post corner to A. Spafford's tract & Lot 64, & piled stones around it.

Land - very brushy to ravine; timber Oak, ash, elm, Hickory, &c under growth the same, mixed with hazel & spice; from pond to the River, rich prairie. July 29. 1816

- Met From line between Sections 11 & 12, near River
 20.00 across Lot 63; - set post on right bank of the River, corner to Lot, 62 & 63, from which a Willow 12 in. dia. bears S 85 $\frac{1}{2}$ W 1.26 link, Dist.
 South Thence, between Lots 62 & 63
 2.50 a kind of pond or bayou
 5.00 over bayou
 11.00 To wood land
 18.50 a Ravine 200 link, wide, course S. E.
 33.40 a Run 10 link, wide, course N. E.
 35.50 a Run 4 link, wide, course S. W.
 47.66 a Spanish Oak 19 in. dia.
 71.05 a Hickory 16 in. dia.
 96.73 Set temporary post.

Went to the quarter section post between Sections 13 & 14, & run, thence -

- West On Random line, across Section 14
 80.00 Found no quarter section corner on line between Sections 14 & 15. Thence marked -
 East On true line across Section 14
 20.00 Set temporary post for corner of Lot, 60 & 61

ch. Ls.

- 40.00 Set temporary post, corner of Lot, 61 & 62
 59.40 At temporary post, corner of Lot, 62 & 63
 80.00 To quarter section post between Secs. 13 & 14

Established post cor. to Lot, 62 & 63, from which a Span. Oak 20 in. dia. bears N 88 W 21 link, & an Ash 17 in. dia. bears N 28 E 24 link distant,

- West From the line between Sections 62 & 63, near River
 19.40 Set post on right bank of River, corner to Lot, 61 & 62, from which a bunch of Willows bears N 50 $\frac{1}{2}$ W 16 link, distant; thence
 South Between Sections, Lot, 61 & 62
 22.00 Foot of steep high bank
 24.50 Ascend to top of bank, 25 feet high
 30.00 a Ravine 200 link, wide
 42.25 a B. Oak 30 in. dia.
 68.42 a Run 30 link, wide, course N. 30 W
 93.00 Same run 20 link, course N 20 E
 94.00 Same Run 20 link, course N 20 W
 96.00 Same Run 20 link, course N 10 E
 97.28 Came out at temporary post, and established it for corner to Lot, 61 & 62, from which a Walnut 10 in. dia. bears N 43 W 22 link, & a Walnut 26 in. dia. bears N 22 E 59 link, Dist.
 Land - from river to high bank, rich prairie & bottom; residue fine timbered land, under growth spice & hazel.

- Established ^{the} temporary post for corner to Lot, 60 & 61, from which a Blk. Jack 11 in. dia. bears N 53 W 29 link, & an Elm 5 in. dia. bears S 67 $\frac{1}{4}$ E 4 link, Dist.
 North Thence, Between Lot, 60 & 61
 17.00 a Run 30 link, wide, course N 20 E
 22.00 Run 40 link, wide, course N. 30 W.

ch. l. sh.

32.00 a Run 5 link, wide, course West

60.00 Enter bottom

65.63 a Walnut 22 in. dia.

68.00 Enter prairie

85.39 Set post on right bank of the Miami River, corner to Lots 60 & 61, from which a Willow 3 in. dia. bears N 88 W 15 link, dist.

Land - S. of bluff bank, hilly; residue level & very rich bottom & prairie.

From the line between Lots 60 & 61, run River, West, across Lots 60 & 59

37.25 Set post on right bank of River, for corner to Lots 58 & 59, & piled stones around it.

South thence, Between Lots 58 & 59

4.00 Foot of steep high bank

7.00 Ascend to top of bank, 30 feet high

40.24 a Hickory 13 in. dia.

41.50 a Run 4 link, wide, course S. 30 E

50.60 Run 40 link, wide, course East

70.00 Run 35 link, wide, course N 20 W

78.00 a Run 4 link, wide, course N 60 E

88.10 a Run 20 link, wide, course N 40 E

106.14 Intersected line between Sections 15 & 22.

Set post corner to Lots 58 & 59, from which an Elm 15 in. dia. bears N 57 E 14 link, & an Elm 9 in. dia. bears S 78 1/4 W 18 link, dist.

Good land; timber Oak, Ash, Elm, Hickory, Lym; with spice, hazel &c

Measured East on Section line, along the rear of Lot 59, - 17 ch. 27 link, to corner of Sections 14, 15, 22, 23.

West on Section line, along the rear of Lot 58

9.50 a Run 40 link, wide, course North

18.50 Set post corner to Lot 57 & 58, from which an

ch. l. sh.

Elm 9 in. dia. bears N 88 W 18 link, distant, & an Elm 10 in. dia. bears N 7 E 24 link, distant.

North Between Lots 57 & 58 T. 1

50.98 a Hickory 22 in. dia.

77.00 Top of bank 35 feet high

80.50 Descend to foot of bank, & enter bottom

82.50 a pond 100 link, wide

90.40 Set post on right bank of the Miami River, corner to Lots 57 & 58, & piled stones around it.

Land - first half mile. Wet & bushy; timber Aspen, Elm, Ash, Hickory; rest 20 ch. rich Walnut land; thence to the high bank, fine W. Oak land; the residue, thence to River, rich prairie

West From the line between ^{across} Lots 57 & 58, dot 57.

19.50 Set post, and piled stones around it, for corner to Lots 56 & 57, on right bank of River

South thence, Between Lots 56 & 57 - T. 1

37.00 a pond

38.00 Foot of high bank, 36 feet high

41.00 ascend to top of bank

47.50 a W. Oak 30 in. dia.

72.91 Intersected line between Sections 15 & 22.

Set post corner to Lot 57 & 56, from which a Hickory 11 in. dia. bears N 36 1/2 E 6 link, & an Elm 13 in. dia. bears N 46 1/2 W 29 link, dist.

Land - from river to pond, very rich prairie; residue fine Oak land, with hazel & spice.

East on Section line, along rear of Lot 57.

19.86 To the post, corner of Lots 57 & 58

West on Section line, along rear of Lot 56

26.87 To corner of Sec. 15, 16, 21, 22, & S.W. cor. of Lot 56

ch. Sk.

South Between Sections 22 & 23 T. 1

8.00 a Run 25 link, wide, course W.

81.15 To corner of Sections 22, 23, 26, 27
Level, wet, brushy land; timber Elm,
Oak, Ash, Hickory; with Spice & hazel

South Between Sections 26 & 27 T. 1

81.37 To corner of Sections 26, 27, 34, 35
Very wet & swampy land

South Between Sections 34 & 35 T. 1

41.00 To the quarter section corner, the S. E. cor-
ner of Lot 46West From the South-East corner of Lot 46 (the
quarter Sec. post between Secs. 34 & 35) on
the South side of said Lot 46

58.15 a Red Oak 38 in. dia.

69.15 Hull's Road

82.15 Intersect line between Secs. 33 & 34, at quarter
section corner

114.72 an Elm 14 in. dia.

115.65 a Run 4 link, wide, course S. W.

126.15 a Stream 40 link, wide, runs N. W.

137.45 a Run 4 link, wide, course N 40 W

140.23 a W. oak 36 in. dia.

152.15 Enter River bottom

159.32 line between Sections 32 & 33

179.27 Set post on right bank of the Miami Riv-
er, corner to Lot, 45 & 46, from which a
Locust 20 in. dia. bears S 31 E 78 link, dist.
Land, the first 40 ch., wet & swampy;
residue good land; timber oak, ash, Hickory;
with Spice & hazel, &c.

North From the South line of Lot 46 -

ch. Sk.

20.00 across Lot 46 - set post on right bank of the
River, corner to Lot, 46 & 47, from which an
Elm 10 in. dia. bears S 6 1/4 W 37 link, distant

East Thence - Between Lots 46 & 47 T. 1

17.50 a Run 5 link, wide, course N 15 E

28.95 a Red Oak 26 in. dia.

138.85 Intersected line between Sections 34 & 35,
and set post therein, corner to Lot, 46 & 47
from which a Maple 14 in. dia. bears S 15 W
18 link, distant, & an Elm 18 in. dia. bears N 26 E
W 32 link, distant.Land, level & wet, except the first
20 ch., next the river, which is tolerably good.South From the above corner, on rear line of Lot 46
20.00 To quarter section post on line of Secs. 34 &
35, - the S. E. corner of Lot 46Set post on line between Sections 26 & 27,
for corner to Lot, 48 & 49, from which a
Sycamore 14 in. dia. bears N 14 W 36, & a
Sycamore 17 in. dia. bears S 18 W 20 link, dist.

West Thence - Between Lots 48 & 49 T. 1

26.74 an Elm 46 in. dia.

59.49 a Spanish Oak 30 in. dia.

85.90 a Run 16 link, wide, course N. W.

102.32 a Run 4 link, wide, course N. W.

108.98 Set post on right bank of the Maumee R.
corner to Lot, ^{48 & 49} from which a
Hickory 8 in. dia. bears S 75 E 29 link, & a
W. Oak 7 in. dia. bears N 45 E 33 link, dist.
Level, wet & swampy land, except the last
half mile, next the river. Aug. 1. 1816North From line of ^{Lot} 48 & 49, across Lot 49
20.00 Set post on right bank of the Maumee R.

ch. Sh.

and piled stones around it, for corner to Lot, 49 & 50. thence
East Between Lots 49 & 50, from said post
5.00 Leave prairie
10.00 Leave River bottom
19.00 Hull's Road, course S 70° E
82.68 a W. oak 50 in. dia.
115.98 Intersected line between sections 26 & 27,
and set post corner to Lot, 49 & 50, from which a
Hickory 13 in. dia. bears N 66° W 4 links, & an
Elm 11 in. dia. bears S 67° E 38 links, distant
land, the first 20 ch. good; residue
very wet & swampy.

Set post on the line between sections 26 &
27, for corner to Lot, 50 & 51, from which an
Elm 11 in. dia. bears S 15° W 48 links, & a
B. oak 30 in. dia. bears N 8° W 47 links, dist.
West From said corner, Between Lots 50 & 51
22.20 an Elm 30 in. dia.
107.53 a Hickory 20 in. dia. at Hull's Road
102.67 Top of bank, 30 feet high
104.17 Descend bank, & Enter River bottom
108.00 Enter prairie
110.77 Set post on right bank of the Miami River,
and piled stones around it, for corner to
Lots 50 & 51.
land, level & wet, to high bank; timber
Elm, Ash, & with spice & hazel; residue
very good land

North From the corner of sections 22, 23, 26 & 27-
20.28 Set post on line between sections 22 & 23,
corner to Lot, 52 & 53, from which an
Elm 14 in. dia. bears N 53° W 20 links, & an
Elm 13 in. dia. bears S 57° W 27 links, distant

ch. Sh.

West Between Lots 52 & 53. T. 1
53.31 an Elm 30 in. dia.
101.25 a Hickory 10 in. dia.
102.00 Hull's Road
104.78 Set post on right bank of the Miami River,
for corner to Lot, 53 & 54, from which a
Ironwood 5 in. dia. bears N 24° W 24 links, distant
B. oak 11 in. dia. bears North 12 links, distant
level wet land.

North From the line between Lot, 52 & 53, near River,
20.29 across Lot 53 - Set post on right bank of
the River, corner to Lot, 53 & 54, from which a
Buckeye 6 in. dia. bears S 3° W 35 links, & a
B. oak 11 in. dia. bears North 12 links, dist.
East From said corner, Between Lots 53 & 54
2.80 a W. Oak ¹² in. dia.
23.80 a Run 5 links, wide, course North
102.38 Intersected line between sections 22 & 23,
where set post corner of Lot, 53 & 54, from which
an Elm 25 in. dia. bears N 39° W 30 links, & an
Elm 7 in. dia. bears S 59° W 31 links, distant
land - the 30 ch. next the River, good;
residue wet & swampy.

North From corner of Lot, 53 & 54, on line of Sec. 22 & 23,
20.28 Set post for corner to Lot, 54 & 55, from which an
Elm 12 in. dia. bears N 58° W 23 links, & a
Red Oak - in. dia. bears S 2° W 28 links, distant

West From the above corner, Between Lot, 54 & 55
21.50 a Run 20 links, wide, course S. W.
33.30 a Stream 30 links, wide, course South
52.91 a Forked W. oak 50 in. dia.
55.56 a Run 20 links, wide, course N. W.
68.86 a Run 12 links, wide, course N. 15° W.

ch. Sh.

- 71.79 a Run 4 link, wide, course N 30 E
 71.89 a Walnut 15 in. dia.
 86.36 a Run 3 link, wide, course N 30 W
 90.86 Hull's Road
 95.00 Top of high bank
 97.00 Descend bank into River bottom
 101.10 Set post on right bank of the Miami River,
 and piled stones around it, for corner to
 Lot, 54 & 55.
 Land - first 40 ch. swampy; residue
 uneven, good land. Aug. 2. 1816

Set post in south line of Lot 46, one
 mile & a half west of the S. E. corner there-
 of, - for North East corner of Lot 45, where a
 Sugar 12 in. dia. bears S 25 W 2 links, & a
 Hickory 13 in. dia. bears N 9 E 19 links, dist.
 South Thence South Along rear line of Lot 45 -
 7.00 a Run 30 links, wide, course —
 20.00 Set post corner to Lots 44 & 45, from where an
 Elm 10 in. dia. bears the corner tree, & a
 W. Oak 16 in. dia. bears N 33 W 22 links, dist.

West Between Lots 44 & 45, from the above corner
 8.80 a Run 10 link, wide, course N. W.
 30.00 a Stream 30 link, wide, course N 30 W
 32.64 a Hickory 14 in. dia.
 83.17 Set post on right bank of Miami River,
 corner to Lots 44 & 45, from which a
 Buckeye - in. dia. bears S 5 W 10 links, dist.
 Ironwood - in. dia. bears N 5 E 13 links, distant.
 Land - good soil, uneven & very brushy,
 with hazel, spice, aspen, &c

South From corner of Lots 44 & 45, across Lot 44 -
 20.00 To South boundary of the Township

ch. Sh.

North-West side of River.

Commencing at the corner of Sections 3, 4, 9, 10,
 East Thence, on line between Sections 3 & 10
 20.00 Set temporary post corner of Lots 29 & 30
 41.85 To old quarter section corner. Set near post for
 N.E. corner of Lot 29, from which a
 Red Oak 12 in. dia. bears N 79 1/2 E 23 links, & a
 W. Oak 11 in. dia. bears S 60 W 19 links, distant.
 Rich land; timber ash, Elm, Oak, Hickory;
 under growth same, mixed with hazel, spice, &c

From N.E. corner of Lot 29 -
 South Between Lots 28 & 29
 2.66 a W. Oak 36 in. dia.
 9.04 a Run 3 link, wide, course N 30 E
 21.45 a Run 2 link, wide, course S 30 E
 24.00 a Run 5 link, wide, course S 30 W
 36.50 Enter a prairie
 65.00 Set post on left bank of the Maumee River,
 corner to Lots 28 & 29, & piled stones around it.
 Land uneven, but good, to prairie, timber
 Oak; Prairie level & rich.

West From corner of Lots 28 & 29, across Lot 29
 21.85 Set post on left bank of River, for corner to
 Lots 29 & 30, and piled stones around it.

North Between Sections 29 & 30, from post on River,
 4.64 a W. Oak 24 in. dia.
 6.50 Foot of ridge, & enter prairie
 19.00 Leave prairie
 22.80 a W. Oak 30 in. dia.
 26.80 a Run 8 link, wide, course S 15 E.
 84.65 Intersected line between Sections 3 & 10, 15
 links west of temporary post. Set post cor-
 ner to Lots 29 & 30, from which an

Chl. Sh.

Ash 13 in. dia. bears N 55 E 36 links, & an elm 6 in. dia. bears S 21 W 3 links, distant good land.

From quarter section post, the N.E. corner of Lot 29.

North along West side of Lot 28

17.21 an Ash 20 in. dia.

40.70 Set post at center of Section 3, for N.W. corner of Lot 28, from which an elm 24 in. dia. bears N 20 W 11 links, & an Ash 9 in. dia. bears S 42 E 24 links, distant. Wet swampy land.

East along North, or near, line of Lots 28 & 27

20.00 Set temporary post, corner of Lot 27 & 28

40.00 Intersected line between Sections 2 & 3, 30 links, South of quarter section post, cor. of Lot 27.

West corrected line back, on rear of Lot 27 & 28.

20.00 Moved temporary post to average distance, on true line, corner to Lot 27 & 28, from which an elm 20 in. dia. bears S 63 E 47 links, & an elm 7 in. dia. bears S 65 E 23 links, distant.

South Between Lots 27 & 28, from Northerly corner.

33.06 an elm 8 in. dia.

61.00 Enter prairie

67.00 a Pond

72.20 Over pond

80.76 Set post on left bank of the Maumee River, corner to Lot 27 & 28, and piled stone, around it. Level wet land; timber elm, ash, &c. undergrowth same, mixed with spice, hazel &c.

From corner of Sections 2 & 3, on North bound-

Chl. Sh.

ary of the Township, measured -
East along north (or near) line of Lot 26

20.00 Set post corner to Lots 25 & 26, from which an elm 8 in. dia. bears S 82 W 43 links, distant. & an elm 11 in. dia. bears S 33 E 22 links, distant. Fine, level, rich land

South Between Lot 25 & 26, from post on N. boundary

4.00 a Hickory 25 in. dia.

40.27 an elm 11 in. dia.

75.00 Enter prairie.

76.50 To North side of pond

78.50 over pond

99.24 Set post on left bank of Maumee River, & piled stones around it, for corner to Lot 25 & 26.

Level, rich land, to prairie; timber oak, ash, Hickory; undergrowth same, mixed with spice & hazel; - the prairie very rich & level.

From corner on North boundary, of Lot

From line between Lot 25 & 26, near river,

East measured east, across Lot 25

20.40 Set post on left bank of the Maumee River, & piled stone, around it, corner to Lot 26 & 25.

North Thence, Between Lots 24 & 25

10.00 To pond

12.44 Over pond

15.00 Top of bank

23.50 a Ravine 180 ft. wide 20 feet deep, corner N 70 E

25.29 a Sugar 22 in. dia.

76.12 Intersected Township line, & set post corner to Lot 24 & 25, from which a W. Oak 14 in. dia. bears S 46 W 10 links, & an elm 12 in. dia. bears N 73 E 26 links, distant. The prairie, rich & level; the west half

Ch. Sh.

mile, brushy good land; residue, level, rich & wet.

West along North (or rear) line of Lot 25
20.60 To corner of Lot, 25 & 26

East From corner of Lots 24 & 25, on N. boundary,
17.30 Intersected South westerly line of Godfrey &
Beaugrand's Survey, N. 682, where set post,
on Township line, from which an
elm 20 in. dia. bears N 49 1/4 W 56 1/2 links, & a
Hickory 18 in. dia. bears S 12 1/2 W 27 links, Dist.
Land, Wet; timber Oak, Hickory, Ash, Elm.

From post & pile of stones, on left bank of
the Maumee River, corner of Lots 23 & 24,
North thence, Between Lots 23 & 24

15.34 a stream 25 links wide, course East

19.00 To brushy land, at end of improvement

66.75 Intersected South westerly line of Godfrey &
Beaugrand's claim N. 682. Set post in said
line, corner to Lot, 23 & 24, from which a
Hickory 8 in. dia. bears S 51 W 23 links, & an
elm 12 in. dia. bears S 82 1/2 E 72 links, Dist.

From corner of Lot, 23 & 24, on South westerly
line of Godfrey & Beaugrand's claim N. 682,
S 35 E With said line of Godfrey & Beaugrand,
69.88 To their upper corner on left bank of the
Maumee River, a post and pile of stones.

N 35 W — From corner of Lots 23 & 24, above des-
cribed, measured along claim line,

5.21 To post in Township line.

* [These notes are compiled from the field
notes of Saml. Carpenter's surveys around
the private claims, in April 1817.]

Ch. Sh.

Rogan, again, at the quarter section post on the
line between sections, 17 & 20, & the N.W.
corner of Lot 31, from which an
Ash 31 in. dia. bears N 54 W 21 links, & an
elm 8 in. dia. bears S 61 E 19 links, Dist.

South thence, through section 20, - rear of Lot, 31, 32, 33, 34.
13.73 a W. Oak 23 in. dia.

20.00 Set temporary post, corner of Lot, 31 & 32

40.00 Set temporary post, corner of Lot, 32 & 33

60.00 Set temporary post, corner of Lot, 33 & 34

80.06 Intersected line between sections 20 & 29, at
the quarter section post, and corner to Lot,
34 & 35, from which post a
W. Oak 11 in. dia. bears S 10 E 14 links, & an
Ash 11 in. dia. bears N 29 E 50 links, Dist.

First half mile, level & wet; the next 20
ch. wet & swampy; the residue, good land;
timber generally, Oak, Hickory, Ash, Elm, Wal-
nut; with Spice, hazel, &c

From quarter section post between sections, 20
& 29, & rear corner of Lot, 34 & 35,

South through section 29, & rear of Lot, 35, 36, 37, 38 -

20.00 Set temporary post, corner of Lot, 35 & 36

40.00 Set temporary post, corner of Lot, 36, 37, & 40

60.00 Set temporary post, corner of Lot, 37 & 38

81.18 Set post on line between sections 29 & 32,
& in East line of Lot 40, - for rear corner to
Lot, 38 & 39, from which a

W. Oak 24 in. dia. bears S 43 E 34 links, & a
W. Oak 10 in. dia. bears N 12 E 39 links, Dist.

Wet swampy land

South Between Lot, 39 & 40, from rear corner of 38 & 39

7.11 a W. Oak 14 in. dia.

29.25 Set post on left bank of the Maumee River,

Ch. Sh.

corner to lots 29 & 40, from which a Cedar 4 in. dia. bears S 59 W 9 links, distant.

Fine rolling, or rather level level oak land.

Moved temporary post corner of lot, 37 & 38, on East line of lot 40, 50 links, south, where established corner of lot, 37 & 38, from which a W. Oak 21 in. dia. bears N 55 E 27 links, & a Hickory 14 in. dia. bears S 28 E 83 links, dist.

East thence, East between lots 37 & 38

20.40 a W. Oak 18 in. dia.

60.05 a W. Oak 15 in. dia.

72.00 Enter prairie.

79.00 Set post on left bank of the Maumee River, corner to lot, 37 & 38, from which an Aspen 8 in. dia. bears S 11 E 12 links, & an Aspen 6 in. dia. bears N 27 E 38 links, dist.

First half mile, fine, rolling oak land; then to the prairie level, wet oak land; the prairie, level & rich.

North From line between lot, 37 & 38, near river, 19.91 Set post and piled stones, around it, on the left bank of the Maumee River, corner to lots 36 & 37. Thence

West Between sections 36 & 37, from corner on river, 20.00 Over rich prairie, to timbered land

80.30 Intersected rear line, 48 links, south of temporary post; moved it to this intersection, & established it, corner to lot, 36, 37, & 40, from which a B. Oak 17 in. dia. bears S 45 E 42 links, & a W. Oak 22 in. dia. bears N 54 W 60 links, dist.

Good, rolling, oak land, but very brushy.

Moved temporary post corner of lot,

Ch. Sh.

35 & 36, 24 links, south, from which an Elm 13 in. dia. bears S 60 E 28 links, & an Ash 24 in. dia. bears N 60 W 20 links, dist.

East thence, between lots 35 & 36

68.00 Enter prairie, with some timber

74.19 a W. Oak 28 in. dia.

79.00 Enter open prairie

84.22 Set post & piled stones, around it, on left bank of the Maumee River, corner to lot, 35 & 36. Good oak land

Established the temporary post, for corner of lot, 33 & 34, on rear line, from which a W. Oak 10 in. dia. bears S 40 E 31 links, & an Ash 8 in. dia. bears N 15 W 40 links, dist.

East thence, between lot, 33 & 34

10.00 Over swampy ground

21.90 a Hickory 11 in. dia.

53.10 a Hickory 16 in. dia.

78.00 Enter prairie

86.40 Set post & piled stones, around it, on left bank of the Maumee river, for corner to lot, 33 & 34. Good oak land.

North From line of lot, 33 & 34, near the river,

20.00 Set post and piled stones, around it, on left bank of the Maumee River, corner to lot, 32 & 33

West thence, West between lot, 32 & 33

11.00 Over prairie

25.44 a Hickory 18 in. dia.

74.97 an Ash 20 in. dia.

86.92 Intersected rear line of lot, 16 links, south of temporary post. Set post at intersection for corner to lot, 32 & 33, from which an Ash 14 in. dia. bears N 51 W 16 links, dist. & an

Ch. Sh.

ash 9 in. dia. bears S 38 E 26 links, distant.
 Good land; timber Oak, Hickory, ash,
 Walnut; under growth, Sassafras, Spice & Hays

Established corner of Lots 31 & 32, at temporary post, on rear line, from which a
 W. Oak 27 in. dia. bears N 35 E 23 links, & a
 Hickory 20 in. dia. bears S 41 E 20 links, dist.
 East Thence, East between Lot, 31 & 32

1.63 a B. Oak 38 in. dia.

76.08 a B. Oak 20 in. dia.

80.00 Enter prairie

81.75 a pond

83.25 Over pond

87.45 Set post on left bank of the Maumee R.
 and piled stones around it, corner to Lot, 31 & 32.
 Good level rich land

From corner of Lot, 36, 37, & 40, Thence
 West On rear line of Lot, 40 & 41, on Random
 20.00 Set temporary post, corner of Lot, 40 & 41
 39.18 Intersected line between Sections 29 & 30, 18
 link, North of quarter section post.

East Corrected rear line of Lot, 40 & 41, from q. Sec. post
 19.59 Moved temporary post to average distance
 on true line, corner of Lot, 40 & 41, from which a
 W. Oak 28 in. dia. bears S 71 N 32 links, & a
 W. Oak 34 in. dia. bears N 87 E 30 links, dist.
 Level good land

South Between Lot, 40 & 41, from their rear corner.
 45.23 a W. Oak 22 in. dia.
 68.00 a Run 4 links wide, course —
 70.50 a Run 4 link wide, course East
 78.68 Set post on left bank of the Maumee River

Ch. Sh.

corner to Lot, 40 & 41, from which a
 Buckeye - in. dia. bears N 47 E 27 links, & a
 Hickory - in. dia. bears N 9 W 10 links, distant.
 Level good land; very brushy with hazel,
 grape vines, Sassafras &c.

Set new post corner of Sections 29, 30, 31, 32,
 and N.E. corner of Lot 42, from which a
 Hickory 18 in. dia. bears N 57 W 36 links, & a
 Hickory 8 in. dia. bears East glen distant.
 West Thence, on line between Sec. 30 & 31, rear of Lot 42 & 43.
 38.76 To quarter section post.

East Marked back, on rear line of Lot, 42 & 43
 18.38 Set post at average distance, for corner of
 Lot, 42 & 43, from which a
 W. Oak 18 in. dia. bears S 61 W 44 links, & a
 W. Oak 30 in. dia. bears S 47 E 62 links, dist.

South From the N.W. corner of Lot 43, on Random
 80.00 Intersected South boundary of Section 31,
 82 link, west of quarter section post.

North Corrected back, on West side of Lot 43
 80.00 To quarter sec. post, N.W. corner of Lot 43.

South Between Lot, 42 & 43
 35.70 a leaning Hickory - in. dia.
 54.90 a Run - link wide, course N.E.
 72.94 Set post on left bank of the Maumee R.
 corner to Lot, 42 & 43, from which a
 B. Oak 26 in. dia. bears N 58 E 4 links, & a
 B. Oak - in. dia. bears S 53 1/2 W 15 links, dist.
 Level, good, Oak land

Meanders, next page,

Courses, ch^d Lk.

N 85 E	5.42	Lower end R., S 65 W - up. end S 75 W.
N 74 1/2 E	22.00	
N 61 1/4 E	11.19	
N 38 E	10.90	
N 18 1/4 E	4.00	
N 1 1/4 E	23.36	Upper end of Isl. S. E.
N 6 E	2.85	Corner of Lot 37 & 38
N 8 1/2 E	13.16	
N 23 3/4 E	7.50	Corner of Lot 36 & 37
N 9 1/2 E	2.56	
N 16 1/2 E	17.00	
N 20 1/2 E	19.92	
N 1 1/4 W	23.22	Corner of Lot 33 & 34
N 5 3/4 E	32.00	at 20.15, corner of Lot 32 & 33
N 4 1/2 E	26.58	at gch., corner of Lot 31 & 32
N 23 1/2 E	23.45	
N 34 1/2 E	21.50	
N 27 1/2 E	22.78	
N 38 1/2 E	23.36	Corner of Lot 29 & 30
N 40 1/2 E	20.40	
N 50 1/2 E	19.41	Corner of Lot 28 & 29
N 51 E	25.31	Corner of Lot 27 & 28
N 44 E	15.66	
N 53 E	32.50	
N 55 E	4.50	Corner of Lot 25 & 26
N 55 E	3.42	Upper end of I. S 88 E, - lower end, S 16 W
N 68 1/2 E	11.84	Upper end of I. S 9 E
N 26 1/2 E	11.00	
N 60 1/2 E	9.95	Corner of Lot 24 & 25
N 64 1/2 E	14.70	
S 75 E	5.50	Corner of Lot 23 & 24
S 72 1/2 E	13.09	
N 79 E	2.50	
N 54 E	15.00	
N 27 E	5.19	at 4.29, a stream 30 links wide
N 88 1/2 E	7.10	To upper corner of Godfrey & Beaupre's claim N° 682.

S. Carpenter's
notes - Reserve.Courses, ch^d Lk.

		From lower corner of Godfrey & Beaupre's claim N° 682, on left bank of river; down stream:
N 41 1/2 E	5.93	
N 11 1/2 W	2.39	- at 75 Lk. a gully 60 Lk. wide, backed up by river
N 23 E	5.84 1/2	Opposite head of an island
N 31 1/2 E	3.93 1/2	- To corner of Mr. Gibbs' Lot, where raised a mound. Thence with his S.W. stately line,
N 35 W	6.89	- To his westerly corner
N 55 E	3.17	- To his northerly corner
S 35 E	5.82	- To his lower corner on the river
N 32 1/2 E	3.34 1/2	
N 51 E	3.59	- To corner in mound, upper corner of Godfrey & Beaupre's survey N° 595.

Saml. Carpenter's notes - 1817.

By Magnetic Meridian.

Surveyed in 1816, by — Jos. Wampler D. S.
(Meanders, from corner of Lot 23 & 24, in 1817,
by Saml. Carpenter D. S.)

Survey of Islands, in Town 1.

By William Brookfield D. S., in 1824.

March 26th 1824, Ran the E. & W. line of the South boundary of the U. S. Reserve, to obtain the present [magnetic,?] bearing of said line. It now runs at S. 52° E. — [meaning, probably, that the Magnetic variation of the line, was S. 52° E.]

March 27, 1824. Commencing at a Hickory on the West (left) bank of the Maumee river, [in South boundary of Res.] Thence East on South boundary of Res.

10.00 Set a post on West side of the large Island [known as "Roche de Boete" Island, from which a Lynn 24 in. dia. bears N 24 E 15 links, & a Hickory 5 in. dia. bears S 37 1/2 W 18 links, Dist. Thence —

East across Island, along South boundary of Res.
 19. 10 An Elm 12 in. dia. in East bank, is corner.
 course, ch. thence meandered, down stream,
 N 27 E 7.50
 N 34 E 8.00 - Enter improved land
 N 41 E 12.50
 N 43 E 15.00
 N 49 W 2.00 - Lower end of Island - thence up, on W. side,
 S 86 W 3.50
 S 55 W 12.50
 S 46 W 16.50 - Left cleared ground
 S 64 W 6.50
 S 49 W 7.50
 S 42 W 5.00
 S 32 W 4.00
 S 42 W 2.33 - To the place of beginning.

That part of the Island, now surveyed,
 is about half cleared land, and under a mid-
 dling state of improvement. There are some
 peach trees, and a new log house, and at
 present occupied by a man named Matthew
 Thompson, & his family. The timber is
 White and Blue Ash, Hickory, Elm, Lym,
 & Buckeye.

Granger's Island.

From post on left bank of the Maumee River, corner of Lot, 38 & 39 - thence -
 course, ch. thence
 S 55 E 9.55 - To upper end of an Island, called by
 the inhabitants, "Granger's Island," from
 the circumstance of an old man by
 that name being the first who set-
 tled it, & who now resides on it. thence
 N 39 E 10.50 Down stream, on East side of Island.
 N 21 E 9.50
 N 11 W 13.50

Course, ch. thence

N 29 W 7.00

N 15 W 6.00

S 23 W 3.00

S 18 W 6.00

- To a grist mill, two stories high, & built
 in the river. A permanent dam is built
 across the river (to left bank) which is here
 about 8 chains wide, and which is about
 4 feet deep.

S 8 W 12.50

S 7 E 9.50

S 4 E 10.00

S 10 E 2.00

To head of Island, place of beginning.

The land on this Island is 1st rate, and
 all cleared. There are two log cabins, &
 some fruit trees on it.

On the upper end of the Island, lives
 an aged man, by the name of Aaron Gran-
 ger, the first settler of this Island. He
 was engaged, as he says, 9 months in the ser-
 vice of the U. States, in the Revolutionary War:
 assisted in the taking of Genl. Burgoyne.
 He owns no land but this little spot; and
 only desires to have about 15 acres of the
 upper part of this Island. He is willing
 to pay Government price, or even a little more,
 if he can, by possibility, have it. It is
 but little he wants, "now wants, that little
 long". If his case were presented to the
 commissioners of the General Land Office, at
 Washington, and through him to the President,
 it is more than likely, that something for
 his benefit, and without prejudice to the U.
 S. would be done. Wm. Brookfield D.D.

N.B. The variation of all these lines
 is now 3° 52' E. I ought to have observed
 in the first place, that I ran the South

boundary of Township 1, to ascertain said line agreeably to the course which it now runs.

Blue Grass Island

In Township 1, in the U. S. 12 Mile Reserve, at the foot on left bank of the Maumee River, corner of Lots 25 & 26, thence ^{course} N 60 E 14.50 To Head of Blue Grass Island; thence down the Island, on South side thence

S 64 E 6.00

N 84 E 34.50

N 58 E 7.00

N 44 E 14.00 - To lower end of Island.

N 42 W 2.00

S 57 W 6.50 - up the Island, on N. side

S 78 W 10.00

N 86 W 7.00

N 65 W 12.50

S 65 W 7.00

S 58 W 5.00

N 82 W 6.00

S 17 W 12.36 - To the place of beginning.

This island is first rate land, and is nearly all cleared, and on it much corn is raised annually.

Surveyed in March, 1824, by
Wm. Brookfield & S.

Ch. Lk.

[Two Sec. lines omitted in proper place - i.e. p. 18.]

North Between Sections 14 & 15 T. 1.

40.00 Set quarter section post from which a
W. Oak 8 in. dia. bears N 21 W 28 links, & a
Hickory 8 in. dia. bears S 22 E 28 links, distant

80.00 At post cor. to Secs 10, 11, 14, 15, from which an
Elm 12 in. dia. bears S 61 E 17 links, & a
Blk. Oak 8 in. dia. bears S 21 W 20 links, distant.
Level upland; timber oak, Hickory &c

East On Random between sections 11 & 14 T. 1

1.85 A water course 20 links wide, course N.E.

16.50 A water course 25 links wide, N.W.

20.50 A path, East & West N. & S.

80.00 Intersected N. & S. line 10 links, south of post
Level upland; timber ash, Elm, Oak, &c

West Connected between sections 11 & 14

40.00 Set quarter section post at average distance
on true line, from which a
Hickory 12 in. dia. bears S 10 E 28 links, & an
Elm 8 in. dia. bears N 38 E 10 links, dist.

80.00 Section corner,

Township 2, at Maumee Rapids.

Ch. 2.

A Survey of Township No. 2, in the Reserve of 12 Miles Square, at the Foot of the Rapid, of the Miami of the Lakes; Surveyed by order of Jared Mansfield Esq. Surveyor General of the United States.

By observation, found the variation of the Needle, to be $3^{\circ} 25'$ East.

Sept. 1805.

Elias Glover D.S.

South Boundary.

Var. $3^{\circ} 25' E.$

Began at the post set by the side of the road, near an old Indian Village, on the top of the (left) bank of the Miami River of the Lakes, corner to Townships 1, 2, 3, 4, and center of the Reserve, from which post a W. Oak 20 in. dia. bears $S 15^{\circ} E$ 1.53 links, & a Red Oak 10 in. dia. bears $N 25^{\circ} W$ 2.29 link, dist. Thence Surveyed line between Towns. 1 & 2.

West On South Side of Section 36, T. 2.

40.00 Set quarter Section post, from which a Hickory 12 in. dia. bears $N 37^{\circ} W$ 21 links, & a Hickory 12 in. dia. bears $S 10^{\circ} W$ 25 links, dist. Level upland

80.00 Set post corner to Sections 35 & 36, from which an Elm 18 in. dia. bears $N 51^{\circ} E$ 28 links, & an Elm 12 in. dia. bears $S 33^{\circ} W$ 12 links, dist. Blk Oak 8 in. dia. bears $N 26^{\circ} W$ 53 links, dist. Level land, Muddling Soil; timber Oak, Hickory, Ash, Elm &c

West On South Side of Section 35, T. 2.

40.00 Set quarter Section post, from which a Hickory 12 in. dia. bears $S 22^{\circ} E$ 22 links, & a Hickory 12 in. dia. bears $N 37^{\circ} E$ 22 links, dist. Level land, timber Oak, ash, Hickory, Elm, &c

ch. Sh.

80.00 Set post corner to Sect. 34 & 35, from which an
Ash 12 in. dia. bears N 47° W 31 links, & a
Ash 10 in. dia. bears N 52 E 35 links, dist.
Level land, middling soil; timber Oak,
Ash, Elm, Hickory &c

West On South Side of Section 34, T. 2

40.00 Set quarter section post, from which a
Paper Hick 15 in. dia. bears S 8 N 14 links, & a
Ash 15 in. dia. bears N 25 E 52 links, distant
Level land; timber Ash, Elm, Hickory &c

74.60 An Elm 15 in. dia.

80.00 Set post corner to Sect. 33 & 34, from which an
Elm 20 in. dia. bears N 52 E 16 links, & a
Maple 18 in. dia. bears N 26 N 57 links, & a
Elm 30 in. dia. bears S 22 W 32 links, distant
Level land, middling soil; timber
Ash, Elm, Oak, &c

West On South Side of Section 33, T. 2

40.00 Set quarter section post, from which a
Lynn 14 in. dia. bears N 26 links, & an
Elm 8 in. dia. bears S 10 W 41 links, dist.
Level land; timber Oak, Ash, Elm, &c

61.00 a Stream 5 link, wide, course N.E.

79.00 Swan Creek link, wide, course N.

80.00 Set post, 25 links from the west bank of
Swan Creek, corner to Sect. 32 & 33, from which an
Ash 12 in. dia. bears N 45 E 14 links, & a
Walnut 8 in. dia. bears N 62 W 19 links, dist.
Land of a pretty good soil.

West On South Side of Section 32, T. 2

1.50 Swan Creek 60 link, wide, course South
8.50 Same Creek, course North
40.00 Set quarter section post, from which a

W. Oak 12 in. dia. bears N 13 1/2 W 21 links, & a
Blk. Oak 12 in. dia. bears S 17 E 49 links, dist.

Land something broken; timber Oak

80.00 Set post corner to Sect. 31 & 32, from which a
Bur Oak 14 in. dia. bears S 26 W 87 links, & an
Elm 24 in. dia. bears S 36 E 58 links, distant
Level land; timber Oak, Elm, &c

West On South Side of Section 31, T. 2

40.00 Set quarter section post, in a thicket of
hazel bushes, from which no bearing trees.

Level land; some scattering Oak timber

80.00 Set post corner of Townships 1 & 2, on west
boundary of Reserve, in prairie, from which
no bearing trees.

Level land; last part swampy.

East Boundary. Var.

Set a post by the side of the road, near and to
Indian Village, on the top of the (left)
bank of the Miami River, corner to Town-
ships 1, 2, 3, 4, from which a

W. Oak 20 in. dia. bears S 15 E 153 links, & a

Red Oak 10 in. dia. bears N 25 W 229 links, dist.

Thence ran line between Townships 2 & 3.

North On East Side of Section 36, T. 2

40.00 Set quarter section post, from which an
Ash 10 in. dia. bears S 76 E 42 links, & a
Bur Oak 18 in. dia. bears N 36 W 38 links, dist.

Level Upland; timber Oak, Ash, Elm &c

80.00 Set post corner to Sect. 25 & 36, from which a
Poplar 12 in. dia. bears S 62 1/2 W 16 links, & a
W. Oak 12 in. dia. bears N 32 W 34 links, & a
W. Oak 12 in. dia. bears N 76 E 31 links, dist.

Level upland; timber Oak, Hickory,
Ash, Elm, &c

chk. dk.

North On East side of Section 25, T. 2

40.00 Set quarter section post, from which an
Ash 15 in. dia. bears N 73 E 38 links, & an
elm 15 in. dia. bears S 55 W 30 links, distant

Level land, of a middling soil; timber
Oak, Hickory, Ash, Elm, &c

80.00 Set post corner to Sec. 24 & 25, from which an
Ash 12 in. dia. bears S 49 W 40 links, & a
Blk. Oak 10 in. dia. bears N 43 E 44 links, & a
Blk. Oak 10 in. dia. bears N 48 W 27 links, dist.

Level land, middling soil; timber Oak,
elm, Hickory, &c

North On East side of Section 24, T. 2

40.00 Set quarter section post, from which a
Maple 15 in. dia. bears N 51 E 41 links, & an
Oak 12 in. dia. bears S 50 W 39 links, dist.

Level Oak land, middling soil

61.50 A stream 12 links wide, course N.E.

80.00 Set post corner to Sec. 13 & 24, from which a
Blk. Oak 20 in. dia. bears N 82 E 36 links, & a
Blk. Oak 12 in. dia. bears N 44 W 44 links, dist.

Level Oak land.

North On East side of Section 13, T. 2

30.00 Swan Creek 50 links wide, course N 78 E

40.00 Set quarter section post, from which a
W. Oak 20 in. dia. bears S 84 E 55 links, & a
W. Oak 12 in. dia. bears S 62 W 43 links, dist.

Oak land, uneven

80.00 Set post corner to Sec. 12 & 13, from which a
Blk. Oak 18 in. dia. bears S 64 E 19 links, & an
elm 12 in. dia. bears N 57 W 60 links, dist.

Level land, poor & wet soil

North On East side of Section 12, T. 2

chk. dk.

40.00 Set quarter section post, from which a
W. Oak 20 in. dia. bears N 63 E 51 links, & a
W. Oak 20 in. dia. bears N 78 W 67 links, distant
Poor, level Oak land

80.00 Set post corner to Sec. 1 & 12, from which a
W. Oak 15 in. dia. bears S 82 W 106 links, & a
W. Oak 20 in. dia. bears N 21 E 177 links, distant
Poor level Oak land

North On East side of Section 1, T. 2

40.00 Set quarter section post, from which an
elm 15 in. dia. bears N 81 E 28 links, & an
elm 12 in. dia. bears S 69 W 40 links, distant
Poor, level, bushy, Oak land

57.55 A stream 12 links wide, course East

80.00 Set post corner to Townships 2 & 3, from which
Blk. Oak 20 in. dia. bears S 17 E 42 links, & an
elm 10 in. dia. bears N 18 W 20 links, & an
elm 12 in. dia. bears S 83 W 42 links, dist.
Poor bushy land. Sept. 28. 1805

West Boundary.

Beginning at the post in the West bound-
ary of the Reserve, corner of Townships
1 & 2. Thence surveyed the West
boundary of Township 2.

North On West side of Section 31, T. 2

40.00 Set quarter section post, from which no
bearing trees, - being in prairie

Land level; some scattering Oaks

80.00 Set post corner to Sec. 30 & 31, from which a
Bur Oak 15 in. dia. bears S 62 E 1.50 links, dist.
Level prairie land. Oct. 13. 1805

North On West side of Section 30, T. 2

40.00 Set quarter section post, from which no

Ch^d. Lk.bearing trees, being in prairie
Level swampy land80.00 Set post corner of Sections 19 & 30, in
prairie, from which no bearing trees
Level prairie land

North On West side of Section 19, T. 2

40.00 Set quarter section post, from which a
Blk. Oak 12 in. dia. bears S 21 E 46 links, & a
W. Oak 18 in. dia. bears N 50 W 34 links, Dist.

66.00 A stream comes East

80.00 Set post corner to Sect. 18 & 19, from which a
W. Oak 18 in. dia. bears S 27 E 33 links, & a
Blk. Oak 12 in. dia. bears S 50 W 42 links, Dist.

North On West side of Section 18, T. 2

40.00 Set quarter section post, from which no
bearing trees - being in prairie.
Level swampy land80.00 Set post corner to Sect. 7 & 18, in prairie, from
which no bearing trees.
Level wet land

North On West side of Section 7, T. 2

40.00 Set quarter section post, from which a
W. Oak 15 in. dia. bears N 26 E 25 links, & a
W. Oak 15 in. dia. bears S 53 W 78 links, Dist.
Swampy land

61.50 a path, E. & W.

80.00 Set post corner to Sect. 6 & 7, from which a
Blk. Oak 15 in. dia. bears N 58 W 118 links, Dist.
Level, poor land

North On West side of Section 6, T. 2

40.00 Set quarter section post, from which a
Blk. Oak 12 in. dia. bears N 43 W 29 links, Dist.Ch^d. Lk.Blk. Oak 12 in. dia. bears S 31 W 57 links, distant.
Level Oak land80.00 Struck 10 links West of the post, the N.W. corner
of the Township.

Level Oak land. Oct. 14. 1805

[See resurvey of West Boundary, page 72.]

North Boundary. Var.

Beginning at the North East Corner of this
Township, & Corner of Towns 2 & 3. thence,

West On North side of Section 1 T. 2

40.00 Set quarter section post, from which a
Hickory 6 in. dia. bears S 23 E 6 links, & a
Hickory 6 in. dia. bears N 2 W 21 links, Dist.
Level, Oak & Hickory upland80.00 Set post in a thicket, corner to Sections 1 &
2, from which an Ash 18 in. dia. bears
S 57 E 72 links distant.

West On North side of Section 2, T. 2

40.00 Set quarter section post, in prairie,
from which there are no bearing trees.
Level prairie land80.00 Set post corner to Sections 2 & 3, in prairie,
where there are no bearing trees
Level prairie.

West On North side of Section 3 T. 2

40.00 Set quarter section post, in prairie,
from which a Blk. Oak 12 in. dia. bears
S 3 E 25 links, distant.80.00 Set post corner to Sections 3 & 4, from which a
W. Oak 15 in. dia. bears S 32 E 134 links, & a
W. Oak 15 in. dia. bears S 50 W 193 links, Dist.
Land Swampy.

Ch. Sk.

West On North side of Section 4 T. 2

40.00 Set quarter section post, from which a
Blk. Oak 12 in. dia. bears S 19 W 21, & a
Blk. Oak 10 in. dia. bears N 81 E 40 lb. dist.

Level prairie land

80.00 Set post in prairie, corner to Sections
4 & 5, where no bearing trees near.

Level, swampy prairie

West On North side of Section 5 T. 2

40.00 Set quarter section post in prairie,
from which no bearing trees

Level, swampy land

80.00 Set post corner to Sections 5 & 6, from which a
W. Oak 12 in. dia. bears S 47 W 61 lb., & a
Blk. Oak 15 in. dia. bears S 23 E 1.41 lb. dist.

Land swampy

West On North side of Sec. 6 T. 2

40.00 Set quarter section post, from which a
W. Oak 10 in. dia. bears N 49 E 138 lb. dist.

Level, poor oak land

80.00 Set post in prairie, for North West
corner of the Township, & of the Reserve,
from which no bearing trees

Sept. 28, 1805

Surveyed in 1805, by - Elias Gloun, D.S.

North Boundary - Resurveyed.

Beginning at the corner of Township, 2 &
3, on North boundary of the Reserve.

Re-established the post, from which a
W. Oak 22 in. dia. bears S 17 E 42 lb., & a
elm 13 in. dia. bears N 18 W 20 lb. dist.

West thence, On North side of Section 1, T. 2.

36.05 A Hickory 13 in. dia.

Ch. Sk.

40.20 Set [new] quarter section post, from which a
P. Oak 15 in. dia. bears N 85 E 40 lb., & a
Hickory 6 in. dia. bears N 21 W 28 lb. dist.

Good, dry, brnsy land; timber Oak, Ash,
Hickory &c

80.54 Set [new] post corner to Sec. 1 & 2, from which
an Oak 18 in. dia. bears S 57 E 72 lb. dist.

No other bearing trees.

Good land; timber Oak, Ash, Hickory

West On North side of Section 2 T. 2

40.11 Set [new] quarter section post, in prairie,
no bearing trees

80.16 Set [new] post corner to Sections 2 & 3, in prairie -
no bearing trees.

West On North side of Section 3, T. 2

40.00 Set [new] quarter section post, from which
a W. Oak 12 in. dia. bears S 3 E 25 lb. dist.

No other trees near

80.37 Set [new] post, corner to Sec. 3 & 4, from which a
W. Oak 17 in. dia. bears S 32 E 134 lb., & a
W. Oak 18 in. dia. bears S 50 W 193 lb. dist.

Swampy land

West On North side of Section 4, T. 2

40.17 Set [new] quarter section post, from which a
P. Oak 12 in. dia. bears N 81 E 39 lb., & a
P. Oak 13 in. dia. bears S 21 W 21 lb. dist.

Land thin - a ridge

80.53 Set [new] post corner to Sec. 4 & 5, in a
marsh, where no bearing trees.

Swampy land

West On North side of Section 5, T. 2

40.00 Set [new] quarter section post, in marsh,

ch. sh.

where there are no bearing trees
 80.21 Set [new] post, corner to Sec. 5 & 6, from which a
 W. Oak 13 in. dia. bears S 44 W 61 links, & a
 W. Oak 17 in. dia. bears S 23 E 141 links, dist.
 Land level, wet, & swampy

West On North side of Section 6, T. 2

40.16 Set [new] quarter section post, from which a
 W. Oak 10 in. dia. bears N 49 E 138 links, dist.
 In thicket, no other trees near

80.47 Set [new] post for North West corner of
 the Township, & of the Reserve, in marshy
 ground, no bearing trees near
 Poor, level oak land.

West Boundary - Resurveyed:

Beginning at N.W. corner of Township; thence
 South On West side of Section 6 T. 2
 38.54 a B. Oak 12 in. dia.

40.40 Set [new] post for quarter Sec. from which a
 B. Oak 11 in. dia. bears S 4 E 23 links, & a
 B. Oak 13 in. dia. bears S 31 W 57 links, dist.
 Level oak land

80.63 Set [new] post, corner to Sec. 6 & 7, from which a
 B. Oak 15 in. dia. bears N 58 W 118 links, dist.
 No other bearing trees near

South On West side of Section 7, T. 2

40.11 Set [new] quarter section post, from which a
 W. Oak 15 in. dia. bears N 37 E 31 links, & a
 W. Oak 17 in. dia. bears S 53 W 78 links, dist.
 Level oak land

80.27 Set [new] post, corner to Sections 7 & 18,
 in Marsh, where no bearing trees,
 Swampy land

ch. sh.

South On West side of Section 18, T. 2

12.53 a W. Oak 15 in. dia.

40.26 Set [new] quarter section post in a marsh,
 where no bearing trees

80.47 Set [new] post, corner to Sec. 18 & 19, from which a
 W. Oak 33 in. dia. bears N 85 W 54 links, & a
 B. Oak 28 in. dia. bears N 39 E 81 links, dist.
 Level, wet land.

South On West side of Section 19, T. 2

40.08 Set [new] quarter section post, from which a
 W. Oak 20 in. dia. bears N 11 E 46 links, & a
 W. Oak 20 in. dia. bears N 50 W 34 links, dist.

75.61 a B. Oak 18 in. dia.

80.20 Set [new] post corner to Sec. 19 & 30, - no bear-
 ing trees. Level swampy land

South On West side of Section 30, T. 2

40.09 Set [new] quarter section post, in marsh,
 no bearing trees

53.00 a Oak 20 in. dia.

80.00 Set [new] post corner to Sec. 30 & 31, from which
 a B. Oak 12 in. dia. bears S 62 E 150 links,
 distant. No other bearing trees
 Level wet prairie land

South On West side of Section 31 T. 2

29.50 a W. Oak 30 in. dia.

40.31 Set post in Marsh for quarter section
 corner - no bearing trees

75.06 a Elm 18 in. dia.

80.74 Set [new] post for South West corner
 of this Township, & corner of Township, 1
 & 2, in Marsh, no bearing trees. Poor plain,
 Resurveyed in 1816, by
 Joseph Wampler D.S.

Ch. Sh.

Subdivisions.

North Between Sections 35 & 36, T. 2

40.00 Set quarter section post, from which an
Ash 12 in. dia. bears S 54 W 31 link, & a
Blk. Oak 10 in. dia. bears S 47 E 30 link, dist.
Land, level; timber Oak, Ash, Elm, Hickory

79.00 an Ash 24 in. dia.

80.00 Set post cor. to Sec. 25, 26, 35, 36, from which a
Bur Oak 20 in. dia. bears N 42 W 61 link, & a
Hickory 12 in. dia. bears S 60 W 28 link, & an
Ash 10 in. dia. bears N 37 E 26 link, dist.
Land, level; timber Oak, Ash, Hickory &c

East On Random between Sections 25 & 36

40.00 Set temporary quarter section post

80.00 Intersected Town line 60 link. South of post
Level land; timber Oak, Ash, Hickory &c

West Corrected back between Sections 25 & 36

40.00 Set quarter section post at average dist-
ance, on true line, from which an
Ash 18 in. dia. bears S 12 W 18 link, & an
Elm 10 in. dia. bears N 21 E 14 link, dist.

80.00 Section corner

North Between Sections 25 & 26 T. 2

40.00 Set quarter section post, from which an
Ash 24 in. dia. bears S 75 W 26 link, & a
Blk. Ash 12 in. dia. bears S 88 E 31 link, dist.
Level land; timber Oak, Ash &c

76.00 a Stream 10 link, wide, course N.E.

80.00 Set post cor. to Sec. 23, 24, 25, 26, from which an
Ash 12 in. dia. bears N 42 E 52 link, & a
W. Oak 24 in. dia. bears S 67 W 61 link, & an
Elm 12 in. dia. bears S 33 E 48 link, dist.
Level land; timber Oak, Ash, Elm &c

Ch. Sh.

East On Random between Sections 24 & 25

7.50 a Stream 7 link, wide, course N.E.

40.00 Set temporary quarter section post
80.00 Intersected Town line 30 link, North of post
Level land; timber Oak, Ash, &c

West Corrected between Sections 24 & 25

40.00 Set quarter section post at the average
distance, on true line, from which a
W. Oak 15 in. dia. bears N 12 E 46 link, & a
W. Oak 15 in. dia. bears S 60 W 20 link, dist.
Oct. 1st 1805

North Between Sections 23 & 24, T. 2

38.25 a Bur Oak 30 in. dia.

40.00 Set quarter section post, from which an
Elm 12 in. dia. bears N 56 W 40 link, & an
Elm 12 in. dia. bears N 49 E 28 link, dist.
Level land; timber Oak, ash, Elm &c

80.00 Set post corner to Sec. 13, 14, 23, 24, from which an
Elm 15 in. dia. bears N 76 E 80 link, & a
W. Oak 15 in. dia. bears S 49 W 90 link, & an
Elm 8 in. dia. bears N 41 W 18 link, distant
Level land; timber Oak, Ash &c

East Between Sections 13 & 24, On Random

40.00 Set temporary quarter section post

80.00 Intersected Town line 50 link, South of post
Land somewhat uneven; timber Oak,
Hickory, Ash &c

West Corrected West between Sections 13 & 24

40.00 Set quarter section post at the average
distance on true line, from which a
Blk. Oak 18 in. dia. bears N 35 E 5 link, & an
Elm 10 in. dia. bears S 21 W 19 link, dist.

Ch^d Sh.

North Between Sections 13 & 14, T. 2

- 7.25 Swan Creek 50 links wide, course N 60° E
 40.00 Set quarter section post, from which a
 W. Oak 12 in. dia. bears N 72° E 37 links, & a
 W. Oak 12 in. dia. bears N 29° W 24 links, dist.
 Level Oak land
 80.00 Set post cor. to Sec. 11, 12, 13, 14, from which an
 Oak 15 in. dia. bears N 74° W 202 links, dist.
 This post is in prairie.
 Level wet land; thinly timbered
 with Oak.

East On Random between Sections 12 & 13

- 40.00 Set temporary quarter section post
 80.00 Intersected Town. line 6 links, North of post.
 Level brushy land; scattering oaks

West Corrected West between Sections 12 & 13

- 40.00 Set quarter section post at average
 distance, on true line, from which a
 Bur Oak 12 in. dia. bears S 11° W 32 links, & a
 Blk. Oak 24 in. dia. bears N 29° W 16 links, dist.
 80.00 Section corner

North Between Sections 11 & 12, — T. 2

- 40.00 Set quarter section post, from which an
 Elm 15 in. dia. bears N 79° E 38 links, & an
 Elm 12 in. dia. bears S 8° W 36 links, dist.
 Level land; timber Oak, Ash, Elm, &c.
 48.73 A Blk. Oak 12 in. dia.
 57.75 A Stream 15 links wide, course East
 68.00 A trace, E. & W.
 80.00 Set post cor. to Sec. 1, 2, 11, 12, from which a
 Blk. Oak 12 in. dia. bears N 64° W 40 links, & a
 Blk. Oak 18 in. dia. bears N 58° E 68 links, dist.
 Level Oak land; thinly timbered with Oak.

Ch^d Sh.

East On Random between Sections 1 & 12

- 40.00 Set temporary quarter section post
 80.00 Intersected Town. line 88 links, South of post
 Wet, swampy land, & very brushy

West Corrected West between Sections 1 & 12

- 40.00 Set quarter section post at the average
 distance, on true line, from which a
 Blk. Oak 20 in. dia. bears S 22° E 18 links, & a
 Red Oak 10 in. dia. bears N 61° W 33 links, dist.
 80.00 Section corner

North Between Sections 1 & 2, — T. 2

- 40.00 Set quarter section post, from which a
 Blk. Oak 15 in. dia. bears N 39° E 39 links, & a
 Red Oak 18 in. dia. bears S 48° W 95 links, dist.
 Level land, very brushy
 79.37 Intersected North boundary of the Town-
 ship, 17 links, West of post. [no new
 post set at intersection.]
 Land, level prairie; thinly timbered
 with Oak. Oct. 2^d 1805

North Between Sections 34 & 35 T. 2

- 21.00 A trace, course N.W. & S.E.
 40.00 Set quarter section post, from which an
 Ash 12 in. dia. bears S 32° W 27 links, & an
 Elm 15 in. dia. bears S 65° E 59 links, dist.
 Level land; timber Ash, Elm, Oak, &c.
 50.53 A Hickory 24 in. dia.
 80.00 Set post cor. to Sec. 26, 27, 34, 35, from which an
 Ash 12 in. dia. bears S 30° E 36 links, dist. & an
 Ash 15 in. dia. bears N 62° E 60 links, & an
 Ash 14 in. dia. bears S 61° W 60 links, dist.
 Level land; timber Oak, Ash, Elm
 &c.

Ch. Sh.

East On Random between Sections 26 & 35

40.00 Set temporary quarter section post

80.00 Intersected N. & S. line 6 links south of post
Level land; timber Oak, Ash, Hickory &c

West Corrected West between Sections 26 & 35

40.00 Set quarter section post at average distance on true line, from which an
Ash 10 in. dia. bears S 49 E 19 links, & an
Elm 24 in. dia. bears N 45 E 22 links, Dist.

North Between Sections 26 & 27 T. 2

40.00 Set quarter section post, from which a
Hickory 12 in. dia. bears S 65 W 29 links, & a
Hickory 12 in. dia. bears N 89 E 15 links, Dist.
Level land; timber Oak, Ash, Hickory80.00 Set post corner to Sect. 22, 23, 26, 27, from which an
Ash 12 in. dia. bears S 61 W 19 links, & an
Oak 12 in. dia. bears S 66 E 36 links, Dist.
Level land; Oak, Ash, &c timber

East On Random between Sections 23 & 26

40.00 Set temporary quarter section post

80.00 Intersected N. & S. line at the post.
Level land; timber Oak, Ash, &c

West Marked back between Sections 23 & 26

40.00 Set quarter section post, from which a
W. Oak 15 in. dia. bears N 12 E 46 links, & a
W. Oak 14 in. dia. bears S 60 W 20 links, Dist.

80.00 Section corner.

North Between Sections 22 & 23. T. 2

22.00 Crossed a bend of Swan Cr. from W. to N.W.

40.00 Set quarter section post, from which an
Elm 14 in. dia. bears N 64 E 19 links, Dist. &c

Ch. Sh.

Hickory 14 in. dia. bears S 72 W 15 links, Dist.

Broken land

50.00 Cropped bend of a stream 50 ch. wide from N.W. to N.

75.00 Same stream 50 links wide, course N.E.

80.00 Set post corner to Sect. 14, 15, 22, 23, from which an
Elm 12 in. dia. bears N 66 W 22 links, & a
H. Locust 15 in. dia. bears N 46 E 32 links, Dist.

Broken land

East On Random between Sections 14 & 23

5.00 Crossed bend of a stream 50 ch. N.E. from N.W.

28.60 To Swan Creek, course N.E.

40.00 Set temporary quarter section post

80.00 Intersected N. & S. line at the post

West Marked back between Sections 14 & 23

40.00 Set quarter section post, from which a
Hackberry 18 in. dia. bears S 39 E 11 links, & a
Ash 18 in. dia. bears N 56 W 40 links, Dist.

80.00 Section corner

North Between Sections 14 & 15. T. 2.

2.70 A stream 20 links wide, course E.

40.00 Set quarter section post, from which a
W. Oak 18 in. dia. bears N 31 W 23 links, & a
B. Oak 24 in. dia. bears S 23 E 40 links, Dist.
Level land; timber Oak, Hickory &c80.00 Set post cor. to Sect. 10, 11, 14, 15, from which an
Oak 12 in. dia. bears S 48 E 39 links, & a
Poplar 10 in. dia. bears S 55 W 48 links, Dist.
Level land, brushy - very.

East On Random between Sections 11 & 14

40.00 Set temporary quarter section post

80.00 Intersected N. & S. line, 50 links north of post
Level Oak land.

ch^d. Sh.
West Corrected West between Sections 11 & 14
40.00 Set quarter section post at average distance, on true line, from which a
Blk. Oak 20 in. dia. bears N 23 W 28 links, & a
Blk. Oak 12 in. dia. bears S 16 W 15 links, dist.
80.00 Section corner.

North Between Sections 10 & 11, T. 2
40.00 Set quarter section post, from which a
W. Oak 12 in. dia. bears N 33 E 82 links, & a
Blk. Oak 12 in. dia. bears N 35 W 65 links, dist.
61.85 A Stream 25 links wide, course E.
80.00 Set post in a pond hole, in a prairie,
corner to Sections 2, 3, 10, 11, from which no
bearing trees.
Level Oak land

East On Random between Sections 2 & 11
40.00 Set temporary quarter section post
80.00 Intersected N. & S. line 25 links, North of post.
Level Oak land

West Corrected West between Sections 2 & 11
40.00 Set quarter section post at average distance, on true line, from which a
Blk. Oak 26 in. dia. bears S 46 W 29 links, & a
Bur Oak 18 in. dia. bears N 32 W 108 links, dist.

North Between Sections 2 & 3, T. 2
40.00 Set quarter section post, from which an
Ash 6 in. dia. bears S 30 E 68 links, & a
Blk. Oak 18 in. dia. bears S 80 W 118 links, dist.
80.00 Intersected North Boundary 9 links, west
of post.
Level prairie land.

October 4. 1805.

ch^d. Sh.
North Between Sections 33 & 34, T. 2
24.62 A Hickory 24 in. dia.
40.00 Set quarter section post, from which an
Ash 20 in. dia. bears S 72 E 44 links, & a
Blk. Oak 24 in. dia. bears S 37 W 55 links, dist.
Level land; timber Oak, Ash, Hickory, &c.
80.00 Set post corner to Secs. 27, 28, 33, 34, from which a
W. Oak 24 in. dia. bears S 62 W 44 links, & a
W. Oak 12 in. dia. bears S 48 E 58 links, dist.
Level land; timber Ash, Elm, Oak, &c.

East On Random between Sections 27 & 34
40.00 Set temporary quarter section post
80.00 Intersected N. & S. line 5 links, North of post
West Corrected West between Secs. 27 & 34
40.00 Set quarter section post at average distance, on true line, from which an
Ash 12 in. dia. bears N 2 E 21 links, & an
Ash 8 in. dia. bears S 22 W 40 links, dist.
80.00 Section corner.
Level land; timber Oak, Ash, &c.

North Between Sections 27 & 28, T. 2
7.50 Swan Creek 50 links wide, course N. E.
22.50 Came to West bank of said Creek, - bears E.
40.00 Set quarter section post, from which a
W. Oak 12 in. dia. bears N 32 W 34 links, & a
W. Oak 12 in. dia. bears N 79 E 26 links, dist.
80.00 Set post cor. to Secs. 21, 22, 27, 28, from which a
Bur Oak 12 in. dia. bears S 40 E 43 links, & an
Elm 15 in. dia. bears N 45 E 47 links, dist.
Broken land, last part very brushy.

East On Random between Sections 22 & 27
40.00 Set temporary quarter section post

- ch. Sh.
66.50 Swan Creek 1 mi. wide, course N.E.
80.00 Intersected N. & S. line 18 links, North of post
Level land; timber Oak, Ash, &c.
- West Corrected West between Sections 22 & 27
40.00 Set quarter section post at average
distance, on true line, from which an
elm 14 in. dia. bears N 20 E 45 links, & an
elm 15 in. dia. bears S 71 E 29 links, dist.
Oct. 5. 1805
- North Between Sections 21 & 22, T. 2
40.00 Set quarter section post, from which an
elm 12 in. dia. bears S 70 W 40 links, & a
Red Oak 15 in. dia. bears N 65 E 48 links, dist.
Level land; timber Oak, Hickory, &c.
80.00 Set post corner to Secs. 15, 16, 21, 22, from which a
Blk. Oak 12 in. dia. bears N 70 E 15 links, & a
W. Oak 15 in. dia. bears S 63 W 40 links, dist.
Level Oak land
- East On Random between Sections 15 & 22
39.00 A stream 25 links, wide, course E.
40.00 Set temporary quarter section post
80.00 Intersected N. & S. line, 10 links, North of post
Land uneven; timber Ash, Oak, Hickory, &c.
- West Corrected West between Sections 15 & 22
40.00 Set quarter section post, from which a
Birch Oak 10 in. dia. bears S 51 E 46 links, & a
elm 15 in. dia. bears N 3 E 90 links, dist.
80.00 Section corner
2.00 A stream 25 links, wide, course East
- North Between Sections 15 & 16, T. 2
2.00 A stream 25 links, wide, course East
40.00 Set quarter section post, from which an

- ch. Sh.
elm 12 in. dia. bears N 85 E 17 links, & an
elm 20 in. dia. bears S 54 W 20 links, dist.
Level land; timber Oak, elm, Ash, &c.
80.00 Set post in prairie, corner to Sections 9, 10, 15,
16, from which an Oak 14 in. dia. bears
N 38 W 2.18 links, distant
Level swampy land
- East On Random between Sections 10 & 15
40.00 Set temporary quarter section post
80.00 Intersected N. & S. line 50 links, South of post
Land, part prairie & part very boggy
- West Corrected West between Sections 10 & 15
40.00 Set quarter section post at average
distance, on true line, from which a
Spear 10 in. dia. bears S 23 W 27 links, & a
Spear 6 in. dia. bears N 31 W 20 links, dist.
- North Between Sections 9 & 10, T. 2
40.00 Set quarter section post, from which a
Blk. Oak 12 in. dia. bears N 10 W 83 links, & a
W. Oak 15 in. dia. bears N 19 E 81 links, dist.
Level wet prairie
63.75 A path, course E. & W.
80.00 Set post corner to Sections 3, 4, 9, 10, in
prairie, from which no bearing trees
Land swampy prairie
- East On Random between Sections 3 & 10
40.00 Set temporary quarter section post
80.00 Intersected N. & S. line 10 links, South of post
Swampy land
- West Corrected West between Sections 3 & 10
40.00 Set quarter section post at average

ch. Lk.

distance, on true line, from which a
Blk. Oak 12 in. dia. bears S 41 E 20 links, & a
Blk. Oak 14 in. dia. bears N 64 W 21 lks. dist.
80.00 Section corner

North Between Sections 3 & 4, T. 2

40.00 Set quarter section post on a small rise,
from which a Blk. Oak 15 in. dia. bears
N 33 E 67 lks., & a Blk. Oak 15 in. dia. bears
N 62 W 79 links distant

Level Swampy land

80.00 Intersected N. Boundary of the Town-
ship 13 links West of post.

Poor Oak land, thinly timbered.

October 6. 1805

North Between Sections 32 & 33, T. 2

40.00 Set quarter section post in prairie,
from which no bearing trees

Level land, some scattering oak

80.00 Set post corner to Section, 28, 29, 32, 33,
in prairie, from which no bearing trees,
Level prairie land

East On Random between Sections 28 & 33

40.00 Set temporary quarter section post

44.50 A Stream 5 links wide, course N.E.

55.61 Swan Creek 50 links wide, course N.E.

80.00 Intersected N. & S. line at the post

Uneven land, good soil; timber Oak,
ash, Sugar, Hickory, &c

West Corrected West between Sections 28 & 33

40.00 Set quarter section post, from which a
W. Oak 26 in. dia. bears N 46 E 29 links, & a
W. Oak 22 in. dia. bears S 70 W 13 link, dist.

80.00 Section corner.

ch. Lk.

North Between Sections 28 & 29, T. 2

40.00 Set quarter section post, from which a
W. Oak 22 in. dia. bears S 88 E 27 links, & a
W. Oak 15 in. dia. bears S 64 W 132 links, dist.

Level prairie; some scattering oak

80.00 Set post corner to Sec. 20, 21, 28, 29, from which a
Blk. Oak 24 in. dia. bears S 24 W 26 links, & a
Hickory 12 in. dia. bears S 31 E 32 links, dist.

Level wet land; thinly timbered with oak

East On Random between Sections 21 & 28

40.00 Set temporary quarter section post

80.00 Intersected N. & S. line at the post

Uneven Oak land

West Corrected West between Sections 21 & 28

40.00 Set quarter section post, from which a
W. Oak 24 in. dia. bears N 23 E 60 links, & a
W. Oak 24 in. dia. bears S 20 W 60 links, dist.

North Between Sections 20 & 21, T. 2

40.00 Set quarter section post, from which a
W. Oak 15 in. dia. bears S 88 W 40 links, & a
Bur Oak 15 in. dia. bears S 70 E 50 links, dist.

Level Upland, timber Oak, & Hickory

80.00 Set post corner to Sec. 16, 17, 20, 21, from which a
W. Oak 12 in. dia. bears S 55 E 52 links, & a
Bur Oak 18 in. dia. bears S 49 E 71 links, dist.

Level land; thinly timbered with oak

East On Random between Sections 16 & 21

40.00 Set temporary quarter section post

80.00 Intersected N. & S. line 5 links south of post
Uneven land; timber Oak, Hickory, & Elm

West Corrected West between Sections 16 & 21

Ch. Sh.

40.00 Set quarter section post at average distance, on true line, from which a
Blk. Oak 10 in. dia. bears S 46 E 20 links, & a
Blk. Oak 6 in. dia. bears N 25 E 23 links, dist.
80.00 Section corner

North Between Sections 16 & 17, T. 2

40.00 Set quarter section post, from which an
elm 12 in. dia. bears S 25 E 52 links, & an
elm 14 in. dia. bears N 58 W 11 links, dist.
Level land; thinly timbered with Oak & Elm.

80.00 Set post corner to Secs 8, 9, 16, 17, from which a
Blk. Oak 12 in. dia. bears N 35 E 126 links, & a
Blk. Oak 12 in. dia. bears S 59 E 195 links, dist.
Level prairie land; some scattering Oak

East On Random between Sections 9 & 16

40.00 Set temporary quarter section post
80.00 Intersected N. & S. line 10 links, North of post
Level swampy land

West Corrected West between Sections 9 & 16

40.00 Set quarter section post at average distance on true line, from which a
Blk. Oak 12 in. dia. bears N 19 W 6 links, dist.
80.00 Section corner.

North Between Sections 8 & 9, T. 2

24.80 A path, course E. & W.

40.00 Set quarter section post in prairie, from which no bearing trees.
Level poor land

80.00 Set post corner to Sections 4, 5, 8, 9, from which no bearing trees,
Level swampy land

Ch. Sh.

East On Random between Sections 4 & 9

40.00 Set temporary quarter section post
80.00 Intersected N. & S. line 6 links, North of post
Level prairie land

West Corrected West between Sections 4 & 9

40.00 Set quarter section post at average distance, on true line, from which a
Blk. Oak 12 in. dia. bears S 27 links, & a
Blk. Oak 12 in. dia. bears N 53 W 32 links, dist.
80.00 Section corner

North Between Sections 4 & 5, T. 2

38.00 A Blk. Oak 18 in. dia.

40.00 Set quarter section post, from which a
Blk. Oak 15 in. dia. bears S 49 E 154 links, dist.
Level, poor land

80.00 Intersected North Boundary of the Town-
ship 34 links, West of post.
Level swampy land. Act. 8. 1805

North Between Sections 31 & 32, T. 2

40.00 Set quarter section post, from which a
W. Oak 15 in. dia. bears S 41 W 83 links, & a
W. Oak 12 in. dia. bears S 75 E 106 links, dist.
Level Oak land

68.50 A path, East & West

80.00 Set post cor. to Secs 29, 30, 31, 32, from which an
Oak 20 in. dia. bears S 58 E 150 links, & a
Pm Oak 15 in. dia. bears S 26 W 238 links, dist.
Level Oak land

East On Random between Sections 29 & 32

40.00 Set temporary quarter section post
80.00 Intersected N. & S. line 20 links, North of post
Level land; some scattering Oak

Ch. Sh.

West Corrected West between Sections 29 & 32
 40.00 Set quarter section post at average distance, on true line, from which a
 Blk. Oak 12 in. dia. bears S 59 W 9 links, & a
 W. Oak 12 in. dia. bears N 52 E 44 links, dist.
 80.00 Section corner

North Between Sections 29 & 30, T. 2
 40.00 Set quarter section post, from which a
 Hickory 12 in. dia. bears N 85 W 19 links, & a
 W. Oak 12 in. dia. bears S 68 E 17 links, dist.
 Level land; timber Oak & Hickory
 80.00 Set post corner to Sections 19, 20, 29, 30, where a
 Blk. Oak 22 in. dia. bears S 71 W 41 links, & a
 W. Oak 18 in. dia. bears S 40 E 53 links, dist.
 Level, poor Oak land

East On Random between Sections 20 & 29
 40.00 Set temporary quarter section post
 80.00 Intersected N. & S. line 5 links, North of post
 Level land; timber Oak & Hickory

West Corrected West between Sections 20 & 29
 40.00 Set quarter section post at average distance, from which (on true line) a
 W. Oak 36 in. dia. bears N 47 E 20 links, & a
 Bur Oak 24 in. dia. bears N 51 W 38 links, dist.
 80.00 Section corner.

North Between Sections 19 & 20, T. 2
 40.00 Set quarter section post in prairie, from which no bearing trees
 80.00 Set post cor. to Secs. 17, 18, 19, 20, from which a
 Bur Oak 12 in. dia. bears N 26 W 56 links, & a
 Bur Oak 12 in. dia. bears N 45 E 45 links, dist.
 [Land not described.]

Ch. Sh.

East On Random between Sections 17 & 20
 40.00 Set temporary quarter section post
 80.00 Intersected N. & S. line 7 links, South of post
 Poor Oak land.

West Corrected West between Sections 17 & 20
 40.00 Set quarter section post at average distance, on true line, from which a
 Blk. Oak 12 in. dia. bears N 69 E 45 links, & a
 Blk. Oak 18 in. dia. bears S 34 E 39 links, dist.
 80.00 Section corner. Oct. 9. 1805

North Between Sections 17 & 18, T. 2
 40.00 Set quarter section post in prairie, from which no bearing trees
 80.00 Set post in prairie, corner to Sections 7, 8, 17, 18, from which no bearing trees.
 [Land not described.]

East On Random between Sections 8 & 17
 40.00 Set temporary quarter section post
 80.00 Intersected N. & S. line 10 links, North of post
 Level swampy land

West Corrected West between Sections 8 & 17
 40.00 Set quarter section post at average distance, on true line, from which a Blk.
 Oak 12 in. dia. bears N 19 W 210 links, dist.
 80.00 Section corner. Oct. 13. 1805

North Between Sections 7 & 8, T. 2
 40.00 Set quarter section post, from which a
 Blk. Oak 15 in. dia. bears S 76 E 42 links, & a
 Blk. Oak 20 in. dia. bears S 38 W 95 links, dist.
 Level prairie land
 46.00 A path, East & West

Ch. Sh.

80.00 Set post cor. to Sect 5, 6, 7, 8, in prairie, from which no bearing trees.

East On Random between Sections 5 & 8

40.00 Set temporary quarter section post

80.00 Intersected N. & S. line at the post

West Corrected West between Sections 5 & 8

40.00 Set quarter section post in prairie, from which no bearing trees.

80.00 Section corner.

[Land not described.]

North Between Sections 5 & 6

40.00 Set quarter section post, in prairie, from which no bearing trees

79.13 Intersected North Boundary of the Township, 38 links, West of the post.
Level, poor, prairie land

East On Random between Sections 30 & 31

40.00 Set temporary quarter section post

80.00 Intersected N. & S. line 9 links, South of post
Thin Oak land

West Corrected West between Sections 30 & 31

40.00 Set quarter section post at average distance, on true line, from which a
W. Oak 12 in. dia. bears N 2 E 40 links, & a
W. Oak 12 in. dia. bears S 17 W 45 links, dist.

80.00 Section corner

East On Random between Sections 19 & 30

40.00 Set temporary quarter section post

80.00 Intersected N. & S. line 6 links, South of post
Thin Oak land.

Ch. Sh.

West Corrected West between Sections 19 & 20

40.00 Set quarter section post at average distance, on true line, from which a Blk.
Oak 20 in. dia. bears S 61 E 109 links, distant

East On Random between Sections 18 & 19

40.00 Set temporary quarter section post

80.00 Intersected N & S. line 7 links, North of post
Level Oak land

West Corrected West between Sections 18 & 19

40.00 Set quarter section post at average distance, on true line, from which a
W. Oak 12 in. dia. bears N 23 E 55 links, & a
W. Oak 12 in. dia. bears S 78 E 134 links, dist.

80.00 Section corner

East Between Sections 7 & 18, on Random

40.00 Set temporary quarter section post

80.00 Intersected N. & S. line 6 links, South of post
Level wet land; some Oak timber

West Corrected West between Sections 7 & 18

40.00 Set quarter section post at average distance, on true line, from which a W. Oak
12 in. dia. bears N 50 W 140 links, distant

80.00 Section corner

East On Random between Sections 6 & 7

40.00 Set temporary quarter section post

80.00 Intersected N. & S. line 13 links, North of post
Level wet land; some scattering Oak

West Corrected West between Sections 6 & 7

40.00 Set quarter section post at average distance on true line, from which a

Chl. Sh.

Bur Oak 15 in. dia. bears N 71 W 61 links, & a

Bur Oak 18 in. dia. bears S 28 E 20 links, Dist.

80.00 Section corner.

Surveyed in Sept. & Oct. 1805,
by Elias Glover D.S.

Ch. 11. A Survey of Township N.° 3, in the Reserve of Twelve Miles Square at the Foot of the Rapids of the Miami River of the Lakes; Surveyed by Jaud Mansfield Esq. Surveyor General of the United States.

By observation, found the variation of the Magnetic Needle to be $3^{\circ} 25' E$.

September 28th 1805. Elias Glover D.S.

South Boundary. Var. $3^{\circ} 25' E$.

Began at a post set by the side of the Road, near an old Indian Village, on the top of the (left) bank of the Miami River (of the Lakes) corner of Townships 1, 2, 3, 4, (and center of the Reserve) from which post a W. Oak 20 in. dia. bears $S 15^{\circ} E 153$ links, & a Red Oak 10 in. dia. bears $N 25^{\circ} W 229$ links dist.

East Thence, On South side of Section 31, T. 3. between Townships 3 & 4.

3.50 Set post on West (left) bank of the Miami River

13.56 Set post on West side of [Big] Island

40.00 Set quarter Section post on the Island, near the center thereof; no bearing trees.

The land level, of a good quality. a considerable part of the Island is now covered with corn, under cultivation by the Indians.

58.85 Set post on the East side of the Island

71.94 Set post on the East (right) bank of the River

80.00 Set post in the bottom, corner to Sections 31, & 32, from which no bearing trees.

East On South side of Section 32, T. 3

40.00 Set quarter Section post, from which a W. Oak 30 in. dia. bears $S 49^{\circ} E 16$ links, & a

Ch. Sh.

Nickory 20 in. dia. bears N 7 W 65 ch. dist.
Land uneven; timber Oak & Hickory - bushy
80.00 Set post corner to Sect. 32 & 33, from which an
elm 12 in. dia. bears S 60 W 18 links, & an
elm 12 in. dia. bears N 21 E 6 links dist.
Level land; middling soil; tim-
ber Oak, Hickory, elm, &c

East On the South Side of Section 33, T. 3
34.20 a Hickory 12 in. dia.

40.00 Set quarter section post, from which an
Ash 8 in. dia. bears N 34 W 17 links dist.
Ash 8 in. dia. bears S 71 E 17 links dist.
Level upland; timber Oak, Ash, Hickory, &c
62.50 a path, course N. W. & S. E.

80.00 Set post corner to Sect. 33 & 34, from which an
elm 14 in. dia. bears N 52 W 36 links, & an
elm 12 in. dia. bears N 14 E 25 links dist.
Level land, middling soil; timber
Oak, Ash, &c

East On the South Side of Section 34, T. 3
8.20 a Blk. Oak 18 in. dia.

40.00 Set quarter section post, from which a
Maple 15 in. dia. bears N 3 E 12 links, & an
elm 24 in. dia. bears S 68 W 23 links dist.
Level land; timber Oak, Ash, elm, &c

80.00 Set post corner to Sect. 34 & 35, from which
an Ash 12 in. dia. bears N 67 W 47 links, & an
elm 8 in. dia. bears S 58 W 20 links, & an
Lynn 10 in. dia. bears N 47 E 40 links dist.
Level land, middling soil; timber
Ash, elm, &c

East On the South side of Section 35, T. 3

40.00 Set quarter section post, from which an

Ch. Sh.

Ash 12 in. dia. bears N 35 E 35 links, & a
Hickory 10 in. dia. bears S 64 W 10 links dist.
Level land; timber Oak, Ash, Hickory,
elm, Lynn, &c

80.00 Set post corner to Sections 35 & 36, from which a
Sugar 12 in. dia. bears N 41 E 24 links, & a
Hickory 12 in. dia. bears N 34 W 10 links dist.
Level land, middling soil; timber
Oak, Ash, elm, Lynn, Hickory, &c

East On the South Side of Section 36, T. 3

40.00 Set quarter section post, from which a
Sycamore 30 in. dia. bears S 7 W 8 links, & a
Sycamore 24 in. dia. bears N 53 E 30 links dist.
Level land; timber Ash, elm, &c

80.00 Set post for South-East corner of this Town-
ship, & corner to Townships 3 & 4, from which a
Cottonwood 15 in. dia. bears N 60 W 54 links, & a
Maple 18 in. dia. bears N 78 E 40 links dist.
Level land; middling soil; timber Ash, elm &c

East Boundary. Var. 3.25 E.

North On East Side of Section 36, T. 3

12.29 a Sycamore 36 in. dia.

40.00 Set quarter section post, from which an
elm 24 in. dia. bears S 29 W 24 links, & a
Hickory 12 in. dia. bears S 62 E 27 links dist.
Level land, middling soil; timber Ash, elm &c

80.00 Set post corner to Sect. 25 & 36, from which an
elm 14 in. dia. bears S 12 W 20 links, & an
Ash 14 in. dia. bears N 61 W 64 links dist.
Level land, middling soil; timber Ash, elm &c

North On the East side of Section 25, T. 3

40.00 Set quarter section post, from which an
Ash 18 in. dia. bears S 69 E 23 links, & a

ch. th.
Maple 8 in. dia. bears N 74 W 37 th. dist.
Level land; timber Oak, Elm, Oak, &c
80.00 Set post corner to Sec. 24 & 25, from which a
Hickory 12 in. dia. bears N 45 E 22 links, & an
Ash 20 in. dia. bears S 39 W 36 links, dist.
Level land of a middling soil; tim-
ber Ash, Elm, Sycamore &c

North On the East side of Section 24, T. 3
40.00 Set post corner to Sections, from which an
Elm 12 in. dia. bears N 31 E 23 links, & a
Hickory 14 in. dia. bears N 16 W 38 th. dist.
Level land; Ash, Elm, Hickory, &c
80.00 Set post corner to Sec. 13 & 24, from which an
Ash 8 in. dia. bears N 35 W 49 links, & a
Hickory 12 in. dia. bears S 78 W 29 links, dist.
Level land, of a good quality; timber
Ash, Elm, some Walnut &c

North On the East side of Section 13, T. 3
40.00 Set quarter section post, from which a
W. Oak 15 in. dia. bears N 68 W 22 th, & an
Elm 12 in. dia. bears S 79 E 11 links, dist.
Level land, thin soil; timber Hickory,
Oak, &c

71.20 A path, corner N. E. & S. W.
80.00 Set post corner to Sec. 12 & 13, from which an
Elm 15 in. dia. bears S 55 W 25 links, & an
Elm 8 in. dia. bears N 73 W 35 links, dist.
Level land; timber Oak, Ash, Elm, &c

North On the East side of Section 12, T. 3
40.00 Set quarter section post, from which an
Ironwood 8 in. dia. bears S 55 W 15 links, & an
Elm 10 in. dia. bears N 32 E 25 links, dist.
Level land; timber Oak, Hickory, &c

ch. th.
80.00 Set post corner to Sec. 1 & 12, from which a
W. Oak 30 in. dia. bears N 34 W 62 links, & a
W. Oak 18 in. dia. bears S 63 W 47 links, distant
Level upland, thin soil; timber Oak

North On the East side of Section 1, T. 3
30.77 Set post on the East (right) bank of the
Miami River (of the Lakes)

80.00 Township Corner in the River.
Land uneven; timber Oak, Hickory, &c
October 24th 1805

West Boundary. var. 3.25 E.
Beginning at the post set by the side of the
Road, on the top of the (left) bank of
the Miami River of the Lakes, and near
an old Indian Village, - corner to
Township, 1, 2, 3, 4, from which a
W. Oak 20 in. dia. bears S 15 E 153 links, & a
W. Oak 10 in. dia. bears N 25 W 229 th. dist.
Thence between Townships, 2 & 3,

North On the West side of Section 31, T. 3
40.00 Set quarter section post, from which an
Ash 10 in. dia. bears S 76 E 42 links, & a
Bur Oak 18 in. dia. bears N 36 W 38 links, dist.
Level Upland; timber Oak, Ash, Elm, &c
80.00 Set post corner to Sec. 30 & 31, from which a
Poplar 12 in. dia. bears S 62 E 116 links, & a
Blk. Oak 12 in. dia. bears N 32 W 34 links, & a
W. Oak 12 in. dia. bears N 76 E 31 links, dist.
Level upland; timber Oak, Hickory, Ash, Elm, &c

North On the West side of Section 30, T. 3
40.00 Set quarter section post, from which an
Ash 15 in. dia. bears S 73 E 38 links, & a
Elm 15 in. dia. bears S 55 W 30 links, dist.

Ch^d. Sh.

Level land, of a middling soil; timber Oak, Hickory, Ash, Elm, &c.
80.00 Set post corner to Sec^s 19 & 30, from which an Ash 12 in. dia. bears S 49° W 40 links, & a Blk. Oak 10 in. dia. bears N 43° E 44 links, & a Blk. Oak 10 in. dia. bears N 48° W 27 links, Dist.
Level land, middling soil; timber Oak, Elm, Hickory, &c.

North On the West side of Section 19, T. 3.

40.00 Set quarter section post, from which a Maple 15 in. dia. bears N 51° E 41 links, & an Oak 12 in. dia. bears S 50° W 39 links, Dist.
Level Oak land, middling soil.

61.50 A Stream 12 links wide, course N. E.

80.00 Set post corner to Sec^s 18 & 19, from which a Blk. Oak 20 in. dia. bears N 82° E 36 links, & a Blk. Oak 12 in. dia. bears N 44° W 44 links, Dist.
Level Oak land

North On the West side of Section 18, T. 3

30.00 Swan Creek 50 links wide, course N 78° E.

40.00 Set quarter section post, from which a W. Oak 20 in. dia. bears S 84° E 55 links, & a W. Oak 12 in. dia. bears S 62° W 43 links, Dist.
Uneven, Oak land

80.00 Set post corner to Sec^s 7 & 18, from which a Blk. Oak 18 in. dia. bears S 64° E 19 links, & an Elm 12 in. dia. bears N 57° W 60 links, Dist.
Level land, poor, wet soil.

North On the West side of Section 7, from which

40.00 Set quarter section post, from which a W. Oak 20 in. dia. bears N 63° E 51 links, & a W. Oak 20 in. dia. bears N 78° W 67 links, Dist.
Poor, level, Oak land.

Ch^d. Sh.

80.00 Set post corner to Section 6 & 7, T. 3
W. Oak 15 in. dia. bears S 82° W 106 links, & a W. Oak 20 in. dia. bears N 21° E 177 links, Dist.
Poor, level, Oak land

North On the West side of Section 6, T. 3

40.00 Set quarter section post, from which an Elm 15 in. dia. bears N 81° E 28 links, & an Elm 12 in. dia. bears S 69° W 40 links, Dist.
Poor, level, brushy, Oak land

57.55 A Stream 12 links wide, course East

80.00 Set post corner to Township, 2 & 3, on N. boundary of the Reserve, from which a Blk. Oak 20 in. dia. bears S 17° E 42 links, & an Elm 10 in. dia. bears N 18° W 20 links, & an Elm 12 in. dia. bears S 83° W 42 links, Dist.
Poor, brushy land.

Sept. 28th 1805.

North Boundary. var. 3° 25' E.

Beginning at corner of Township, 2 & 3,
thence along North boundary of T. 3.

East On North side of Section 6, T. 3

40.00 Set quarter section post, from which a W. Oak 24 in. dia. bears N 6° E 59 links, & a W. Oak 15 in. dia. bears S 65° E 76 links, Dist.
Poor, brushy land

70.00 A Stream 16 links wide, course N. W.

80.00 Set post corner to Sec^s 5 & 6, from which a Blk. Oak 30 in. dia. bears N 15 links, & an Elm 12 in. dia. bears S 59° E 139 links, Dist.
Uneven, poor, and brushy Oak land, full of grape vines &c.

East On North side of Section 5, T. 3

40.00 Set quarter section post, from which a

Ch. Sh.

W. Oak 10 in. dia. bears N 60 E 16 link, & a
W. Oak 18 in. dia. bears S 22 W 78 link, dist.
Level, Oak land

80.00 Set post corner to Sections 4 & 5, from which a
Hickory 12 in. dia. bears N 50 W 25 link, & a
Elm 30 in. dia. bears S 38 W 35 link, dist.
Poor, level, Oak land

East On North side of Section 4, T. 3

40.00 Set quarter section post, from which a
W. Oak 14 in. dia. bears N 67 E 28 link, & a
W. Oak 14 in. dia. bears N 54 W 27 link, dist.
Level Oak land.

80.00 Set post corner to Sec. 3 & 4, from which an
Elm 12 in. dia. bears S 40 W 24 link, & a
W. Oak 8 in. dia. bears S 43 E 56 link, dist.
Level, Oak land

East On North side of Section 3, T. 3

33.50 Road to Detroit.

40.00 Set quarter section post, from which a
W. Oak 24 in. dia. bears S 57 E 65 link, & a
W. Oak 30 in. dia. bears N 34 E 64 link, dist.
Level Oak land, poor soil

80.00 Set post corner to Section 2 & 3, from which a
W. Oak 24 in. dia. bears S 40 W 50 link, & a
W. Oak 15 in. dia. bears S 18 E 113 link, distant
Level, Oak land

East On North boundary of Section 2, T. 3

40.00 Set quarter section post, from which a
W. Oak 10 in. dia. bears S 4 E 19 link, & a
W. Oak 12 in. dia. bears N 37 E 29 link, dist.
Level Oak land, thin soil.

80.00 Set post corner to Sec. 1 & 2, from which a
Blk. Oak 30 in. dia. bears S 65 W 87 link, & a

Ch. Sh.

W. 15 in. dia. bears S 44 E 91 link, distant.
Level upland; thinly timbered with Oak.

East On North side of Section 1, T. 3

40.00 Set quarter section post, from which a
Blk. Oak 24 in. dia. bears N 70 W 41 link, & a
W. Oak 24 in. dia. bears S 70 W 57 link, dist.
Uneven Oak land, poor soil

68.38 To (left) bank of the Miami River of the Lake,
where a Blk. Oak — in. dia. is corner tree

80.00 Township corner, in the River.

Uneven, Oak land, of a middling soil
September 29th 1805
Surveyed in September & October, 1805,
by Elias Glover, D.S.

Resurvey of East & North Boundaries,
by Joseph Wampler, in 1816.

East Boundary.

Beginning at the South East corner of the
Township; thence along East bound-
ary thereof:

North On East side of Section 36, T. 3

40.00 Set quarter section post, from which an
Elm 24 in. dia. bears S 29 W 24 link, & a
Hickory 12 in. dia. bears S 62 E 27 link, dist.
Swampy land

79.94 Set post corner to Sec. 25 & 36, from which a
Maple 18 in. dia. bears S 12 W 20 link, & an
Elm 17 in. dia. bears N 61 W 65 link, dist.
Swampy land; timber Oak, ash, Elm, &c
under growth same, mixed with Spice &c

North On East side of Section 25, T. 3

4.38 a Hickory 14 in. dia.

Ch. Lk.

15.50 A Swale 150 link wide, course North

41.73 Set quarter section post, from which an
Ash 22 in. dia. bears S 69 E 23 links, & a
Maple 10 in. dia. bears N 74 W 37 links, dist.

Swampy land

69.97 A Maple 20 in. dia.

83.33 Set post corner to Sec. 24 & 25, from which an
Ash 30 in. dia. bears S 36 W 34 links, & a
Hickory 18 in. dia. bears N 42 E 22 links, dist.

Swampy land

North on East side of Section 24, T. 3

28.74 A B. Oak 11 in. dia.

41.63 Set quarter section post, from which an
Elm 15 in. dia. bears N 31 E 23 links, & a
Hickory 15 in. dia. bears N 16 W 38 links, dist.

Swampy land

83.49 Set post corner to Sec. 13 & 24, from which an
Ash 9 in. dia. bears N 35 W 49 links, & a
Hickory 13 in. dia. bears S 78 W 29 links, dist.Rich, level land, somewhat swampy;
timber Elm, Buck, Oak, Ash, &c. with spice

North on East side of Section 13, T. 3

34.50 An Elm 25 in. dia.

42.28 Set quarter section post, from which a
W. Oak 22 in. dia. bears N 68 W 22 links, & an
Elm 13 in. dia. bears S 79 E 11 links, dist.

Level, rich land; timber Elm, Ash, Sugar, &c.

62.28 A Run 20 link wide, course N 20 E

67.43 A W. Oak 38 in. dia.

84.00 Set post corner to Sec. 12 & 13, from which an
Elm 15 in. dia. bears S 55 W 25 links, & an
Elm 8 in. dia. bears N 73 W 35 links, dist.

Swampy land

Ch. Lk.

North on East boundary of Section 12, T. 3

0.40 A Cottonwood 48 in. dia.

32.96 A Red Oak 20 in. dia.

41.98 Quarter section corner

79.60 Corner of Sections 1 & 12
Good Oak land

North on East side of Section 1, T. 3

32.62 Set post on right bank of Miami River
Good Oak land.

North Boundary - Resurveyed.

Began at post on left bank of the Miami
River of the Lake, in North bounda-
ry of T. 3; thence on said boundary:

West on North side of Section 1, T. 3

2.00 Top of bank 30 feet high

17.38 Set post, for quarter section corner.

Thin, hilly, oak land

51.62 A Run 3 link wide, course N 30 E.

68.12 Set post corner of Sections 1 & 2

Level thin Oak land.

West on North side of Section 2, T. 3

40.88 Set quarter section post, from which a

B. Oak 10, S 4 E 19 links, distant, & a

W. Oak 12 in. dia. bears N 37 E 29 links, dist.

81.36 Set post corner to Sec. 2 & 3, from which a

W. Oak 26 in. dia. bears S 38 W 50 links, & a

B. Oak 20 in. dia. bears S 29 E 114 links, dist.

First part swampy, residue thin, level, W. Oak land

West on North side of Section 3, T. 3

40.54 Set quarter section post, from which a

B. Oak 24 in. dia. bears N 78 E 29 links, & a

ch. Sh.

W. Oak 14 in. dia. bears N 83 W 65 link, dist.
Level wet land

- 80.12 Set post corner to Sec. 3 & 4, from which an
Elm 12 in. dia. bears S 40 W 24 link, & a
W. Oak 8 in. dia. bears S 43 E 56 link, dist.
Open Oak land, thin soil

West On North side of Section 4, T. 3

36.53 A Run 12 link, wide, course N.E.

- 40.40 Set quarter section post, from which a
W. Oak 16 in. dia. bears N 67 E 28 link, & a
W. Oak 16 in. dia. bears N 54 W 27 link, dist.
Oak land, very brushy

- 42.86 A Stream 25 link, wide, course N 66 E
50.64 Set post corner to Sections 4 & 5, from which a
Hickory 12 in. dia. bears N 50 W 25 link, & an
Elm 30 in. dia. bears S 38 W 35 link, dist.
Level, brushy, Oak land, thin soil

West On North side of Section 5, T. 3

36.76 A Hickory 6 in. dia.

- 40.34 Set quarter section post, from which a
W. Oak 18 in. dia. bears N 18 E 18 link, & a
W. Oak 18 in. dia. bears N 60 E 16 link, dist.
Thin land, very brushy

- 80.70 Set post corner to Sec. 5 & 6, from which a
W. Oak 30 in. dia. bears North 15 link, & an
Elm 12 in. dia. bears S 59 E 139 link, dist.
Level, poor, brushy Oak land

West On North side of Section 6, T. 3

10.37 A Run 25 link, wide, course N.E.

12.12 Do Do Do

- 40.62 Set quarter section post, from which a
W. Oak 24 in. dia. bears N 6 E 59 link, & a
W. Oak 15 in. dia. bears S 65 E 76 link, dist.

ch. Sh.

Brushy, poor, Oak land

- 81.14 Set post corner to Township, 283, on North
boundary of the Reserve, from which a
W. Oak 22 in. dia. bears S 17 E 42 link, & an
Elm 13 in. dia. bears N 18 E 20 link, dist.

Brushy Oak land

Resurveyed, in 1816, by
Jos. Wampler D.S.

Subdivisions.

North Between Sections 35 & 36, T. 3

1.00 An Elm 24 in. dia.

- 40.00 Set quarter section post from which a
Hickory 12 in. dia. bears S 88 E 13 link, & a
Lynn 14 in. dia. bears S 36 W 10 link, dist.

- Level land; timber Ash, Elm, Hickory, &c.
80.00 Set post corner to Sec. 25, 26, 35, 36, from which a
Hickory 12 in. dia. bears S 57 E 27 link, & an
Ash 15 in. dia. bears N 23 W 37 link, dist.
Level land; timber Ash, Elm, &c.

North Between Sections 25 & 26, T. 3

- 40.00 a W. Oak 36 in. dia. is q. Sec. cor. from which a
Lynn 12 in. dia. bears W 18 link, & a
Hickory 12 in. dia. bears N 14 E 22 link, dist.

- Level land; timber Ash, Elm, &c.
80.00 Set post corner to Sec. 23, 24, 25, 26, from which a
Sycamore 30 in. dia. bears N 27 link, & an
Elm 12 in. dia. bears S 85 E 37 link, dist.
Level land; timber Ash, Elm, &c.

North Between Sections 23 & 24, T. 3

- 40.00 Set quarter section post, from which an
Ash 15 in. dia. bears S 89 E 41 link, & an
Elm 12 in. dia. bears N 49 W 59 link, dist.

Ch. Sh.

Level land; timber ash, elm, &c.
80.00 Set post corner to Sec. 13, 14, 23, 24, from which a
Red Oak 24 in. dia. bears N 62 E 42 links, & a
Red Oak 24 in. dia. bears S 80 W 38 links, dist.
Level land, good soil; timber elm, ash,
Walnut, &c.

North Between Sections 13 & 14, T. 3

40.00 Set quarter section post, from which a
Blk. Oak 20 in. dia. bears N 70 W 22 links, & a
Locust 18 in. dia. bears N 45 E 35 links, dist.
Level land, good soil; timber Walnut,
Oak, Ash, &c.

55.00 Set post on South (right) bank of the
Miami River, at the mouth of a small run
80.00 corner to Sec. 11, 12, 13, 14, in the River

North Between Sections 11 & 12, T. 3

20.30 Set post on the North (left) bank of the
River.
40.00 Set quarter section post, from which a
Blk. Oak 24 in. dia. bears N 76 E 15 links, & a
Blk. Oak 12 in. dia. bears N 53 W 46 links, dist.
Uneven, poor, oak land

80.00 Set post corner to Sec. 1, 2, 11, 12, from which a
Bur Oak 24 in. dia. bears S 71 W 11 links, dist.
Bur Oak 30 in. dia. bears N 38 E 29 links, dist.
Poor Oak land.

North Between Sections 1 & 2, T. 3

22.00 Swan Creek 150 links, wide, course East
40.00 Set quarter section post, from which a
Bur Oak 20 in. dia. bears S 78 W 46 links, & an
elm 12 in. dia. bears S 41 E 27 links, dist.
80.00 Intersected North boundary 29 lks. East of post.
Uneven Oak land, poor soil.

Ch. Sh.

North Between Sections 34 & 35, T. 3

23.50 a Sycamore 36 in. dia.

40.00 Set quarter section post, from which an
elm 12 in. dia. bears S 24 W 24 links, & an
elm 10 in. dia. bears N 70 E 25 links, dist.
Level land, middling soil; timber
ash, elm, Hickory, &c.

80.00 Set post corner to Sec. 26, 27, 34, 35, from which a
Red Oak 20 in. dia. bears S 60 W 22 links, & a
Hickory 8 in. dia. bears S 47 E 32 links, dist.
Level land, middling soil; timber ash,
elm, Hickory, &c.

North Between Sections 26 & 27, T. 3

40.00 Set quarter section post, from which a
Hickory 15 in. dia. bears S 88 E 9 links, & a
Hickory 12 in. dia. bears N 76 W 38 links, dist.
Level land; timber ash, elm, Hickory, &c.

70.00 a path, East & West

73.50 a stream 5 links, wide, course West.

80.00 Set post corner to Sec. 22, 23, 26, 27, from which a
W. Oak 12 in. dia. bears S 20 W 21 links, & a
W. Oak 14 in. dia. bears S 60 E 19 links, dist.
Level land, middling soil; timber
Oak, Ash, Elm &c.

North Between Sections 22 & 23, T. 3

18.50 a W. Oak 24 in. dia.

40.00 Set quarter section post, from which a
W. Oak 30 in. dia. bears N 64 E 19 links, & a
Hickory 12 in. dia. bears S 49 W 31 links, dist.
Level land; timber Oak, Hickory, &c.

53.75 a creek put, up (!) from the river, 75 links,
wide, course East

80.00 Set post corner to Sec. 14, 15, 22, 23, from which a
W. Oak 14 in. dia. bears S 15 E 22 links, & a

Ch. Sh.

W. Oak 14 in. dia. bears N 64 W 52 links, dist.
Level upland, thin soil, Oak, Hickory, &c.

North Between Sections 14 & 15, T. 3

37.78 A Lynn 14 in. dia. for corner, on South
(right) bank of the Miami River.

[80.00 Corner of Sections 10, 11, 14, 15, in the River]
Oak land

North Between Sections 10 & 11, T. 3.

1.73 Set post on the North (left) bank of the River

5.00 A path, up & down the River

40.00 Set quarter section post, from which a
Pin Oak 12 in. dia. bears S 61 W 27 links, & an
elm 20 in. dia. bears N 26 E 30 links, dist.

Poor Oak land

72.00 Swan Creek 1.25 link, wide, course S. E.

80.00 Set post corner to Sec. 2, 3, 10, 11, from which a
Blk. Oak 10 in. dia. bears S 57 W 23 links, & a
Pin Oak 24 in. dia. bears N 53 E 51 links, dist.

Uneven, Oak land

North Between Sections 2 & 3, T. 3

34.50 A Stream 5 links, wide, course N. E.

40.00 Set quarter section post, from which a
W. Oak 18 in. dia. bears N 62 W 38 links, & a
W. Oak 12 in. dia. bears S 56 E 21 links, dist.

Level Oak land

80.00 Intersected North Boundary at the post.

Level upland; timber Oak

North Between Sections 33 & 34, T. 3

27.90 An Ash 14 in. dia.

40.00 Set quarter section post, from which a
Hickory 14 in. dia. bears S 50 W 6 links, & a
Hickory 18 in. dia. bears N 58 E 30 links, dist.

Ch. Sh.

Level upland; timber Oak & Hickory
80.00 Set post corner to Sec. 27, 28, 33, 34, from which a
Hickory 14 in. dia. bears N 42 W 14 links, & an
elm 10 in. dia. bears N 52 E 48 links, dist.
Level upland; timber Oak & Hickory

North Between Sections 27 & 28, T. 3

40.00 Set quarter section post, from which a
Hickory 20 in. dia. bears N 57 W 24 links, & a
Red Oak 6 in. dia. bears S 61 E 9 links, distant

Level upland; timber Oak & Hickory, &c.
62.57 A Sugar — in. dia. on the South (right) bank
of the Miami River.

[80.00 Corner of Sections 21, 22, 27, 28, in the River.]

North Between Sections 21 & 22, T. 3

~~35~~ This line is all taken up by the River
which is divided into several parts
by a cluster of marshy islands,
covered with long rushes, sea grass, &c.
It is next to impossible to cross them
on foot, and entirely impracticable
with horses.

North Between Sections 15 & 16, T. 3.

16.50 Set post on the North (left) bank of the Miami
River.

40.00 Set quarter section post, from which an
elm 12 in. dia. bears S 72 E 64 links, dist.
Level Oak land

80.00 Set post corner to Sec. 9, 10, 15, 16, from which a
W. Oak 18 in. dia. bears N 40 W 75 links, dist.
Blk. Oak 24 in. dia. bears N 64 E 150 links, dist.
Level land, last part swampy

North Between Sections 9 & 10, T. 3

Ch. Sh.

40.00 Set quarter section post, from which a
W. Oak 15 in. dia. bears S 28 E 30 links, & a
W. Oak 12 in. dia. bears N 60 W 18 links, Dist.
Poor Oak land

54.00 Swan Creek 100 links wide, course N 41 E

73.00 Road to Detroit

80.00 Set post corner to Secs. 3, 4, 9, 10, from which a
Bur Oak 14 in. dia. bears N 63 E 90 links, & a
W. Oak 18 in. dia. bears N 78 W 143 links, Dist.
Level land, some scattering oak.

North Between Sections 3 & 4, T. 3

40.00 Set quarter section post, from which an
Elm 30 in. dia. bears N 28 E 17 links, Dist.
Poor Oak land

80.00 Intersected North boundary 5 links, West of post
Level land; timber Oak & Hickory

North Between Sections 32 & 33, T. 3

20.00 A Path, E. & W.

40.00 Set quarter section post, in prairie, from
which no bearing trees.
Sand level, thin soil; timber Oak &
Hickory.

76.00 Set post on South (right) bank of the Maumee river.

[80.00 Corner of Sections 28, 29, 32, 33, in River
Uneven land; timber Oak & Hickory

North Between Sections 28 & 29, T. 3

28.11 Set post on North (left) bank of the River

34.00 Path, up & down the River

40.00 Set quarter section post, from which a
Hickory 14 in. dia. bears N 74 W 28 links, & a
Hickory 20 in. dia. bears N 25 E 24 links, Dist.

80.00 Set post corner to Secs. 20, 21, 28, 29, from which

Ch. Sh.

an Ash 10 in. dia. bears S 56 W 5 links, & a
Hickory 12 in. dia. bears N 66 E 22 links, Dist.
Level upland; timber Oak & Hickory

North Between Sections 20 & 21 T. 3

40.00 Set quarter section post, from which a
W. Oak 18 in. dia. bears N 61 W 18 links, & a
W. Oak 15 in. dia. bears S 31 E 43 links, Dist.
Level upland; timber Oak & Hickory

63.50 A stream 15 links wide, course N. E.

80.00 Set post corner to Secs. 16, 17, 20, 21, from which an
Elm 20 in. dia. bears N 62 W 21 links, & a
Hickory 12 in. dia. bears S 49 E 10 links, Dist.
Land uneven; timber Oak, Hickory, &c

North Between Sections 16 & 17, T. 3

40.00 Set quarter section post in a thicket of bushes,
from which no bearing trees.
Level swampy land

80.00 Set post on the side of a hill, 50 links west
of a little run, corner to Secs. 8, 9, 16, 17, from which a
Blk. Oak 14 in. dia. bears N 84 E 30 links, & a
W. Oak 24 in. dia. bears S 57 W 60 links, Dist.
Swampy, & brushy land

North Between Sections 8 & 9, T. 3

4.00 Swan Creek 50 links wide, course N. E.

40.00 Set quarter section post, from which a
Blk. Oak 14 in. dia. bears N 65 W 110 links, & a
W. Oak 18 in. dia. bears S 25 W 127 links, Dist.
Uneven Oak land

76.00 A path, East & West

80.00 Set post corner to Secs. 4, 5, 8, 9, from which a
W. Oak 12 in. dia. bears N 46 W 100 links, & a
W. Oak 20 in. dia. bears N 72 E 80 links, Dist.
Level, wet land; some scattering Oak.

Ch. Lk.

North Between Sections 4 & 5. T. 3

40.00 Set quarter section post, from which a
W. Oak 24 in. dia. bears S 84 E 14 link, & an
Elm 12 in. dia. bears N 36 W 38 link, dist.

Level oak land

60.58 a Blk. Oak 24 in. dia.

80.00 Intersected North Boundary 91 link, West of post
level land; timber Oak & Hickory.

North Between Sections 31 & 32. T. 3

18.00 Set post on South (right) bank of the Miami R.

38.83 Set post on North (left) bank of River.

40.00 Set quarter section post, near the center
of the old British Fort Miami.

80.00 Set post corner to Sect. 29, 30, 31, 32, from which a
Hickory 12 in. dia. bears N 76 E 42 link, & a
Blk. Oak 10 in. dia. bears S 32 W 59 link, dist.
level, except around the old Fort;
very brushy; some scattering Oak & Hickory.

North Between Sections 29 & 30. T. 3

40.00 Set quarter section post, from which a
Bur Oak 15 in. dia. bears N 88 W 59 link, & a
Hickory 12 in. dia. bears S 83 E 33 link, dist.

Level upland, timber Oak, Hickory &c

80.00 Set post corner to Sect. 19, 20, 29, 30, from which
an Ash 12 in. dia. bears N 46 W 25 link, &
an Ash 12 in. dia. bears N 33 E 19 link, & an
Elm 20 in. dia. bears S 55 W 36 link, dist.

Level upland; timber Oak, Ash, Hickory, &c

North Between Sections 19 & 20. T. 3

20.18 a Blk. Walnut 15 in. dia.

40.00 Set quarter section post, from which an
Ash 12 in. dia. bears S 80 E 51 link, & a
Hickory 18 in. dia. bears S 44 W 50 link, dist.

Ch. Lk.

Level upland, of a good soil, timber Oak,
Ash, Elm, Hickory, &c

55.16 a Blk. Oak 24 in. dia.

80.00 Set post corner to Sect. 17, 18, 19, 20, from which an
Elm 12 in. dia. bears S 62 W 39 link, dist. & an
Elm 12 in. dia. bears S 71 E 45 link, distant

Last half mile, level & wet land; thinly
timbered with Oak, Elm, Hickory &c

North Between Sections 17 & 18. T. 3

40.00 Set quarter section post, from which a
Bur Oak 20 in. dia. bears S 65 W 19 link, & an
Elm 12 in. dia. bears N 88 E 47 link, distant

Level wet land; timber Oak, Elm, &c

58.50 Swan Creek 75 link wide, course S 60 E.

80.00 Set post corner to Sect. 7, 8, 17, 18, from which a
W. Oak 15 in. dia. bears N 25 W 55 link, & a
Blk. Oak 12 in. dia. bears N 30 E 85 link, dist.
Uneven land; timber Oak

North Between Sections 7 & 8. T. 3

25.00 a W. Oak 18 in. dia.

40.00 Set quarter section post, from which a
Bur Oak 15 in. dia. bears S 55 W 35 link, & an
Ash 18 in. dia. bears N 53 E 36 link, distant

Oak land, thinly timbered

80.00 Set post corner to Sect. 7, 8, 5, 6, from which a
W. Oak 12 in. dia. bears S 64 E 15 link, distant
land thinly timbered with Oak.

North Between Sections 5 & 6. T. 3.

40.00 Set quarter section post, from which a
Bur Oak 12 in. dia. bears S 75 W 26 link, & an
Elm 15 in. dia. bears N 22 W 86 link, dist.

Level wet land; thinly timbered with
Oak, Elm, &c

Ch. 26.

East On Random between Sections 25 & 36
 40.00 Set temporary quarter section post
 80.00 Intersected N. & S. line 5 links, North of post
 Level land; timber Oak, Ash, Elm, Birch, &c.

West Corrected West between Sections 25 & 36
 40.00 Set quarter section post at average distance, on true line, from which a
 Birch 10 in. dia. bears S 35 W 11 links, & a
 Sugar 12 in. dia. bears N 23 W 53 links, dist.
 80.00 Section corner

East Between Sections 24 & 25, On Random
 40.00 Set temporary quarter section post
 80.00 Intersected N. & S. line 6 links, North of post
 Level land; timber Oak, Ash, Elm, &c.

West Corrected West between Sections 24 & 25
 40.00 Set quarter section post on true line, at average distance, from which a
 Hickory 12 in. dia. bears S 4 E 26 links, & a
 Sycamore 12 in. dia. bears N 38 E 42 links, dist.
 80.00 Section corner

East On Random between Sections 13 & 24
 40.00 Set temporary quarter section post.
 80.00 Intersected N. & S. line 15 links, South of post.
 Level land; timber Oak, Ash, Elm, &c.

West Corrected West between Sections 13 & 24
 40.00 Set quarter section post on true line, at average distance, from which a
 W. Oak 18 in. dia. bears N 32 W 38 links, & a
 Red Oak 24 in. dia. bears S 42 W 30 links, dist.
 80.00 Section corner

Ch. 26.

West Between Sections 12 & 13, on true line
 16.28 A Red Oak 10 in. dia. on the East (right) bank of the Miami River.
 Remainder of this line, in the River
 Oak land

West Between Sections 14 & 12 - on true line
 12.75 Set post on the East (right) bank of the River.
 East from corner of Sect 1, 2, 11, & 12
 33.75 Set post on West (left) bank of the River
 Uneven Oak land.

East On Random between Sections 26 & 35
 40.00 Set temporary quarter section post
 80.00 Intersected N. & S. line at the post
 Level land; timber Oak, Ash, Elm, &c.

West Marked back between Sections 26 & 35
 40.00 Set quarter section post, from which an
 Elm 12 in. dia. bears S 14 E 21 links, & a
 Bur Oak 6 in. dia. bears N 18 E 30 links, dist.
 80.00 Section corner

East On Random between Sections 23 & 26
 40.00 Set temporary quarter section post
 80.00 Intersected N. & S. line 150 links, North of post
 Level land; timber Oak, Ash, Elm, &c.

West Corrected West between Sections 23 & 26
 40.00 Set quarter section post at average distance, on true line, from which an
 Ash 8 in. dia. bears N 13 E 45 links, & an
 Elm 10 in. dia. bears S 17 E 45 links, dist.

West On true line between Sect. 15 & 22, T. 3
 37.48 Set post on the East (right) bank of Miami River
 Oak land

Ch. Sh.

East On Random line between sections 14 & 23
40.00 Set temporary quarter section post
66.00 A stream 15 link, wide, course S. W.
80.00 Intersected N. & S. line at the post

West Corrected - marked back between sections 14 & 23
40.00 Set quarter section post, from which a
W. Oak 28 in. dia. bears S. 74 W. 50 link, & a
W. Oak 18 in. dia. bears N. 60 W. 50 link, dist.
Level Upland, timber Oak, Elm, &c.

West On true line between sections 22 & 23
40.00 Set quarter section post, from which a
Hickory 12 in. dia. bears S. 55 E. 6 link, & a
W. Oak 30 in. dia. bears N. 23 W. 14 link, dist.
44.27 Set post on East (right) bank of the Miami R.
Uneven Oak land

East Between sections 27 & 34, on Random
40.00 Set temporary quarter section post
80.00 Intersected N. & S. line, 50 link, North of post
Level land; timber Oak, Hickory, Elm, &c.

West Corrected West between sections 27 & 34
40.00 Set quarter section post, at average
distance, from on true line, from which an
Elm 14 in. dia. bears N. 40 W. 22 link, dist.
Elm 12 in. dia. bears S. 45 E. 25 link, dist.
80.00 Section Corner

West true line between sections 28 & 33
40.00 Set quarter section post, from which an
Elm 20 in. dia. bears S. 25 W. 18 link, & an
Ash 12 in. dia. bears N. 11 W. 60 link,
Level land; timber Oak, Ash, Elm, &c.
46.74 A path, course N. E. & S. W.

Ch. Sh.

72.90 Set post on the East (right) bank of the Miami R.

East On Random between sections 2 & 11
20.00 Swan Creek, course N. E.
40.00 Set temporary quarter section post
80.00 Intersected N. & S. line at the post
Uneven Oak land

West Corrected West between sections 2 & 11
40.00 Set quarter section post, from which a
Blk. Oak 24 in. dia. bears N. 54 W. 32 link, & a
W. Oak 30 in. dia. bears S. 30 W. 33 link, dist.
80.00 Section Corner

East True line between sections 10 & 15
40.00 Set quarter section post, from which a
Blk. Oak 18 in. dia. bears S. 35 E. 63 link, dist.
77.00 Set post on North (left) bank of the River.
Level, Oak, & Hickory land

East On Random between sections 3 & 10
2.40 Path to Detroit
40.00 Set temporary quarter section post
42.00 Swan Creek 75 link, wide, course N. E.
46.50 Same Creek, course S. E.
80.00 Intersected N. & S. line 5 link, South of post

West Corrected West between sections 3 & 10
40.00 Set quarter section post at average dist-
ance, on true line, from which a
W. Oak 15 in. dia. bears S. 60 E. 16 link, & a
W. Oak 12 in. dia. bears N. 48 E. 60 link, dist.
Uneven Oak land.
80.00 Section Corner

East On true line between sections 21 & 28

Ch. Sh.

30.00 A path up & down the River
38.00 Set post on West (left) bank of the River
Uneven Oak Land

East On true line between Sections 16 & 21
39.50 A Stream 15 links wide, course N.E.
40.00 Set quarter section post, from which a
Sym 15 in. dia. bears S 51 W 33 link, & a
Blk. Oak 24 in. dia. bears N 44 E 84 lb. dist.
64.36 Set post on West (left) bank of the River
Uneven Oak Land

East On Random between Sections 9 & 16
40.00 Set temporary quarter section post
55.00 A Stream 8 links wide, course N.E.
61.00 Path to Detroit
80.00 Intersected N. & S. line at the post

West Marked back between Sections 9 & 16
40.00 Set quarter section post, from which a
W. Oak 24 in. dia. bears S 68 E 5 link, & a
W. Oak 18 in. dia. bears N 74 E 44 lb. dist.
Uneven, Oak Land

East On Random between Sections 4 & 9
40.00 Set temporary quarter section post
80.00 Intersected N. & S. line 15 lb. North of post
Level, Oak upland

West Corrected West between Sections 4 & 9
40.00 Set quarter section post on true line,
at average distance, from which a
W. Oak 12 in. dia. bears N 26 W 32 link, & a
W. Oak 36 in. dia. bears S 22 W 17 link, dist.
80.00 Section Corner

Ch. Sh.

East On true line between Sections 29 & 32
40.00 Set quarter section post, from which a
Hickory 10 in. dia. bears S 19 W 22 link, & a
Hickory 18 in. dia. bears N 13 E 48 link, dist.
Level, Oak & Hickory Land

61.50 Road up & down the river
63.28 Set post on the West (left) bank of the River

East On Random between Sections 20 & 29
40.00 Set temporary quarter section post
80.00 Intersected N. & S. line 40 link, North of post
Level land, timber Oak, Ash, & Hickory, &c.

West Corrected West between Sections 20 & 29
40.00 Set quarter section post at average distance,
on true line, from which a
Blk. Oak 12 in. dia. bears S 51 W 31 link, & a
W. Oak 36 in. dia. bears N 25 W 39 link, dist.
80.00 Section Corner

East On Random between Sections 17 & 20
40.00 Set temporary quarter section post
80.00 Intersected N. & S. line 40 link, North of post
Level, Oak & Hickory Land

West Corrected West between Sections 17 & 20
40.00 Set temporary quarter section post at av.
distance on true line from which a
Blk. Oak 18 in. dia. bears N 42 E 48 link, dist.
80.00 Section Corner

East On Random between Sections 8 & 17
40.00 Set temporary quarter section post
* 80.00 Intersected N. & S. line 5 link, South of post
Uneven Oak Land
* 63.00 Swan Creek, course N.E.

Ch. 4.

West Corrected West between Sections 8 & 17
40.00 Set quarter section post at average distance, on true line, from which a
W. Oak 30 in. dia. bears S 35° W 43 links, & a
W. Oak 12 in. dia. bears N 61° E 50 links, dist.
80.00 Section Corner

East On Random between Sections 5 & 8
40.00 Set temporary quarter section post
80.00 Intersected N. & S. line 10 links, south of post
Level, wet Oak land

West Corrected West between Sections 5 & 8
40.00 Set quarter section post at average distance, on true line, from which a
Blk. Oak 20 in. dia. bears N 13° W 85 links, dist.
80.00 Section corner

West On true line between Sections 6 & 7
40.00 Set quarter section post, from which an
Elm 14 in. dia. bears N 12° E 9 links, & a
Red Oak 30 in. dia. bears S 24° E 37 links, dist.
78.85 Intersected West boundary 4 links, North
of post. Uncultivated Oak land.

West On true line between Sections 7 & 18
40.00 Set quarter section post, from which an
Elm 24 in. dia. bears S 38° W 24 links, & a
Red Oak 20 in. dia. bears N 13° E 50 links, dist.
79.87 Intersected West boundary 30 links, South
of post.
Level land; timber Oak, Elm, &c.

West On true line between Sections 18 & 19
40.00 Set quarter section post, from which a
W. Oak 30 in. dia. bears S 23° W 69 links, dist.

Ch. 4.

W. Oak 15 in. dia. bears N 8° W 40 links, dist.
71.50 A stream 15 links wide, course N. & E.
80.00 Intersected N. & S. line 7 links, South of post
Level, Oak & Hickory upland

West Between Sections 19 & 30, on true line
40.00 Set quarter section post, from which an
Elm 20 in. dia. bears South 10 links, & an
Elm 15 in. dia. bears N 60° W 25 links, dist.
Level, wet land; timber Oak, Elm, Ash, &c.
80.63 Intersected West boundary 70 links, South
of post.
Level land; timber Oak, Elm, Ash, Hickory, &c.

West Between Sections 30 & 31, on true line
40.00 Set quarter section post, from which a
Hickory 12 in. dia. bears N 34° E 13 links, & a
Hickory 12 in. dia. bears S 15° E 45 links, dist.
80.15 Intersected West boundary 18 links, South
of post.
Level land; timber Oak, Ash, Elm, &c.
I think Swan Creek well situated
for mill seats, in many places.
Elias Glover, Dep. Sur.

Meanders of the Miami River (of the
Lakes) on the North West (or left)
side thereof; beginning at the post
in the North boundary of the Township,
course, Ch. 4, thence up stream, on left bank:
S 35° W 5.42 In Section 1
S 24° W 4.50
S 34° W 24.73 To mouth of Swan Creek; at which
place is kept a small garri-
son, by the United States.

Course, Ch. Sh.
 S 39° W 2.33 across Swan Creek.
 S 22 E 1.82
 S 6½ W 28.85
 S 58 W 3.00
 S 28 W 2.25
 S 14½ W 18.78 - To line between Sections 1 & 12
 S 14½ W 28.64 In Section 12
 S 40½ W 15.50
 S 19 W 21.76
 S 85 W 2.72
 S 89 W 5.84 - To line between Sections 11 & 12
 S 89 W 7.76 In Section 11
 S 82 W 15.50
 S 71 W 19.00
 S 72½ W 21.12
 S 73 W 19.00 - To line between Sections 10 & 11
 S 66½ W 3.37 - To line between Sections 10 & 15
 S 68 W 17.27 In Section 15
 S 50½ W 17.10
 S 35½ W 42.85
 S 53½ W 9.50
 S 64½ W 17.75 - To line between Sections 15 & 16
 S 64½ W 12.50 - In Section 16 - & 21
 S 21 W 21.50
 S 12 W 10.31
 S 6½ W 29.82
 S 18 W 14.11
 S 31 W 6.05
 S 50 W 16.73 - To line between Sect. 21 & 28
 S 61 W 14.00 - In Section 28
 S 49 W 14.00
 S 31 W 12.16
 S 20 W 24.23
 S 30½ W 4.15 - To line of Sections 28 & 29
 S 33 W 12.58 In Section 29
 S 26 W 7.11

Course, Ch. Sh.
 S 34 W 10.50 - To line of Sections 29 & 32
 S 6 W 16.00 - In Section 32
 S 13 W 6.50
 S 30 W 4.50
 S 45½ W 10.50
 S 57 W 8.85
 S 64½ W 11.00
 S 84 W 8.50
 N 83½ W 10.59
 N 75 W 7.00
 S 78½ W 8.44 - To line of Sections 31 & 32
 N 85 W 15.47 In Section 31 - Lower point of the
 [big] Island bears South 12 ch. 79 ch.
 as found by trigonometry.

West 15.00
 S 80 W 10.00
 S 75 W 8.00
 S 72 W 13.80
 S 55 W 10.00
 S 44 W 8.00
 S 23 W 17.75 To South boundary of the Township.
 Surveyed in 1805, by
 Chas Glover D.S.

Survey of River Lots, in T. 3.

Beginning at the quarter Section post on the
 East side of Section 13, from which a
 W. Oak 22 in. dia. bears N 88 W 22 links, & an
 Elm 13 in. dia. bears S 79 E 11 link, Dist.
 Ch. Sh. Thence on Township line,
 North along East side of Lot 86, T. 3.
 56.72 Set post corner to lots 86 & 87, on the East
 side of Section 12, from which a
 W. Oak 22 in. dia. bears S 7 W 24 link, & a
 Hickory 12 in. dia. bears N 40½ W 9 link, Dist.

Ch. Lk.

North On an Township line, East side of Lot 87

17.96 A Red Oak 20 in. dia.

97.22 Set post corner to Lot 87, on right bank
of the Miami River (of the lake) from which a
W. Oak 20 in. dia. bears N 30 E 21 links, dist.

Very fine land; timber Oak, Ash, Hickory, &c.

West Between Lots 86 & 87, T. 3

8.50 Top of bank, 35 feet high

9.90 Set post on right bank of Miami River,
corner to Lots 86 & 87, from which a
Hickory 8 in. dia. bears S 89 E 18 links, dist.

West On South side of Lot 86

17.80 A B. Oak 11 in. dia.

31.15 A B. Oak 15 in. dia.

40.00 Set temporary post

43.40 Set post, South West cor. of Lot 86, from which a
W. Oak 26 in. dia. bears S 3 E 85 links, & a
W. Oak 18 in. dia. bears N 15 W 27 links, dist.Then went to the quarter section post on the
line between Sections 13 & 24, & run

North On East side of Lot 85

13.50 A Hickory 30 in. dia.

18.00 A Run 30 links wide, course North, nearly

43.29 Intersected South line of Lot 86, extended
3 ch. & 40 lks. West of temporary post. Estab-
lished South West corner of Lot 86, at inter-
section [See above] - Cont. N. between Lots 85 & 8669.89 Set post on right bank of the River, for cor-
ner to Lots 85 & 86, from which a Buckeye
8 in. dia. bears N 73 W 13 links, distantVery fine, level, rich land; timber
Oaks, Ash, Hickory, &c. under growth the
same, mixed with Spice & hazel.

Ch. Lk.

West From the line between Lots 85 & 86, across Lot 85
20.00 Set post on right bank of the River, corner to
Lot, 84 & 85, from which an Elm 12 in. dia. bears
N 80 E 6 links, distant.South From post on river bank, between Lot, 84 & 85
2.50 Top of the bank

25.62 A W. Oak 26 in. dia.

60.47 A Hickory 25 in. dia.

63.12 Intersected Section line between sections
13 & 24. Set post cor. of Lot, 84 & 85, from which a
Hickory 9 in. dia. bears N 37 W 12 links, & a
B. Oak 30 in. dia. bears N 72 E 35 links, dist.Very fine land; timber Oak, Ash, Hickory,
&c. with Spice & hazel, &c.

From the quarter section post between Secs. 13 & 24

West along the rear line of Lot 85

20.10 To post corner to Lot, 84 & 85

From post corner of Lot, 84 & 85, on Section line

West along Section line, in rear of Lot 84 -

12.50 A Run 10 links wide, course S 60 E

20.00 Old corner of Secs. 13, 14, 23, 24, & South West
corner of Lot 84, from which a
Red Oak 30 in. dia. bears N 42 E 42 links, & an
Ash 20 in. dia. bears S 14 E 63 links distant

From the quarter sec. corner on line between

Sections, 23 & 24, the S.E. cor. of Lot 83, where an
Elm 13 in. dia. bears N 55 W 58 links, & an
Ash 20 in. dia. bears S 79 E 42 links, dist.

West along rear line of Lot 83

20.00 Set temporary post for Lot, 82 & 83
Land level & wet

Ch. Lk.

West along the South (or rear) line of Lot 82
 16.10 a W. Oak 18 in. dia.
 17.25 a Creek 40 link, wide, course North
 20.00 Set temporary post corner of Lots 77, 81, 82

From the quarter Sec. cor. between Secs 23 & 26, run
 North on rear line of Lot 76

6.10 a Run 3 link, wide, course West
 20.00 Set post corner to Lot 76 & 77, from which an
 Ironwood 8 in. dia. bears S 51 W 34 link, & an
 Ash 12 in. dia. bears N 16 W 30 link, Dist.
 Very fine land

West Between Lots 76 & 77

13.58 a Run 10 link, wide, course North West
 21.00 a Creek 40 link, wide, course North
 22.25 a forked W. Oak 16 in. dia.
 71.00 Set post on right bank of Maumee River
 of the Lake, corner to Lot 76 & 77, from which a
 B. Oak 30 in. dia. bears N 19 1/2 E 16 link, & a
 Red Oak 8 in. dia. bears S 4 1/2 E 17 link, Dist.
 Lense, rich land - wet

North along rear line of Lot 77

15.00 a Creek 40 link, wide, course N.E.
 19.40 Intersected South or rear line of Lot 82 (ex-
 tended) 1.13 Ch. West of temporary post.
 Established post at intersection, from which an
 Elm 15 in. dia. bears S 74 E 8 link, & an
 Elm 8 in. dia. bears N 74 W 24 link, Dist.
 Very good land

From corner of Lot 77, 81, 82, run
 West along the North line of Lot 77, & between
 it and Lot 81, 80, & 78
 4.16 a W. Oak 28 in. dia.

Ch. Lk.

20.00 Set temporary post for corner of Lots 80 & 81
 40.53 Old corner of Section, 22 & 23. Set post cor-
 ner of Lot 78 & 80, from which an
 Elm 12 in. dia. bears S 83 E 18 link, & a
 Red Oak in. dia. bears N 69 W 44 link, distant
 50.00 a Run 5 link, wide, course N 30 E.
 66.47 Set post on right bank of the river, for cor-
 ner of Lot 77 & 78, from which an Ash 5
 in. dia. bears S 40 E 11 link, distant.
 Good land; timber Oak, ash, Hickory, &
 mixed with Spruce & hazel. &c.

Established the temporary post, corner of Lot
 80 & 81, in North line of Lot 77, from which a
 Hickory 26 in. dia. bears N 58 E 34 link, & an
 Elm 8 in. dia. bears N 82 W 67 link, distant

North from thence, between Lots 80 & 81

10.89 a W. Oak 22 in. dia.
 23.80 a Creek 50 link, wide, course N 80 W
 63.50 a run 3 link, wide, course West
 78.00 Enter river bottom
 86.05 Set post on right bank of River corner to
 Lot 80 & 81, where a Hickory 5 in. dia. is
 corner tree, and from which a Cherry 14
 in. dia. bears S 35 W 9 link, distant

Fine Oak land to the creek; thence very
 brushy Oak land, to the river.

East across Lot 81, from line of 80 & 81

20.00 a Cottonwood 8 in. dia. on right bank of
 the river, is corner to Lot 81 & 82

South Between Lot 81 & 82, from post on River bank

3.50 Over bottom, to foot of high bank
 5.00 Top of bank, 16 feet high
 14.00 a Run 3 link, wide, course N 20 W.

Chd. Str.

- 33.88 A W. Oak 20 in. dia.
 54.00 A Run 30 link, wide, course N 30 E [on 530m]
 61.00 A Ravine 100 link, wide, 10 feet deep, come,
 from 230m, & turn, to N. 35 W.
 92.30 Hit the post corner of Lot 77, 81, 82.
 Rolling, good Oak land

- Established the temporary post for corner to
 Lot, 82 & 83, from which a
 Red Oak 14 in. dia. bears N 72 1/4 W 28 link, & an
 Elm 11 in. dia. bears N 59 E 25 link, dist.
 North From thence, between Lot, 82 & 83
 22.20 A Creek 40 link, wide, course East
 34.77 A B. Oak 30 in. dia.
 37.50 A creek 40 link, wide, course West
 66.98 A W. Oak 14 in. dia.
 84.00 A Ravine 80 link, wide, 12 feet deep - N. 30 E.
 90.00 A Ravine 120 link, wide, course East
 93.50 A Run 5 link, wide, course N 30 W
 95.78 Set post on right bank of the River, for
 corner to Lot, 82 & 83, from which an
 Elm 7 in. dia. bears S 84 W 6 link, & an
 Oak 5 in. dia. bears N 85 W 10 link, dist.
 Good Oak land

- From the quarter section corner between Sec-
 tions, 22 & 27, from which a
 Hickory 14 in. dia. bears S 50 W 6 link, & a
 W. Oak 34 in. dia. bears N 58 E 14 link, dist.
 South From thence, along East side of Lot 75
 11.19 A W. Oak 20 in. dia.
 29.13 A Blk. Walnut 18 in. dia.
 47.50 A Swale 115 link, wide, course N 20 E
 81.31 Intersected line between section, 27 & 34, at
 quarter section post. Set post at intersection
 for ~~corner~~ South East cor. of Lot 75, from which

Chd. Str.

- an Elm 22 in. dia. bears N 42 W 22 link, & an
 Elm 14 in. dia. bears S 41 1/2 E 25 link, distant
 Very good, level, rich land; timber Oak,
 Ash, Hickory, Walnut, Elm, &c. under growth
 same, mixed with Spruce, Hazel, Hornwood &c.

- Met along line between sections 27 & 34, near of Lot 75, & 76
 5.00 A Swale 120 link, wide, course S 80 E
 20.00 Set temporary post corner of Lot, 74 & 75
 25.00 crossed a swale 100 link, wide, course —
 39.07 To corner of section, 27, 28, 33, 34. Set near post
 which is, also S.W. corner of Lot 74, from which an
 Elm 10 in. dia. bears S 64 W 20 link, & an
 Elm 10 in. dia. bears N 53 E 48 link, dist.

- Moved the temporary post for Lot, 74 & 75,
 to average distance (19.53) from which a
 Buckeye 8 in. dia. bears N 40 E 16 link, & an
 Ash 6 in. dia. bears N 79 W 16 link, dist.

- North From thence, between Lot, 74 & 75
 4.00 A Swale 120 link, wide, course N 80 E
 12.20 A Swampy Creek 80 link, wide, course N 75 E.
 44.12 An Elm 13 in. dia.
 68.00 A Ravine 400 link, wide, 30 feet deep, N 35 W
 74.37 Set post on right bank of River, for corner
 to Lot, 74 & 75, from which a
 Red Oak 9 in. dia. bears S 14 W 22 link, & a
 Sugar 9 in. dia. bears N 87 1/2 E 22 link, dist.
 Good level land to the ravine; timber Oak,
 Ash, Elm, &c. under growth same with Spruce, Hazel &c.

- Set a new quarter section post on the line
 between Secs. 33 & 34, for S.E. corner of Lot 73,
 from which a Hickory 20 in. dia. bears
 S 57 1/2 W 6 link, & a Hickory 24 in. dia. bears
 N 55 1/2 E 30 link, dist. Thence

Ch^d. Sh.

West along rear line of Lots 73 & 72
 13.14 An Elm 20 in. dia.
 20.00 Set temporary post corner of Lot 72 & 73
 40.00 Set temporary post S.E. corner of Lot 72

Set new post for quarter section corner, on South side of Sec. 33 & for South East corner to Lot 71, from which an Ash 8 in. dia. bears S 71 E 17 links, & an Ash 10 in. dia. bears N 34 W 17 links, dist.

North From thence, on East side of Lot 71

3.41 A Bur Oak 12 in. dia.
 22.94 A W. Oak 36 in. dia.
 40.66 Intersected the South (or rear) line of Lot 72, 70 links, West of temporary post. Extended the line to intersection, & set post, from which an Elm 6 in. dia. bears S 65 E 4 links, & an Elm 8 in. dia. bears N 24 W 10 links, dist.
 86.41 A W. Oak 24 in. dia.
 94.70 A Run 6 links wide, course N.E.
 98.70 A Run 6 links wide, course N.E.
 103.00 Top of bank 36 feet high
 104.80 Set post on right bank of River, for corner to Lot 71 & 72, from which a Maple - in. dia. bears S 47 W 15 links, dist.
 Very fine rich land

East Across Lot 72, from line of Lot 71 & 72
 20.40 Set post on right bank of the Miami River, corner to Lot 72 & 73, from which an Ironwood 6 in. dia. bears N 56 E - link, dist.

South Between Lot 72 & 73, from post on River
 3.40 Top of bank 35 feet high
 19.77 A Blk. Oak 44 in. dia.
 88.04 Intersected rear line of these Lots, 30 links

Ch^d. Sh.

West of the temporary post, & set the post at intersection, corner of Lot 72 & 73, from which a Hickory 20 in. dia. bears N 25 E 30 links, & a R. Oak 6 in. dia. bears S 25 W 5 links, dist.

Very fine land; timber Oak, Ash, Walnut, &c. Under growth same, mixed with Spice & hazel

From the quarter section corner on the South side of Section 33, & South East corner of Lot 71, thence

West on Township line, & rear line of Lot 71

5.43 A Hickory 14 in. dia.
 18.00 Set post corner of Lot 70 & 71, from which an Ash 21 in. dia. bears N 44 W 8 8 links, & a Bur Oak 8 in. dia. bears N 70 W 46 links, dist.
 Level, wet land

North From thence, Between Lots 70 & 71

10.93 A W. Oak 22 in. dia.
 24.38 A forked W. Oak 38 in. dia.
 57.00 An Ash 17 in. dia.
 93.00 A Ravine 400 ft. wide, 20 feet deep - N 60 W
 94.67 A W. Oak 14 in. dia.
 95.00 Top of bank 25 feet high
 96.32 Set post on right bank of the Miami R. (of the lake) corner to Lot 70 & 71, from which a Buckeye 8 in. dia. bears S 39 W 25 links, & a B. Oak 12 in. dia. bears N 70 E 6 links, dist.
 Fine, level land; timber Oak, Walnut, Hickory, Ash, &c. Undergrowth same, mixed with Spice, hazel, &c.

Lots - N.W. Side of River. T. 3.

Set post on N.W. side of the Miami River.

North From said post, on line between Township, 2 & 3 -

Ch. Sh.

51. 81 To a quarter section post
 92. 64 To section corner - from which a
 W. Oak 18 in. dia. bears N 76 1/2 E 24 link, & an
 Aspen 16 in. dia. bears S 34 W 6 link, dist.
 133. 25 Set (new) quarter section post, also North
 West corner of Lot 22, from which an
 Ash 20 in. dia. bears S 71 E 38 link, & an
 Ash 7 in. dia. bears S 51 1/2 W 1/2 link dist.
 Level, wet land

From the last described corner, surveyed
 East on North side (or rear) of Lots 21, 22
 17. 50 Set temporary post, corner of Lots 21 & 22
 35. 00 Intersected South westerly line of John Ashers
 Private Claim, & set post corner to Lots
 20 & 21, from which a
 P. Oak 7 in. dia. bears S 31 W 24 link, & a
 W. Oak 6 in. dia. bears S 77 E 20 link, dist.

South Between Lots 20 & 21
 26. 93 an Elm 11 in. dia.
 79. 40 Road to Detroit
 80. 00 Top of River bank, 40 feet high
 82. 43 Set post on left bank of the River, for
 corner to Lot, 20 & 21, from which a
 Hickory 8 in. dia. bears N 31 W 8 link, distant
 Level, rich, wet, & brushy land

East From line between Lot 20 & 21, across Lot 20
 20. 00 Set post on left bank of River, corner to
 Lot, 19 & 20, from which a Spanish Oak 7
 in. dia. bears S 11 1/4 E 26 link, dist.

North Thence, Between Lots 19 & 20
 3. 25 Ascend to top of bank
 4. 00 Road to Detroit

Old Sh.

45. 92 a W. Oak 11 in. dia.
 53. 00 Set post in South westerly line of John Ashers
 Claim, corner to Lot, 19 & 20, from which an
 Oak 30 in. dia. bears S 42 W 22 link, & an
 Elm 15 in. dia. bears S 22 E 51 link, dist.

Established temporary post, as corner of Lots 21 &
 22, at average distances on rear line
 of these lots, from which post an
 Elm 12 in. dia. bears S 58 W 42 link, & a
 Red Oak 21 in. dia. bears S 38 E 16 link, distant

South From said post, between Lot 21 & 22

2. 07 a Red Oak 22 in. dia.
 66. 00 Road to Detroit
 67. 00 Top of River bank 38 feet high
 91. 60 Set post on left bank of the River, corner
 to Lot, 21 & 22, from which a P. Oak 12 in.
 dia. bears N 50 E 59 link, distant
 Level rich land

From the corner of Sections 20, 21, 28, 29, run
 West on section line, between Lots 19 & 18
 20. 00 Set a temporary post (what for?)
 40. 80 To quarter section post between Sec. 20 & 29

North From said quarter section post, along rear
 line of Lot, 19 & 18
 15. 90 by Run 19 link, by side, course E got
 20. 00 Set temporary post, corner of Lots 18 & 17
 40. 60 Set post for N.W. corner of Lot 16, from which a
 Hickory 14 in. dia. bears S 24 E 20 link, & a
 Hickory 10 in. dia. bears N 54 W 12 link, dist.
 Level land; timber Oak, Ash, Hickory &c

East From the above corner, along North line of Lot 16
 12. 50 Top of a bank 15 feet high
 13. 60 Descend bank to a Run 16 link, wide, course N.

Ch^d 26.

14.88 A W. Oak 20 in. dia.

18.00 Top of bank 12 feet high

41.00 Intersected quarter section post between Sections 20 & 21, the S. W. corner of Lot 15, thence continued East between Lots 15 & 16

80.15 A Hickory 14 in. dia.

100.00 Top of River bank 20 feet high

103.25 Set post on left bank of the River, corner to Lots 15 & 16, from which a Walnut 5 in. dia. bears S 28 $\frac{1}{2}$ E 22 links, & a Hickory 12 in. dia. bears N 12 W 24 links, dist.

Very fine level land, rather east; timber Oak, Hickory, Ash, elm; with spice, hazel, aspen

South From line between Lots 15 & 16, across lot 16

20.20 Set post on left bank of the River, corner to Lot 16 & 17, and piled stones around it.

West From corner on River - between Lots 16 & 17

6.27 A Hickory 16 in. dia.

7.00 To foot of bank

9.00 ascend bank to top thereof, 25 feet high

44.96 A Hickory 12 in. dia.

80.60 A Run 16 links wide, course N 20 E

89.50 Intersected rear line of these lot, 37 links, North of temporary post. Set post corner to Lot 16 & 17, at intersection, from which a W. Oak 30 in. dia. bears N 40 E 5 links, & an Ash 8 in. dia. bears S 46 E 25 links, dist.

Level wet land; timber Oak, Ash, &c under growth same, with spice & hazel

From quarter section post on line between Sec^s 20 & 21, in North line of Lot 16, & South West corner of Lot 15, ran North On line between Sec^s 20 & 21, rear of Lot 15 & 14.Ch^d 27.

40.80 To corner of Sections 16, 17, 20, 21, the North West corner of Lot 14

South From the above corner, on rear of Lot 14

20.40 Set post at average distance for corner to Lots 14 & 15, from which a W. Oak 30 in. dia. bears N 15 W 32 links, & a Hickory 9 in. dia. bears S 15 E 36 links, dist.

40.80 To the South West corner of Lot 15

East Between Lots 14 & 15. J. B.

4.50 A Run 4 link, wide, course N 70 E

6.14 A W. Oak 36 links

26.58 A Run 5 links wide, course N 35 E

40.00 A Run 5 link, wide, course North

50.00 Road to Detroit

56.83 A Hickory 12 in. dia.

57.50 To top of River bank, 40 feet

59.78 Set post on left bank of the Miami R. corner to Lot 14 & 15, from which a Buckeye 20 in. dia. bears N 56 W 18 links, dist. Good Oak land

East From line between Sec^s 15 & 16, across Lot 13

20.00 Set post on the right bank of the Miami River (of the lake) corner of Lot 12 & 13, from which a Hickory 14 in. dia. bears N 73 W 39 links, & a Hickory 12 in. dia. bears N 20 E 111 links, dist.

North Between Lots 12 & 13. J. B.

22.90 A W. Oak 28 in. dia.

55.50 Intersected line between Sections 10 & 15. Set post in said line, corner of Lot 12 & 13, from which a B. Oak 22 in. dia. bears N 47 W 130 links, & a B. Oak 22 in. dia. bears S 79 $\frac{1}{2}$ E 133 links, dist. Thin land; timber scarce - brush & grass

Ch. Sh.

East From rear corner of Lots 12 & 13, rear of Lot 12
 20.76 To quarter section corner in line between
 Sections, 10 & 15, & in the West line of Lot 11,
 being N.E. corner of Lot 12, from which a
 B. Oak 26 in. dia. bears S 74° 31' link, & a
 B. Oak 20 in. dia. bears S 61° E 71 link, dist.

From the quarter section post in line be-
 tween Sections, 10 & 15, & the N.E. corner of Lot 12 -
 North on Random line, along West line of Lot 11
 32.20 a W. Oak 20 in. dia.

34.50 a Run 4 link, wide, course —

36.00 " " "

37.00 " " "

57.00 Top of a bank 30 feet high, — descend it

61.00 Swan Creek 120 link, wide, course N.E.

65.00 a bank 10 feet high

73.50 Swan Creek 180 link, wide, course N.E.

77.50 Swan Creek 180 link, wide, course N.E.

82.20 Intersected line between Sections 3 & 10, at
 quarter section post, the N.W. corner of
 Lot 11

South Marked line back along West side of Lot 11

82.20 To quarter section post in line between
 Sections, 10 & 15, & the N.E. corner of Lot 12

South Continued the line South, between Lot 11 & 12
 1.56 a Hickory 20 in. dia.

28.50 Set post on left bank of River, corner
 to Lots 11 & 12; no bearing trees nor stones
 near, & the bank being low, a mound
 would be of no use.

Thin Oak land

East From the quarter section post, N.W. corner of
 Lot 11; — along rear of Lot 11.

Ch. Sh.

3.00 Swan Creek — [course N.E.]

4.80 Over creek

10.20 To Swan Creek — [course S.E.]

12.00 Over creek

20.00 Set post corner of Lots 10 & 11, from which a
 W. Oak 28 in. dia. bears S 80° W 13 link, & a
 Red Oak 14 in. dia. bears S 66° E 35 link, dist.

South Between Lot, 10 & 11, from post last set

2.38 a Sycamore 18 in. dia.

2.50 a creek 150 ch, (Swan Cr.) course S. 65° E.

4.00 Over Swan Creek

10.00 Top of bank 15 feet high

50.00 Enter swampy land

56.00 Leave swampy land

72.33 a W. Oak 26 in. dia.

84.00 Top of bank 35 feet high — descend it

87.40 Set post on left bank of the River, corner
 to Lots 10 & 11, from which a Hickory 22 in.
 dia., down the river, bears N 48° E — link,
 dist. and a Buckeye 15 in. dia. bears S 57° W
 up the river.

Level land, thin soil, a kind of prairie;
 thinly timbered, & part brushy

From the corner of Lots 10 & 11, on line be-
 tween Sections 3 & 10,

East along said section line, on rear of Lot 10

20.76 Set post corner to Lot, 9 & 10, at old cor-
 ner of Sections, 2, 3, 10, 11, from which a
 B. Oak 11 in. dia. bears S 63° W 23 link, & a
 W. Oak 22 in. dia. bears N 44° E 52 link, dist.

East along rear line of Lot 9, from corner of 9 & 10

20.00 Set post on the line between Sections, 2 & 11
 for corner to Lot, 8 & 9, from which an

Ch. St.

elm 5 in. dia. bears S 60 E 25 links, & a
Hickory 14 in. dia. bears S 63 W 29 links, dist.

East Along rear line of Lot 8, from corner of 8 & 9

0.70 To Swan Creek - [course N. Easterly]

2.20 Over Swan Creek

4.00 Top of bank 30 feet high

20.37 $\frac{1}{2}$ old quarter section corner between sections 2 & 11. Set post corner to Lot 4, 5 & 8, from which a W. Oak 20 in. dia. bears S 87 W 37 links, & a B. Oak 22 in. dia. bears N 50 $\frac{1}{2}$ E 44 links, distant.

North Along rear line of Lot 4, from cor. of 4, 5, & 8

11.40 Top of bank 20 feet high

18.16 Swan Creek 134 links, wide [Course Easterly]

19.50 Over Creek

20.00 Set post corner to Lot 3 & 4, from which a Hickory 11 in. dia. bears N 41 W 100 links, & a B. Oak 13 in. dia. bears N 72 E 94 links, dist.
Land level to bank; brushy in bottom

East Between Lot 3 & 4, from last described cor.

14.19 To Swan Creek - course N 50 E

16.15 Over Creek

20.75 A W. Oak 13 in. dia.

40.00 To Swan Creek } [Probably a South bend of Cr.]

42.08 Over Creek }

74.00 Set post on left bank of the River, corner to Lot 3 & 4, from which an elm 6 in. dia. bears N 13 E 50 links, distant
Tolerable Oak land

North On rear line of Lot 3, from corner of 3 & 4

11.00 A Run 3 links, wide, course S 70 W

20.00 Set post corner to Lot 2 & 3, from which a

Ch. St.

W. Oak 12 in. dia. bears S 25 E 85 links, & a
B. Oak 18 in. dia. bears N 2 $\frac{1}{2}$ E 29 links, dist.

North On rear line of Lots 2 & 1, from corner of 2 & 3

20.00 Set temporary post, corner of Lots 1 & 2

42.00 Struck the quarter section post on North boundary of Section 2, T. 3, which is NW cor. of Lot 1

Set post on left bank of the River, 20 chains South of the North boundary of the Township, for corner to Lot 1 & 2, & piled stones around it.

West From said post, between Lot 1 & 2

1.30 Top of bank 30 feet high

9.50 Foot of a hill

11.00 A Swampy run 60 links, wide, course South

67.20 A B. Oak 30 in. dia.

95.96 Intersected rear line of Lot 1 & 2, 2 ch. 40 lb. North of Temporary post. Set post at intersection, corner of Lot 1 & 2, from which an elm 20 in. dia. bears N 67 E 73 links, & a Walnut 10 in. dia. bears S 4 E 74 links, dist.
Good, level Oak land; under growth hazel & Sassafras

East Between Sections 2 & 3, from cor. on rear line

42.22 A Swampy Oak 15 in. dia.

56.37 Swan Creek }

59.63 Over Creek } [Supposed N. Easterly]

66.13 Swan Creek }

69.39 Over Creek } [Supposed S. Easterly]

76.89 Swan Creek }

80.15 Over Creek } [Supposed S. Easterly]

82.65 Set post on left bank of the River, cor. of Lot 2 & 3
Where a Hickory 10 in. dia. bears S 10 W 12 links, dist.
Good Oak land.

Ch. Lk.
 South On rear of Lot, 5 & 6, from cor. of 4, 5, & 8
 20.00 Set temporary post corner of Lot, 5 & 6
 21.70 A Leaning W. Oak 26 in. dia.
 40.00 Set post corner to Lot, 6 & 7, from which a
 B. Oak 27 in. dia. bears S 53 E 21 link, & a
 W. Oak 30 in. dia. bears N 53 W 5 link, dist.
 Level, thin, W. Oak land

East Between Lot, 6 & 7, from the last named corner
 27.48 A forked W. Oak 50 in. dia.
 58.70 Set post on left bank of the Miami River
 for corner to Lot, 6 & 7, from which a
 W. Oak 20 in. dia. bears S 67 E 17 44 link, & a
 W. Oak 36 in. dia. bears N 12 E 45 link, dist.
 Level, thin, Oak land

North From line between Lot, 6 & 7, across Lot 6
 20.00 Set post on bank of Marsh, left bank
 of the River, corner to Lot, 5 & 6, from which a
 Hickory 11 in. dia. bears N 8 E 69 link, dist.

West Between Lot, 5 & 6, from last described corner
 3.00 Top of bank 22 feet high
 65.40 Intersected East line of Lot 8, 2 link, South
 of temporary post. Established post
 for corner to Lot, 5 & 6, from which a
 W. Oak 25 in. dia. bears N 50 E 11 link, & a
 B. Oak 32 in. dia. bears S 16 E 55 link, dist.
 Level, thin Oak land

South Between Lot, 8 & 9, from corner on rear line
 1.50 Swan Creek
 3.20 Deer Creek [Course supposed N.E.]
 5.00 Top of bank 26 feet high
 5.71 A W. Oak 14 in. dia.
 52.43 A leaning B. Oak 18 in. dia.

Ch. Lk.
 71.20 Top of bank 38 feet high
 73.60 Set post corner to Lot, 8 & 9, on left bank
 bank of the Miami River, from which a
 Hickory 10 in. dia. bears N 32 E 35 link, & a
 Hickory 12 in. dia. bears N 62 W 62 link, dist.
 Level, Oak & Hickory land, middling soil

Meanders of Maumee R.

Beginning at the post in the East Boundary
 of Township 3, on right bank

Course, Ch. Lk. of the River; thence up stream:

S 47 1/2 W 9.70 Set 87
 S 29 1/2 W 5.09 - bank 28 feet high
 S 19 1/2 W 2.15
 S 16 1/2 W 3.46
 S 15 1/2 W 3.70
 S 7 W 4.93 - bank 26 feet high
 S 9 1/4 W 5.63
 S 1 E 3.16
 S 3 1/2 E 3.87
 S 7 E 2.43 - bank 28 feet high
 S 14 E 2.75
 S 9 1/2 E 1.56
 S 14 1/2 E 4.50
 S 14 W 17.92 - bank 26 feet high
 S 2 W 24.50
 S 16 1/2 W 12.00
 S 32 1/2 W 16.50
 S 54 1/2 W 10.40 - bank 24 feet high
 S 64 1/2 W 17.00 - at 200, corner of Lot, 85 & 86
 S 66 W 9.00 - corner of Lot, 84 & 85
 S 79 1/2 W 44.50 - at 2450, corner of Lot, 83 & 84 - bank 20 ft.
 N 83 W 2.00 - bank 3 feet
 West 5.80 - corner of Lot, 82 & 83
 S 82 W 5.85 - bank 2 feet

Course, ch. l.

S 84° W	4.09	
S 79° W	3.38	
S 64½° W	5.98	- corner to lots 81 & 82, is to link, South
S 74½° W	8.00	Bank 2 feet
S 73° W	7.12	
S 69½° W	5.70	- corner of Lots 80 & 81
S 73° W	16.00	
S 84° W	4.87	} bank 2 feet high
S 56° W	9.40	
S 63° W	4.10	
S 57° W	1.63	bank 10 feet high
S 51½° W	2.48	" 15 "
S 49½° W	16.00	" 16 "
S 43° W	7.96	" 18 "
S 43½° W	4.28	" 20 "
S 18½° W	3.80	" 22 "
S 13° W	4.12	
S 15° W	9.96	
S 22½° W	5.83	
S 16°	2.58	bank 28 feet
S 14½° E	1.92	
S 41° E	1.70	
S 44½° E	8.38	- To a small W. Oak, a small distance below the creek. Then went to the opposite side, and taking an observation the W. Oak then bore N 26½° W and opposite side of Creek N 6½° W - continue meander.
S 42½° W	0.40	- To corner of Lots 77 & 78, from which the W. Oak bore N 23½° W, & opposite of the creek, N 1° W
S 27½° W	1.06	- then the W. Oak bore N 20° W, & opposite
S 1½° E	2.45	side of the creek N 1½° W
S 29½° W	1.14	bank 25 feet
S 12½° W	35.00	- at 12.00 down end of grassy Is. bore West - at 14.92, corner of Lots 76 & 77 - down end of another Island, N 37° W
S 67° W	1.86	
S 57° W	0.66	

Course, ch. l.

S 68½° W	8.96	
S 65° W	42.60	- at 5.27, corner of Lots 74 & 75
S 42½° W	17.00	- at 14.80, corner of Lots 72 & 73
S 54° W	24.84	- at 15.40, corner of Lots 71 & 72
S 50½° W	6.00	bank 26 feet high
S 46½° W	13.18	- at 7.40, corner of Lots 70 & 71
S 45½° W	20.79	bank 8 feet
S 39½° W	4.68	
S 13½° W	6.50	bank 10 feet
S 1¼° W	17.81	
S 18° W	11.00	" 16 feet
S 34½° W	13.50	" 12 "
S 56½° W	14.58	" 7 "
S 74½° W	15.30	
S 78° W	4.00	" 9 "
S 75½° W	15.16	- About here, the lower end or corner of Perrysburgh

Meanders on N. W. (or Left) bank of River.
 (From a point within, and near (as supposed) the lower corner of Godfrey & Maumee's Claim N. 49° E; thence down stream, on left bank.)

N 37½° E	13.00	N. end of the great Island bears N 87° E
N 54½° E	12.16	
N 71½° E	7.60	
N 79° E	4.37	- at 65 ch. corner of Lots 20 & 21
S 88½° E	14.46	- Lower end of Great Is. S 46° E
N 83½° E	9.80	- Lower end of an is. S 14° E
S 84½° E	18.59	
N 79½° E	10.47	- at 7, prairie begins
S 76° E	8.43	
S 85½° E	10.57	- Stone on opposite side of River S 60½° E
N 77½° E	12.16	" " " " S 51½° E
N 65½° E	8.84	" " " " S 36½° E
N 48° E	23.51	" " " " S 14° E

Course, ch. th.

- N 13° E 9.17 - left side of Isl. N 30° E - right side N 36° E
 N 23° E 11.84 - left side Isl. N 37° E - right side N 40° E
 N 37° E 13.34 - Lower end of prairie.
 N 29° E 16.06 - left side I. N 38° E - right side N 45° 1/4 E - upper
 end N 43° E.
 N 32° E 8.68 - right side I. at op. shore N 62° E
 N 14° E 23.30 - up. end I. nearest shore, S 78° E
 N 26° E 8.58 - up. end same I. S 43° E - lower end N 59° E
 N 44° E 14.50 - lower end same I. N 82° E
 N 58° E 10.02
 N 62° E 9.23
 N 53° E 4.00
 N 43° E 5.67
 N 38° E 3.38
 N 29° E 6.40
 N 18° E 7.00 - corner of Lot, 16 & 17
 N 10° E 13.85
 N 7° E 15.20 - at 12.55 Cor. of Lot, 15 & 16
 N 12° E 17.50 - cor. of Lot, 14 & 15
 N 20° E 22.00
 N 70° E 3.27
 N 65° E 7.39
 N 60° E 3.86
 N 51° E 7.30
 N 14° E 2.50
 N 40° E 4.44
 N 37° E 4.95
 N 33° E 23.36 - at 17.10, cor. of Lot, 11 & 12
 N 42° E 17.80
 N 51° E 8.00 - at 6.50 cor. of Lot, 10 & 11 - up. end Isl.
 N 65° E 15.86 - S 22° E - lower end of I. S 14° E
 N 70° E 14.32 - up. end I. S 20° E - lower end I. S 18° E
 N 75° E 20.90 - at 10.70, cor. of Lot, 8 & 9 - lower end I.
 S 34° W - up. end I. S 26° W - lower end
 I. S 37° E - up. end I. S 73° E.
 N 73° E 9.92

Course, ch. th.

- N 69° E 9.50 - Lower end of Isl. S 70° E
 N 83° E 15.64 - " " " " S 35° E
 East 14.97
 N 77° E 4.76
 N 74° E 2.55
 N 69° E 9.55
 N 34° E 21.00
 N 88° 1/2 W 1.00
 S 41° W 5.74
 N 52° E 2.00
 N 30° E 16.00
 N 2° W 1.95 - corner of Lot, 5 & 6
 N 9° E 6.45
 N 15° E 16.12
 N 18° E 7.65
 N 15° E 3.32
 N 72° W 0.90
 N 82° W 1.41
 S 84° W 3.02
 N 17° E 2.36
 N 79° E 5.38 - corner of Lot, 3 & 4
 N 33° E 2.41
 N 22° E 3.55
 N 17° E 3.69
 N 10° E 5.06
 N 4° E 16.10 - at 7.00, cor. of Lot, 2 & 3 - To Swan Cr.
 op. side of Cr. N 30° E
 N 38° 1/2 W 1.09 - op. side (Swan Cr.) N 36° 1/2 E.
 N 86° E .88 - a tree on op. side of R. S 64° E
 N 21° E 10.58 - Cor. of Lot, 1 & 2 - True, op. side S 45° E
 * N 62° E 24.10 - corner on North Boundary of Reserve.
 [* This course is evidently erroneous. The original scrap of paper from which the fair copy of notes is made up, gives the course blank, thus: "N—E." and how Mr. Wampler filled the blank with "62", does not appear.
 S. Williams.]

ch. 4. Survey of the Large Island,
in the Miami River (of the Lake,) near the
center of the U.S. Reserve of Twelve
Miles square at the Foot of the Rapids.

Set post on the East side of the Is-
land, in the line between Townships, 3 &
4, no bearing trees. Thence

West along said Township line

44.60 Set post on the West side of the Island.

Course, ch. 4. Thence Meandered Island, as follows:

N 19° E 4.50 In Township 3

N 2° W 2.50

N 36° E 10.00

N 39° E 9.50

N 62° E 6.00

N 64° E 7.00

S 86° E 11.50

S 82° E 11.50

S 67° E 2.00

S 47° E 1.00

S 10° E 1.50 - To bayou - or inlet

S 5° W 4.50 - at 2.50, over bayou

S 17° W 22.16 - To post in Township line, on East
side of Island, & corner of Lot, 88 & 93

S 30° W 11.80 - In Township 4

S 64° W 2.50

S 59° W 4.00

S 72° W 3.50

S 79° W 7.50

S 84° W 11.25

S 78° W 5.50

N 80° E 5.50

N 23° E 4.20

N 6° E 9.00

N 9° E 3.20 - To post in Township line on West
side of Island, corner of Lot, 91 & 92.

ch. 4. Found that part of this Island which lies
in Township 4, to contain, by calculation,
59.29 $\frac{1}{2}$ acres. Divided it into two equal
parts, numbered, Lot, 92 & 93, thus:

From post on East side of the Island,
in Township line, corner of Lot, 88 & 93, measured

West along Township line, North side of Lot 93

25.15 Set post in Township line, corner to Lot, 92 & 93.

South From said post, between Lot, 92 & 93

14.71 Set post on South side of the Island,
corner to Lot, 92 & 93. Each lot con-
taining 29.64 $\frac{1}{2}$ acres.

West On said Township line, along North side of Lot 92

19.45 To post in Township line, on West side of
Island, corner to Lot, 91 & 92.

Found that part of the Island which
lies North of the Township line, in Township
3, to contain, by calculation, 110.70 $\frac{1}{2}$ acres.
Divided the same into four equal parts,
thus: -

From post on the East side of the Island,
in Township line, corner of Lot, 88 & 93, measured

West along said Township line, South end of Lot, 88,
89, 90, 91, & at -

6.67 Set post for corner to Lot, 88 & 89

16.41 Set post for corner to Lot, 89 & 90

27.36 Set post for corner to Lot, 90 & 91

44.60 To post on West side of Island, corner to
Lot, 91 & 92.

Then run the divisional lines, thus:

North Between Lot, 88 & 89

27.92 Set post on North side of Island, for cor-
ner to Lot, 88 & 89

Ch. Lk.

North Between Lots 89 & 90

28.72 Set post on north side of Island, corner
to Lot, 89 & 90

North Between Lots 90 & 91

24.87 Set post on north side of Island, corner
to Lot, 90 & 91.Then raised a mound at each cor-
ner post on the Island.Surveyed in 1816, by
Joseph Wampler
Dep. Sur.

Survey of the Smaller Islands.

In Township 3

X

Delaware Island.

From post on the West (left) bank of
the Maumee River, between Tracts (Lots)
14 & 15, in Township 3, an Island bears
S 85° E, distant 3 ch. & 86 links.This Island is called Delaware Is-
land, from the circumstance of a creek
putting into the Maumee River, at the foot
of it, called Delaware Creek. Thence,

Course, Ch. Lk. with the meanders of the Island:

S 6° W 12.00

S 12° E 4.00

N 23½° E 12.50 - another Island [Long Island] bears,
to its S. W. end S. 75° E., 4 ch. 60 lks.
Distant.

N 23½° E 12.50

N 76° W 4.00

N 30° E 11.00

S 49° W 13.00

S 8° W 9.18 - To the place of beginning.

This Island is 2^d rate land; good forcorn and meadow; all cleared and cultivated.
Some of the meadow is low.

Containing 14.20 acres.

X

Long Island.

From the end of the 3^d Station, in the
Survey of Delaware, an Island [Long Is-
land] bears S 75° E 4 ch. & 60 lks. Distant
to its South Westerly end. Thence mean-
Course, Ch. Lk. deduced as follows:-

N 44° E 12.00 Down, on S. E. side of Isd?

N 41° E 10.50

N 38° E 9.00

N 29° E 15.00

N 17° E 3.50 - To foot of Isd?

West 0.50

S 33° W 24.50

S 67° W 5.00

S 1° W 4.00

S 40° W 16.00

S 5° W 1.43 - To the place of beginning.

Containing 9.43 acres

This Island is first rate land, from
end to end. There is a marsh extending
from the lower end of the island, up a
long the West side; about two-thirds of
the length of it, and from 4 to 5 ch. wide.

Lower Island, in Township 3

Beginning at the post on the left
bank of the Maumee River, corner of
Lots 6 & 7, in T. 3, U. S. Reserve; Thence

Course, Ch. Lk. surveyed as follows:-

N 36° E 22.50

S 2° E 21.50

S 30° W 6.50

Course, ch. sh.

S 68 E 1.50

N 66 E 6.00

S 42½ E 4.50

N 46 E 4.00

S 8 E 5.00

N 85 E 1.50

N 51 E 7.00

S 30 E 4.00

N 39 E 5.00

N 12 E 8.50

N 6 E 10.00

N 9 W 8.50

N 16 W 8.50

North 8.50 - To North point of Island

S 69½ E 1.50

S 13½ E 28.50

S 3 E 14.50

S 33½ W 8.50

S 86½ W 20.50

West 9.50

S 72 W 16.50

S 89 W 2.50 - Came to the high ground [left bank of the River] along the bank of which the posts to the different tracts are set; and I presume my last station to be not far from where the old line [of meanders of the Tracts] runs. But there being no data on which to proceed farther, I have thought fit to let my minute of the cape [Island, or peninsula, or whatever it may be called] be added, when they are protracted, to that part of the original survey which adjoins this Peninsula, and then the exact area can be obtained. For your help, I shall add the bearing and distance from this station, to the post where I

commenced, viz:
corner, N 27½ E 21.70 - To the place of beginning.

Containing 79.11 acres.

Instead of this being an Island, it is a cape, or Peninsula. This Peninsula has no timber, or underwood. It has all been cultivated for corn & grass. The soil is rich, and the surface rather low. I am credibly informed that about five years ago, it was all inundated: In those long periods when the lake is high, and in the rainy seasons, and some times, when the tide is high, from in-blowing winds, this is the case.

X

Little Sister Island. In T. 3.

From post on the left bank of the Maumee River, corner of Lots 15 & 16, an Island (called, by me, the "Little Sister") bears to its west end, nearly, S 28 E 40 ch. & 11 link, distant. Thence me-

Course, ch. sh. andered the island, as follows

S 5 W 6.00

East 1.50

N 2 W 5.50

N 22 E 10.00

West 1.00

S 27 W 8.50

S 3 E 1.10 - To the place of beginning.

Containing 9.93 acres.

This Island, called the "Little Sister", (by me) is rather low; but considerably good corn was raised on it last year. The soil is 2^d rate; but no timber on it.

X

Grassy Island. In T. 3.

From the first station on the "Little Sister",
an Island, which I call "Grassy
Island, bears N 81° E 10 chrs 73 links.

Course, chrs. Thence meandered, as follows.

N 25° E 10.00

N 35° E 8.50

N 17° E 17.50 - [possibly 7.50, only - see original]

S 46° E 9.00

S 31° E 4.50

S 62° E 7.00

N 7° E 11.50

N 81° E 5.00

N 16° W 5.00

N 67° E 1.50

S 16° E 12.50

S 22° W 9.00

S 46° W 16.50

S 65° W 7.00

N 87° W 11.00

S 2° E 6.00

S 26° W 7.50

S 56° W 6.50

N 13° E 6.00

N 43° E 1.54 - To the place of beginning.

Containing 69.46 acres.

This Island is rather low, but good
corn & meadow land. Soil first rate
for meadow.

The smaller Islands surveyed in
March & April, 1824 - by

William Prossfield
Deputy Surveyor.

ck. Sh. South Boundary. Var.

A Survey of Township 4, lying at the Foot of the Rapids of the Miami of the Lakes. Surveyed by order of Jared Mansfield Esq. Surveyor General of the United States, by

Elias Glover D. S.

Beginning at the post on the South Boundary of the Reserve, corner of Townships 1 & 4, and South West corner of this Township, from which an

Elm 20 in. dia. bears N 62 E 56 link, & an

Elm 10 in. dia. bears N 69 W 28 ch. dist.

East From thence, On South Side of Section 31, T. 4.

40.00 Set quarter section post, from which an

Elm 14 in. dia. bears N 39 E 15 link, & an

Ash 12 in. dia. bears S 43 W 23 link, dist.

Level wet land; timber Swp. Oak,

Ash, Elm, &c

80.00 Set post corner to Sec. 31 & 32, from which a

Maple 18 in. dia. bears N 41 W 50 link, & a

Cottonwood 18 in. dia. bears N 80 E 72 ch. dist.

Level wet land; timber Ash, Elm, Maple, &c

East On South Side of Section 32, T. 4

40.00 Set post corner to q. Sec. from which an

Elm 12 in. dia. bears N 27 link, & an

Elm 10 in. dia. bears N 55 W 27 ch. dist.

Level land; timber Oak, Ash, Elm, &c

80.00 Set post corner to Sec. 32 & 33, from which an

Elm 12 in. dia. bears N 19 W 26 link, & an

Ash 10 in. dia. bears N 49 E 40 link, dist.

Level land; timber Ash, Oak, Elm, &c

East On South Side of Section 33, T. 4

40.00 Set quarter section post, from which a

Ch. Sh.

Synn 10 in. dia. bears S 12 W 14 link, & a
Hickory 12 in. dia. bears N 8 E 34 lb. dist.

Level land; timber Oak, Hickory, ash,
Elm, Synn, &c.

80.00 Set post corner to Sec. 33 & 34, from which a
W. Oak 12 in. dia. bears N 47 W 22 link, & a
Hickory 10 in. dia. bears N 53 E 11 link, dist.
Level land; timber Oak, Hickory, Sugar, &c.

East On South side of Section 34, T. 4

40.00 Set quarter section post, from which an
Oak 14 in. dia. bears N 58 E 16 link, & a
Synn 8 in. dia. bears N 72 W 38 link, dist.
Level land; timber Oak, Hickory, Elm, &c.

80.00 Set post corner to Sec. 34 & 35, from which a
Synn 12 in. dia. bears N 46 E 15 link, & a
Maple 12 in. dia. bears N 65 W 45 link, dist.
Level land; timber Oak, Elm, Synn,
Oak, Hickory, &c.

East On South side of Section 35, T. 4

40.00 Set quarter section post, from which an
Elm 30 in. dia. bears N 74 E 23 link, & a
Hickory 10 in. dia. bears S 60 W 23 link, dist.
Level land; timber Oak, Hickory, Ash, Elm, &c.

72.75 a Hickory 18 in. dia.

80.00 Set post corner to Sec. 35 & 36, from which a
Synn 12 in. dia. bears N 45 E 39 link, & a
Hickory 20 in. dia. bears N 64 W 18 link, dist.
Level land; timber Hickory, Ash, Elm, &c.

East On South side of Section 36, T. 4

33.50 a W. Oak 24 in. dia.

40.00 Set quarter section post, from which an
Ash 18 in. dia. bears N 50 E 14 link, & an
Elm 10 in. dia. bears N 17 W 23 link, dist.

Ch. Sh.

Level land; timber Ash, Elm, Oak, &c.
75.00 a Sycamore 24 in. dia.

80.00 Set post for South East corner of the
Township, & cor. of Sec. 36, from which an
Ash 14 in. dia. bears S 57 E 11 link, & a
Hickory 10 in. dia. bears N 83 W 14 link, & a
Maple 20 in. dia. bears N 53 E 50 link, dist.
Level land; timber Ash, Elm, &c.

East Boundary. Var.

North On East side of Section 36, T. 4

40.00 Set quarter section post, from which a
Cottonwood 24 in. dia. bears N 32 W 10 lb. & a
B. Oak 14 in. dia. bears S 50 W 29 link, dist.
Level land; timber Elm, Cottonwood,
Ash, &c.

72.10 a Maple 12 in. dia.

80.00 Set post corner to Sec. 25 & 36, from which a
Synn 12 in. dia. bears N 54 W 25 link, & a
B. Oak 14 in. dia. bears S 78 W 62 link, dist.
Level land; timber Oak, Ash, Elm, Synn, &c.

North On East side of Section 25, T. 4

30.50 Set quarter section post, from which an
Elm 10 in. dia. bears S 73 W 23 link, & a
Cottonwood 12 in. dia. bears N 49 E 5 link, dist.
Level land; timber Ash, Elm, Cottonwood, &c.

80.00 Set post corner to Sec. 24 & 25, from which a
Synn 10 in. dia. bears N 20 W 50 link, & a
Sycamore 30 in. dia. bears N 65 E 21 link, dist.
Level land; timber Hickory, Ash, Elm, Oak, &c.

North On East side of Section 24, T. 4

9.00 a path, course N. & W.

40.00 Set quarter section post, from which a
W. Oak 14 in. dia. bears S 17 W 31 link, & a

Ch. Sh.

Red Oak 18 in! dia. bears N 31 W 6 links, dist.
Level land; timber Oak, Ash, Elm, &c.
80.00 Set post corner to Sect 13 & 24, from which an
Elm 10 in! dia. bears S 13 W 17 links, & an
Elm 12 in! dia. bears N 51 W 23 links, dist.
Level land; timber Oak, Ash, Elm, &c.
November 1. 1805

North On East side of Section 13, T. 4

39.00 A Hickory 18 in! dia.

40.00 Set quarter section post, from which a
Maple 15 in! dia. bears S 23 E 23 links, & an
Ash 14 in! dia. bears N 61 W 38 links, dist.
Level land; timber Oak, Ash, Elm,
Hickory, &c.

45.75 A Hickory 24

80.00 Set post corner to Sect 12 & 13, from which a
Maple 24 in! dia. bears N 64 W 29 links, & a
Lynn 10 in! dia. bears S 63 W 8 links, dist.
Level land; timber Ash, Elm, Sycamore, &c.

North On East side of Section 12, T. 4

25.00 A Stream 10 links, wide, course N.E.

40.00 Set quarter section post, from which a
Lynn 8 in! dia. bears N 44 W 5 links, & an
Ash 8 in! dia. bears S 20 E 8 links, dist.

Level land; timber Ash, Elm, Sugar, &c.

45.50 A Cottonwood 18 in! dia.

80.00 Set post corner to Sect 12 & 12, from which a
Lynn 8 in! dia. bears N 30 W 28 links, & a
Hickory 18 in! dia. bears S 73 W 20 links, dist.
Level land; timber Oak, Hickory, Beech, &c.

North On East side of Section 1, T. 4

30.20 An Elm 18 in! dia.

40.00 Set quarter section post, from which an

Ch. Sh.

Oak 12 in! dia. bears S 60 W 22 links, & an
Ash 12 in! dia. bears N 59 W 27 links, dist.
Level land; timber Oak, Elm, Hickory, &c.
80.00 Intersected the South boundary of Town-
ship 3, - 30 links West of Township cor-
ner post.

[The North-East corner of Township
4, is, therefore, thirty links West of the
South-East corner of Township 3.]

North Boundary. Var.

Beginning at the post set on the side of the
Road, on the top of the (left) bank
of the Miami River of the Lakes, near
an old Indian Village; corner to the
Townships 1, 2, 3, & 4, and center of
the Reserve of Twelve miles square
at the Foot of the Rapids, of said Ri-
ver, from which post a W oak 20
in! dia. bears S 15 E 153 links, & a Red
Oak 10 in! dia. bears N 25 W 229 links, dist.

East From thence, on South side of Sect. 31, T. 3.

3.50 Set post on the West (left) bank of the
Miami River13.50 To the Big Island; set post on West side
of the Island40.00 Set quarter section post on the Island,
near the center thereof, no bearing trees.

The land level, of a good quality, a
considerable part of it now covered with
corn, under cultivation by the Indians.

58.85 Set post on the East side of the Island

71.94 Set post on the East (right) bank of the
River.80.00 Set post in River bottom, corner to Sect. 31 & 32,
T. 3, from which no bearing trees

Ch. Lk.

East On South boundary of Section 32, T. 3.

40.00 Set quarter section post, from which a
W. Oak 30 in. dia. bears S 49 E 16 link, & a
Hickory 20 in. dia. bears N 7 W 65 link, dist.

Land uneven & brushy; timber Oak & Hickory

80.00 Set post corner to Sect. 32 & 33, from which
an Elm 12 in. dia. bears S 60 W 18 link, &
an Elm 12 in. dia. bears N 21 E 16 link, dist.

Level land, of a middling soil; tim-
ber Oak, Hickory, Elm, &c.

East On South side of Section 33, T. 3.

34.20 A Hickory 12 in. dia.

40.00 Set quarter section post, from which an
Ash 8 in. dia. bears N 34 W 17 link, & an
Ash 8 in. dia. bears S 71 E 17 link, dist.

Level Upland; timber Oak, Ash, Hickory, &
62.50 a path, course N. W. & S. E.

80.00 Set post corner to Sect. 33 & 34, from which an
Elm 14 in. dia. bears N 52 W 36 link, & an
Elm 12 in. dia. bears N 14 E 25 link, dist.

Level land, middling soil; timber Oak,
Ash, &c.

East On South side of Section 34, T. 3.

8.20 A Blk. Oak 18 in. dia.

40.00 Set quarter section post, from which a
Maple 15 in. dia. bears N 3 E 12 link, & an
Elm 24 in. dia. bears S 68 W 23 link, dist.

Level land; timber Oak, Ash, Elm, &c.

80.00 Set post corner to Sect. 34 & 35, from which an
Ash 12 in. dia. bears N 67 W 47 link, & an
Elm 8 in. dia. bears S 58 W 20 link, & a
Lynn 10 in. dia. bears N 47 E 40 link, dist.

Level land, middling soil; timber
Ash, Elm, &c.

Ch. Lk.

East On South side of Section 35, T. 3.

40.00 Set quarter section post, from which an
Ash 12 in. dia. bears N 35 E 35 link, & a
Hickory 10 in. dia. bears S 64 W 10 link, dist.

Level land; timber Oak, Ash, Elm, Lynn,
Hickory, &c.

80.00 Set post corner to Sect. 35 & 36, from which a
Sugar 12 in. dia. bears N 41 E 24 link, & a
Hickory 12 in. dia. bears N 34 W 10 link, dist.

Level land, middling soil; timber as above

East On South side of Section 36, T. 3.

40.00 Set quarter section post, from which a
Sycamore 30 in. dia. bears S 7 W 8 link, & a
Sycamore 24 in. dia. bears N 53 E 30 link, dist.

Level land; timber Ash, Elm, &c.

80.00 Set post on East Boundary of the Twelve
Mile Reserve, corner to Townships 3 & 4,*
from which a Cottonwood 15 in. dia. bears
N 60 W 54 link, & a Maple 18 in. dia.
bears N 78 E 40 link, distant.

Level land, middling soil; timber
Ash, Elm, &c.

[* The North East corner of Town-
ship 4, is Thirty links West of the Town-
ship corner, here described.]

West Boundary. Var. 3.25' E.

Beginning at the post set on the side of the
Road, on the top of the (left) bank of
the Miami River of the Lakes, near an
old Indian Village, corner of Townships
1, 2, 3, & 4 in - and center of - the Reserve
of Twelve Miles square at the Foot of
the Rapids of said River; from which
post a W. Oak 20 in. dia. bears S 15 E

ch. Sh.

1.53 links, & a Red Oak 10 in. dia. bears
N 25 W 229 links, distant.

Thence surveyed line between T. 1 & 4

South On East side of Section 1, T. 1

14.54 Set post on West (left) bank of the Miami
River of the Lake,

34.84 Set post on South (right) bank of the River

40.00 Set quarter Section post, from which
no bearing trees

66.00 a Stream 10 links wide, course S.W.

80.00 Set post corner to Sec. 1 & 12, from which a
Hickory 12 in. dia. bears N 40 E 9 links, & a
Hickory 12 in. dia. bears S 40 W 47 lks. dist.
Land something uneven, timber Oak,
Hickory &c

South On East side of Section 12, T. 1

40.00 Set quarter Section post, from which an
Elm 12 in. dia. bears N 75 E 50 links, & a
W. Oak 12 in. dia. bears S 36 W 33 link, dist.
Level upland; timber Oak, Ash, Elm, &c

80.00 Set post corner to Sec. 12 & 13, from which an
Elm 10 in. dia. bears S 32 E 13 links, & an
Ash 8 in. dia. bears N 84 E 33 link, dist.
Level land; timber Ash, Elm, &c

South On the East side of Section 13, T. 1

40.00 Set quarter Section post, from which an
Elm 12 in. dia. bears S 72 W 6 links, & an
Elm 14 in. dia. bears N 44 E 48 link, dist.
Level Upland; timber Ash, Elm, &c

80.00 Set post corner to Sec. 13 & 24, from which an
Ash 10 in. dia. bears N 45 E 9 links, & a
Cottonwood 14 in. dia. bears S 40 W 28 lks. dist.
Level upland; timber Ash, Hickory,
Oak, Elm, &c

ch. Sh.

South On East side of Section 24, T. 1

40.00 Set quarter Section post, from which an
Elm 18 in. dia. bears S 64 E 28 links, & a
Maple 20 in. dia. bears S 78 W 35 link, dist.
Level Upland; timber Oak, Ash, &c

80.00 Set post corner to Sect. 24 & 25, from which a
Cottonwood 18 in. dia. bears N 59 E 50 link, & a
Cottonwood 12 in. dia. bears S 74 W 20 link, dist.
Level land; timber Cottonwood, Ash, Elm,
Oak, &c

South On East side of Section 25, T. 1

40.00 Set quarter Section post, from which a
Syc. 8 in. dia. bears N 49 E 16 links, & a
Red Oak 12 in. dia. bears S 77 W 25 link, dist.
Level land; timber Oak, Ash, Elm, &c

80.00 Set post corner to Sec. 25 & 36, from which an
Elm 18 in. dia. bears S 62 E 30 links, & a
Cottonwood 12 in. dia. bears S 67 W 37 lks. dist.
Level land; timber Ash, Elm, Oak, &c

South On East side of Section 36, T. 1

40.00 Set quarter Section post, from which an
Ash 8 in. dia. bears S 76 E 33 links, & an
Ash 8 in. dia. bears S 41 W 24 links, dist.
Level land; timber Ash, Elm, &c

80.00 Set post in South boundary of the Re-
serve, corner to Townships 1 & 4, from which an
Elm 20 in. dia. bears N 62 E 56 link, & an
Elm 10 in. dia. bears N 69 W 28 link, dist.
Level, wet land; timber Elm, Ash, &c
October 15th 1805

Surveyed in 1805
by Elias Glover
Deputy Surveyor

Ch. Sh.

South & East Boundaries Re-surveyed, by Joseph Wampler. 1816.

South Boundary.

Beginning at the post on the South Boundary of the Reserve, corner of Townships 1 & 4; thence

East on South side of Section 31, T. 4

41.02 Set new post for quarter sec. from which an Elm 22 in. dia. bears N 30 E 15 link, & an Ash 14 in. dia. bears S 36 W 24 link, dist.

Wet swampy land; timber Oak, Ash, Elm, Hickory; under growth Sarsaparilla

83.47 Set post at old cor. of Sec. 31 & 32, from which a Maple 24 in. dia. bears N 41 W 50 link, & a Cottonwood in. dia. bears S 7 E 17 link, dist. Swampy land. Aug. 6. 1816

East On South side of Section 32, T. 4

40.62 Set new quarter section post, from which an Elm 12 in. dia. bears N 66 W 27 link, & a Maple 27 in. dia. bears S 66 E 26 link, dist. Swampy land

53.92 A Sycamore 12 in. dia.

74.09 An Elm 20 in. dia.

81.24 Set post at old corner of Sec. 32 & 33, from which an Elm 12 in. dia. bears N 22 W 27 link, & an Elm 8 in. dia. bears N 19 W 18 link, distant Timber Cottonwood, Elm, Oak, Ash, & under growth prickly Ash, & Spice.

East On South side of Section 33, T. 4

10.45 A Maple 26 in. dia.

41.27 Set new quarter section post, from which a Hickory 11 in. dia. bears N 5 E 36 link, & a Sycamore 9 in. dia. bears S 2 W 16 link, dist.

Ch. Sh.

Swampy land; timber Cottonwood, Sycamore, Ash, Elm, Oak, &c. mixed with Spice

54.35 A Sycamore 24 in. dia.

81.16 Set new post cor. to Sec. 33 & 34, from which an Elm 12 in. dia. bears N 19 W 26 link, & an Ash 10 in. dia. bears N 49 E 40 link, distant Very fine, rolling land

East On South side of Section 34, T. 4

30.35 An Elm 10 in. dia.

40.00 Set new quarter section post, from which a Sycamore 9 in. dia. bears N 74 W 41 link, & a B. Oak 20 in. dia. bears N 57 E 17 link, dist.

51.18 An Ash 9 in. dia.

80.80 Set new post cor. to Sec. 34 & 35, from which an Ash 15 in. dia. bears S 52 E 3 link, & a Sycamore 14 in. dia. bears N 46 E 14 link, dist. Swampy Land

East On South side of Section 35, T. 4

40.50 A Road, course S 80 E 4 & N 80 W

41.62 Set new quarter section post, from which an Elm 36 in. dia. bears N 74 W 23 link, & a Maple 26 in. dia. bears N 68 E 43 link, dist.

Wet, Swampy land

61.79 A Hickory 24 in. dia.

82.06 Set new post cor. to Sec. 35 & 36, from which a Sycamore 15 in. dia. bears N 45 E 39 link, & an Elm 39 in. dia. bears N 64 W 18 link, dist. Good land, level & rich; timber Oak, Elm, Ash, Sycamore, Buck, Hickory, Ironwood; under growth Spice & hazel &c.

East On South side of Section 36, T. 4

0.91 A Red Oak 17 in. dia.

40.62 Set new quarter section post, from which an

ch^d sh.

- Elm 12 in. dia. bears N 17 W 23 links, & an
 Ash 19 in. dia. bears N 50 E 14 link, dist.
 Swampy, rich land
- 45.83 A Cottonwood 20 in. dia.
- 72.38 A Sycm 14 in. dia.
- 81.18 Set new post at South East corner of
 the Township, from which a
 Maple 26 in. dia. bears N 47 E 50 links, & a
 Hickory 11 in. dia. bears N 84 W 14 links, & an
 Ash 19 in. dia. bears S 60 E 11 link, dist.
 Wet swampy land; timber Sycm Cot-
 tonwood, Sugar, Elm, Oak & with Spice.

East Boundary - Resurveyed

- North On East side of Section 36, T. 4
- 36.59 An Elm 8 in. dia.
- 40.68 Set new post for quarter section, from which a
 Cottonwood 36 in. dia. bears N 38 W 10 link, & a
 W. Oak 16 in. dia. bears S 40 W 27 link, dist.
- 51.18 A Cottonwood 20 in. dia.
- 73.46 A Maple 12 in. dia.
- 81.48 Set new post cor. to Sec. 25 & 36, from which a
 Sycm 12 in. dia. bears N 37 W 25 links, & an
 Ash 12 in. dia. bears N 84 E 29 link, dist.
 Land wet & swampy - 1st half ve-
 ry wet wet & swampy

- North On East side of Section 25, T. 4
- 40.50 Set new quarter section post, from which a
 Cottonwood 26 in. dia. bears N 34 E 5 links, & a
 Sycm 11 in. dia. bears S 54 W 22 link, dist.
 Swampy land
- 67.00 An Elm 8 in. dia.
- 76.00 Trail to Lower Sandusky - S.E. & N.W.
- 80.88 Set ^{new} post cor. to Sec. 24 & 25, from which a
 Sycamore 40 in. dia. bears N 65 E 21 link, & a

ch^d sh.

- Sycm 12 in. dia. bears N 20 W 50 link, dist.
 Flat, & wet, but rich, land
- North On East side of Section 24, T. 4.
- 40.40 Set new quarter section post, from which a
 Red Oak 26 in. dia. bears N 20 W 6 link, & a
 W. Oak 26 in. dia. bears S 5 W 31 link, dist.
 Very Rich, flat land
- 64.90 A Sugar 14 in. dia.
- 80.96 Set new post, cor. to Sec. 13 & 24, from which an
 Ash 12 in. dia. bears S 6 W 17 link, & an
 Elm 15 in. dia. bears N 53 W 23 link, dist.
 Swampy land; timber Ash, Elm, Cotton-
 wood, & mixed with prickly ash, & Spice.
- North On East side of Section 13, T. 4
- 39.94 A Hickory 16 in. dia.
- 40.37 Set new post for quarter section, from which a
 Maple 18 in. dia. bears S 53 E 23 link, dist. & an
 Ash 14 in. dia. bears N 61 W 38 link, dist.
 Swampy land
- 81.10 Set new post corner to Sec. 12 & 13, from which a
 Maple 30 in. dia. bears N 26 W 27 link, & a
 Sycm 13 in. dia. bears S 43 W 19 link, dist.
 Swampy land; timber Ash, Elm, Sycm,
 & under growth Spice &
- North On East side of Section 12, T. 4
- 25.50 A Run 50 link, wide, course N 10 E
- 40.74 Set new quarter section post, from which a
 Sycm 10 in. dia. bears N 44 W 5 link, & an
 Ash 8 in. dia. bears S 20 E 8 link, dist.
 Fine, level, Sugar land
- 74.20 A Stream 80 link, wide, course East
- 81.29 Set new post, cor. to Sec. 14 & 12, from which a
 Sycm 10 in. dia. bears N 48 W 28 link, & a

ch. Sh.

W. Oak 28 in. dia. bears N 21 E 23 link, dist.
Wet, level land; timber Oak, Beech,
Elm, Sycam, &c under growth same, mixed
with Spice, hazel, &c Aug. 7. 1816

North On East side of Section 1, T. 4.

30.30 an Elm 28 in. dia.

40.47 Set new quarter section post, from which an
Ash 11 in. dia. bears N 57 W 27 link, & a
Bur Oak 15 in. dia. bears S 60 W 22 link, dist.
Very rich, wet land

49.18 A Sycamore 12 in. dia.

80.47 Set new post for corner to Townships 3 & 4,
from which a Cottonwood 15 in. dia. bears
S 60 W 54 link, dist. & a Maple 18 in. dia.
bears N 78 E 40 link, distant.

Swampy land.

[* It will be seen, that in the original
survey of the East boundary of Town-
ship 4, by E. Glover, he intersected
the South boundary of Township 3,
at a point thirty link, west of the
post established previously, for the
Township corner; which leaves a jog
of 30 link between the N. E. corner
of T. 4, and the S. E. corner of T. 3.
Yet Mr. Wampler, in his re-survey of
the East side of T. 4, although fol-
lowing the original line, purports to
intersect at the South East corner
of Township 3; and yet gives no rea-
son why he diverged (or where de-
parted) from the old line. This
is, at least, evidence of loose work,
somewhere. Saml. Williams.]

Resurveyed in 1816 - by Jos. Wampler D.S.

ch. Sh.

Subdivisions.

North Between Sections 35 & 36.

T. 4

21.50 A Hickory 18 in. dia.

40.00 Set quarter section post, from which a
Hickory 14 in. dia. bears S 42 E 8 link, & a
Bur Oak 8 in. dia. bears N 36 W 19 link, dist.
Level land; timber Oak, Hickory, Elm, Ash &c
80.00 Set post cor. to Sect. 25, 26, 35, 36, from which a
Cottonwood 18 in. dia. bears N 35 E 17 link, & an
Ash 8 in. dia. bears S 39 W 16 link, distant
Level land; timber Oak, Elm, Beech, Oak, &c

East On Random between Sections 25 & 36

40.00 Set temporary quarter section post

80.00 Intersected Town line 10 link, South of post
Level land; timber Ash, Elm, Cottonwood, &c

West Corrected West between Sections 25 & 36

40.00 Set quarter section post at average dis-
tance, on true line, from which a

Red Oak 12 in. dia. bears S 28 W 13 link, & a
Maple 12 in. dia. bears N 44 E 15 link, dist.

80.00 Section Corner

North Between Sections 25 & 26.

T. 4

40.00 Set quarter section post, from which an
Ash 12 in. dia. bears S 70 E 30 link, & a
Sycam 10 in. dia. bears N 79 W 23 link, dist.

Level land; timber Ash, Elm, Sycam, Oak, &c

51.50 A Red Oak 24 in. dia.

80.00 Set post cor. to Sect. 23, 24, 25, 26, from which an
Ash 10 in. dia. bears S 49 W 11 link, & a
Maple 15 in. dia. bears S 34 E 20 link, dist.
Level land; timber Ash, Elm, Maple, &c

East On Random between Sections 24 & 25

- Ch. Lk.
40.00 Set temporary quarter section post
80.00 Intersected Town Line 4 links North of post
Level land; timber Ash, Elm, Oak,
Cottonwood, Lym, &c
- West Corrected West between Sections 24 & 25
40.00 Established quarter section post at average
distance, on true line, from which an
Ash 10 in. dia. bears N 73 E 15 links, & an
Elm 12 in. dia. bears S 55 W 28 links, dist.
- North Between Sections 23 & 24, T. 4
40.00 Set quarter section post, from which a
Cottonwood 15 in. dia. bears N 30 E 35 links, & an
Elm 12 in. dia. bears S 26 W 17 links, dist.
Level land; timber Ash, Elm, Cottonwood, &c
44.50 A Cottonwood 24 in. dia.
80.00 Set post cor. to Sec. 13, 14, 23, 24, from which a
Sycamore 12 in. dia. bears S 35 W 31 links, & a
Sycamore 12 in. dia. bears S 22 E 26 links, dist.
Level land; timber Oak, Ash, Elm, Hickory, &c
- East On Random between Sections 13 & 24
40.00 Set temporary quarter section post
Level land; timber Ash, Elm, Sycamore, &c
80.00 Intersected Town Line at post
Level land; timber Ash, Elm, Cottonwood, &c
- West Marked line back between Sections 13 & 24
40.00 Set quarter section post, from which a
Sycamore 12 in. dia. bears N 55 E 20 links, & a
Red Oak 20 in. dia. bears S 33 W 10 links, dist.
80.00 Section corner. Nov. 3. 1805
- North Between Sections 13 & 14. T. 4
40.00 Set quarter section post, from which a

- Ch. Lk.
Hickory 12 in. dia. bears S 52 E 11 links, & a
Lynn 10 in. dia. bears N 85 W 24 links, dist.
Level land; timber Oak, Hickory, Elm, &c
44.50 A W. Oak 24 in. dia.
72.50 A path N. W. & S. E.
80.00 Set post cor. to Sec. 11, 12, 13, 14, from which a
Maple 10 in. dia. bears N 70 E 18 links, & an
Ash 8 in. dia. bears N 55 W 13 links, distant
Level land; timber Ash, Elm, Cottonwood,
Maple, &c
- East On Random between Sections 12 & 13
40.00 Set temporary quarter section post
Level land; timber Ash, Elm, Cottonwood, &c
66.00 A Stream 15 links wide, course N. E.
80.00 Intersected Township line at the post
Level land; timber Oak, Ash, Elm,
Lynn, Sycamore, Cottonwood, &c
- West Marked back between Sections 12 & 13
40.00 Set quarter section post, from which an
Ash 10 in. dia. bears N 31 W 12 links, & a
Hickory 12 in. dia. bears N 75 E 22 links, dist.
80.00 Section corner
- North Between Sections 11 & 12 T. 4
40.00 Set quarter section post, from which an
Elm 14 in. dia. bears S 45 W 9 links, & an
Elm 12 in. dia. bears N 50 E 16 links, dist.
Level land; timber Ash, Elm, Cottonwood, &c
50.50 A Red Oak 24 in. dia.
80.00 Set post cor. to Sec. 1, 2, 11, 12, from which a
Hickory 12 in. dia. bears S 77 W 18 links, & an
Ash 12 in. dia. bears S 73 E 29 links, dist.
Level land; timber Ash, Elm, Hickory,
Oak, &c

ch. Lk.

East On Random between Sections 1 & 12
40.00 Set temporary quarter section post
Level land; timber Oak, Hickory, Ash, Elm.
80.00 Intersected Town line 8 links, South of post
Level land; timber Ash, Elm, Oak, &c.

West Corrected West between Sections 1 & 12
40.00 Set quarter section post at average distance on true line, from which an
Ash 10 in. dia. bears S 28 E 14 links, & an
Ash 9 in. dia. bears N 55 W 24 links, dist.
80.00 Section corner

North Between Sections 1 & 2. T. 4
40.00 Set quarter section post, from which a
Maple 12 in. dia. bears N 80 E 20 links, & a
Syc 8 in. dia. bears N 75 W 10 links, dist.
Land, level; timber Ash, Elm, Oak, &c.
80.00 Intersected North Boundary of the Town-
ship, at the post, cor. of Sec. 35 & 36 T. 3.
Level land; timber Oak, Ash, Hickory,
Elm, &c.

North Between Sections 34 & 35, T. 4
8.65 A Red Oak 18 in. dia.
40.00 Set quarter section post, from which a
Syc 12 in. dia. bears N 54 W 13 links, & an
Ash 6 in. dia. bears S 29 E 25 links, dist.
Level land; Ash, Elm, Syc, Oak, &c.
41.00 A Maple 24 in. dia.
80.00 Set post cor. to Sec. 26, 27, 34, 35, from which a
Beech 12 in. dia. bears N 70 W 11 links, & a
Beech 14 in. dia. bears N 21 E 15 links, dist.
Level land; timber Oak, Ash, Elm, &c.

North Between Sections 26 & 27. T. 4

ch. Lk.

29.00 An Ash 24 in. dia.
40.00 Set quarter section post, from which an
Ash 12 in. dia. bears S 49 E 17 links, & an
Ash 10 in. dia. bears S 73 W 19 links, dist.
Level land; timber Ash, Elm, Oak, &c.
80.00 Set post cor. to Sec. 22, 23, 26, 27, from which an
Ash 20 in. dia. bears N 39 W 23 links, & an
Ash 12 in. dia. bears N 21 E 9 links, dist.
Level land; timber Ash, Elm, Syc, &c.

North Between Sections 22 & 23, T. 4
34.44 An Elm 36 in. dia.
40.00 Set quarter section post, from which a
Cottonwood 20 in. dia. bears N 18 W 37 links, & a
Cottonwood 12 in. dia. bears S 43 E 25 links, dist.
Level land; timber Ash, Elm, Cottonwood, &c.
51.75 A Cottonwood 18 in. dia.
80.00 Set post cor. to Sec. 14, 15, 22, 23, from which an
Ash 12 in. dia. bears N 31 W 12 links, & a
Red Oak 18 in. dia. bears S 37 E 34 links, dist.
Level land; timber Oak, Ash, Elm, Syc, &c.
Nov. 4. 1805

North Between Sections 14 & 15. T. 4
21.00 A trace, course N. W. & S. E.
40.00 Set quarter section post, from which a
Cottonwood 24 in. dia. bears S 81 W 23 links, & an
Elm 12 in. dia. bears N 34 E 25 links, dist.
Level land; timber Ash, Elm, &c.
73.70 A Syc 24 in. dia.
80.00 Set post cor. to Sec. 10, 11, 14, 15, from which a
Red Oak 12 in. dia. bears N 41 W 20 links, & a
Sugar 12 in. dia. bears N 68 E 11 links, dist.
Level land; timber Ash, Elm, Oak,
Syc, &c.

Ch. Sh.

North Between Sections 10 & 11. T. 4
 40.00 Set quarter Section post, from which a
 W. Oak 12 in. dia. bears N 22 E 68 lb. dist.
 Level land; ~~timber~~ part swampy, and
 part dry & stony
 80.00 Set post cor. to Secs. 2, 3, 10, 11, from which an
 Elm 12 in. dia. bears N 75 W 13 link, & a
 Lynn 10 in. dia. bears N 54 E 25 link, dist.
 Level stony land; timber Oak, Elm,
 & brushy

North Between Sections 2 & 3, T. 4
 31.00 An Ash 20 in. dia.
 40.00 Set quarter Section post, from which a
 Lynn 12 in. dia. bears N 37 W 14 link, & an
 Elm 12 in. dia. bears N 39 E 16 link, dist.
 Level land; timber Ash, Elm, &c
 80.00 Intersected North boundary of the Town-
 ship, 10 link, west of the post corner of
 Sections 34 & 35, T. 3
 Level land; timber Ash, Elm, Oak, &c

North Between Sections 33 & 34. T. 4
 40.00 Set quarter Section post, from which a
 Lynn 14 in. dia. bears N 55 E 25 link, & an
 Ash 10 in. dia. bears S 46 W 18 link, dist.
 Level land; timber Ash, Elm, Lynn, &c
 49.75 An Ash 24 in. dia.
 80.00 Set post cor. to Secs. 27, 28, 33, 34, from which an
 Elm 10 in. dia. bears N 49 E 24 link, & a
 Maple 12 in. dia. bears S 74 W 10 link, dist.
 Level land; timber Ash, Elm, Maple, &c

North Between Sections 27 & 28. T. 4
 40.00 Set quarter Section post, from which
 37.75 A Cottonwood 30 in. dia.

Ch. Sh.

40.00 Set quarter Section post, from which an
 Ash 10 in. dia. bears S 60 W 28 link, & a
 Red Oak 14 in. dia. bears S 71 E 28 link, dist.
 Level land; timber Oak, Ash, Cottonwood, &c
 63.00 An Ash 18 in. dia.
 80.00 Set post cor. to Secs. 21, 22, 27, 28, from which a
 Cottonwood 20 in. dia. bears S 37 W 15 link, & a
 Maple 12 in. dia. bears S 44 E 27 lb. dist.
 Level land; timber Oak, Ash, Elm, &c

North Between Sections 21 & 22. T. 4
 40.00 Set quarter Section post, from which a
 Lynn 14 in. dia. bears S 70 E 15 link, & an
 Elm 12 in. dia. bears N 83 W 23 link, dist.
 Level land; timber Oak, Hickory, Lynn,
 Elm, Ash, &c
 80.00 Set post corner to Secs. 15, 16, 21, 22, from which a
 Red Oak 14 in. dia. bears N 74 E 38 link, & a
 W. Oak 30 in. dia. bears S 59 W 48 link, dist.
 Level land; timber Oak, Ash, Elm, &c

North Between Sections 15 & 16, T. 4
 16.00 A Hickory 18 in. dia.
 40.00 Set quarter Section post, from which a
 Blk. Oak 10 in. dia. bears S 21 E 9 link, & a
 Lynn 10 in. dia. bears S 46 W 17 link, dist.
 Level land; timber Ash, Elm, Hickory, &c
 80.00 Set post cor. to Secs. 9, 10, 15, 16, from which an
 Elm 12 in. dia. bears N 59 W 23 link, & a
 Hickory 10 in. dia. bears N 34 E 24 link, dist.
 Level land; timber Ash, Elm, Cottonwood, &c

North Between Sections 9 & 10 T. 4
 40.00 Set quarter Section post, from which an
 Ash 20 in. dia. bears S 26 E 19 link, & a
 Lynn 12 in. dia. bears N 45 W 12 link, dist.

Ch. Lk.

Level land; timber Ash, Elm, Lyrn, &c.
 65.00 A Maple 18 in. dia.
 80.00 Set post cor. to Sect. 3, 4, 9, 10, from which a
 Maple 18 in. dia. bears S 66 E 19 link, & an
 Elm 12 in. dia. bears S 50 W 16 link, dist.
 Level land; timber Oak, Hickory, Ash,
 Elm, &c.
 Nov. 5. 1805

North Between Sections, 3 & 4. T. 4

40.00 Set quarter section post, from which a
 Sugar 12 in. dia. bears S 47 E 7 link, & a
 Lyrn 10 in. dia. bears S 40 W 15 link, dist.
 Level land; timber Oak, Ash, Elm, &c.
 42.75 A path, course E. & W.
 64.00 A path, course E. & W.
 64.50 A Hickory 24 in. dia.
 80.00 Intersected North boundary of the Town-
 ship, at the post, corner of Sect. 33 & 34, T. 3.
 Level upland; timber Oak, Hickory, Ash, &c.

North Between Sections, 32 & 33. T. 4

40.00 Set quarter section post, from which an
 Elm 12 in. dia. bears N 64 W 17 link, & an
 Elm 8 in. dia. bears S 30 W 31 link, dist.
 Level land; timber Oak, Ash, Elm, &c.
 51.75 A Bur Oak 24 in. dia.
 80.00 Set post, cor. to Sect. 28, 29, 32, 33, from which a
 Cottonwood 18 in. dia. bears N 64 W 56 link, & a
 Cottonwood 18 in. dia. bears N 39 E 16 link, dist.
 Level land; timber Oak, Ash, Cottonwood,
 Elm, &c.

North Between Sections, 28 & 29. T. 4

40.00 Set quarter section post, from which an
 Ash 12 in. dia. bears N 54 W 19 link, & a
 Sycamore 18 in. dia. bears N 29 E 32 link, dist.

Ch. Lk.

Level land; timber Oak, Elm, Ash,
 Cottonwood, &c.
 50.00 A Maple 18 in. dia.
 80.00 Set post cor. to Sect. 20, 21, 28, 29, from which a
 Maple 8 in. dia. bears N 20 E 27 link, & a
 Cottonwood 14 in. dia. bears S 50 W 8 link, dist.
 Level land; timber Ash, Elm, Hickory,
 Sycamore, Cottonwood, &c.

North Between Sections, 20 & 21. T. 4

40.00 Set quarter section post, from which a
 W. Oak 20 in. dia. bears S 85 W 23 link, & a
 Red Oak 12 in. dia. bears N 75 E 46 link, dist.
 Level land; timber Oak, Ash, Elm, &c.
 61.75 A Maple 18 in. dia.
 80.00 Set post cor. to Sect. 16, 17, 20, & 21, from which a
 Maple 14 in. dia. bears N 21 E 18 link, & an
 Ash 15 in. dia. bears S 85 W 24 link, dist.
 Level land; timber Oak, Ash, Elm, &c.

North Between Sections, 16 & 17. T. 4

12.50 An Ash 15 in. dia.
 34.00 A Bur Oak 20 in. dia.
 40.00 Set quarter section post, from which an
 Elm 12 in. dia. bears N 85 W 13 link, & an
 Elm 14 in. dia. bears S 54 E 40 link, dist.
 Level land; timber Oak, Ash, Elm, &c.
 80.00 Set post cor. to Sect. 8, 9, 16, 17, from which an
 Elm 12 in. dia. bears N 19 W 40 link, & an
 Elm 20 in. dia. bears S 31 E 17 link, dist.
 Level land; timber Ash, Elm, &c.

North Between Sections, 8 & 9. T. 4

4.50 A Bur Oak 18 in. dia.
 40.00 Set quarter section post, from which a
 Cottonwood 12 in. dia. bears N 20 link, & an

Chd. Sh.

Elm 12 in. dia. bears N 23 E 24 link, dist.
 Level land; timber Oak, Ash, Elm, &c
 80.00 Set post cor. to Sec. 4, 5, 8, 9; from which an
 Ash 20 in. dia. bears N 60 W 14 link, & an
 Elm 24 in. dia. bears S 79 E 32 link, dist.
 Level land; timber Oak, Ash, Elm, &c

North Between Sections 4 & 5. T. 4

40.00 Set quarter section post, from which an
 Elm 12 in. dia. bears S 65 E 26 link, & an
 Elm 10 in. dia. bears S 26 W 16 link, dist.
 Level land; timber Oak, Elm, Hickory &c
 80.00 Intersected Township line, 25 link, West
 of post corner of Sec. 32 & 33, T. 3
 Level land; timber Oak, Ash, Hickory,
 Elm, &c

North Between Sections 31 & 32, T. 4

38.00 A Hickory 12 in. dia.
 40.00 Set post cor. to Quarter section, from which a
 Maple 14 in. dia. bears S 30 E 15 link, & an
 Elm 10 in. dia. bears S 72 W 12 link, dist.
 Level land; timber Oak, Elm, Hickory,
 Oak, &c
 80.00 Set post cor. to Sec. 29, 30, 31, 32, from which an
 Elm 12 in. dia. bears S 57 E 37 link, & an
 Ash 8 in. dia. bears N 17 W 24 link, dist.
 Level wet land; timber ash, Elm,
 Swamp oak, &c Nov. 6. 1805

North Between Sections 29 & 30. T. 4

40.00 Set quarter section post from which a
 Bur Oak 24 in. dia. bears S 74 E 30 link, dist.
 No other near
 Level land, & swampy; timber Swamp
 Oak, Elm, Willow, &c

Chd. Sh.

80.00 Set post cor. to Sec. 19, 20, 29, 30, from which an
 Elm 12 in. dia. bears S 23 E 13 link, & an
 Elm 12 in. dia. bears S 43 W 15 link, distant
 Level land; timber Oak, Ash, Elm, &c

North Between Sections 19 & 20, T. 4

40.00 Set quarter section post, from which an
 Elm 10 in. dia. bears N 41 W 8 link, & an
 Elm 12 in. dia. bears S 64 E 13 link, dist.
 Level land; timber Oak, Elm, Oak, &c
 80.00 Set post cor. to Sec. 17, 18, 19, 20, from which a
 Red Oak 30 in. dia. bears S 52 W 38 link, & an
 Elm 12 in. dia. bears S 30 E 41 link, distant
 Level wet land; timber Oak & Elm

North Between Sections 17 & 18. T. 4

40.00 Set quarter section post, from which an
 Elm 12 in. dia. bears N 82 E 50 link, dist.
 This post is in a Willow thicket
 Level Wet land; timber Oak, Elm, &c
 with Willows
 51.00 A Red Oak 30 in. dia.
 80.00 Set post cor. to Sec. 7, 8, 17, 18, from which an
 Elm 10 in. dia. bears S 59 W 11 link, & a
 Hickory 10 in. dia. bears N 46 E 26 link, dist.
 Level land; timber Oak, Hickory, Elm, Ash &c

North Between Sections 7 & 8. T. 4

40.00 Set quarter section post, from which an
 Elm 14 in. dia. bears N 62 E 9 link, & a
 W. Oak 10 in. dia. bears S 87 W 32 link, dist.
 Level land; timber Oak, ash, Elm, &c
 80.00 Set post cor. to Sec. 5, 6, 7, 8, from which a
 Hickory 15 in. dia. bears N 77 E 7 link, & a
 W. Oak 18 in. dia. bears N 36 W 77 link, dist.
 Level land; timber Oak, Hickory, Elm, Ash, &c

Ch. Lk.

North Between Sections 5 & 6. T. 4
 40.00 Set quarter section post, from which a
 Red Oak 14 in. dia. bears N 42 E 47 links, & an
 Ash 6 in. dia. bears S 80 W 54 links distant
 Level land; timber Oak, Hickory & Shubby
 80.00 Intersected Township line at the post, cor-
 ner of Sections 31 & 32, T. 3., at foot
 of the hill, in the prairie bottom.

East On Random between Sections 30 & 31

40.00 Set temporary quarter section post
 Level, swampy land; timber swamp Oak
 80.00 Intersected N.T.S. line 15 links, North of post
 Level land; timber Oak, ash, Hickory,
 Elm, Sycam &c

West Corrected West between sections 30 & 31

40.00 Set quarter section post at the average
 distance, on true line, from which a
 Blk. Oak 14 in. dia. bears N 56 E 32 links, & an
 Ash 8 in. dia. bears S 58 W 35 links, dist.
 80.00 Section corner.

East On Random between Sections 29 & 32

40.00 Set temporary quarter section post
 Level land; timber ash, Elm, Sycam, &c
 80.00 Intersected N.T.S. line at the post
 Level land; timber Oak, ash, Elm,
 Sycam, &c

West Marked line back between Sections 29 & 32

40.00 Set quarter section post from which a
 Hickory 12 in. dia. bears N 4 W 12 links, & a
 Hickory 10 in. dia. bears S 36 E 8 links, dist.
 80.00 Section corner.

Ch. Lk.

East On Random between Sections 28 & 33
 40.00 Set temporary quarter section post
 Level land; timber Oak, ash, Elm, Sycam, &c
 80.00 Intersected N.T.S. line 15 links, North of post
 Level land; timber Oak, Oak, Elm, &c

West Corrected West between Sections 28 & 33

40.00 Set quarter section post at the average
 distance, on true line, from which a
 Maple 12 in. dia. bears N 50 W 27 links, & a
 Red Oak 18 in. dia. bears S 28 W 35 links, dist.
 Nov. 7. 1805

East On Random between Sections 27 & 34

40.00 Set temporary quarter section post
 Level land; Oak, Hickory, Sycam, &c
 80.00 Intersected N.T.S. line 40 links, North of post
 Level land, covered with fallen timber

West Corrected West between Sections 27 & 34

40.00 Set quarter section post at the average
 distance, on true line, from which a
 Sycam 10 in. dia. bears S 25 E 16 links, & a
 Maple 10 in. dia. bears N 37 E 39 links, dist.
 80.00 Section corner

East On Random between Sections 26 & 35

40.00 Set temporary quarter section post
 Level land; timber ash, Elm, cottonwood &c
 80.00 Intersected N.T.S. line 15 links, South of post
 Level land; timber ash, Elm, Oak, &c

West Corrected West between Sections 26 & 35

40.00 Set quarter section post at the average
 distance, on true line, from which an
 Elm 30 in. dia. bears S 37 E 15 links, dist, & a

Ch^d Sh.

Blk. Oak 12 in. dia. bears N 37 W 10 link, dist.
80.00 Section corner

East On Random between sections, 19 & 30

40.00 Set temporary quarter section post

Level wet land; timber Elm, Ash, Syc. Oak, &c.

80.00 Intersected N. & S. line 8 links south of post
Level land; timber Oak, ash, Elm, &c.

West Corrected West between sections, 19 & 30

40.00 Set quarter section post at the average
distance, on true line, from which an
Elm 10 in. dia. bears N 31 E 17 links, & a
Hickory 12 in. dia. bears S 50 E 15 links, dist.

80.00 Section corner

East On Random between sections, 20 & 29

40.00 Set temporary quarter section post

Level land; timber Oak, Ash, Elm, &c.

80.00 Intersected N. & S. line 10 links North of post
Level land; timber Oak, Ash, Elm &c.

West Corrected West between sections, 20 & 29

40.00 Set quarter section post at average
distance, on true line, from which a
Hickory 14 in. dia. bears N 22 E 11 links, & an
Elm 20 in. dia. bears S 50 E 39 link, dist.

80.00 Section corner

East On Random between sections, 21 & 28

40.00 Set temporary quarter section post

Level land; timber ash, Elm, Cottonwood, &c.

80.00 Intersected N. & S. line at the post
Level land; timber Oak, ash, Elm, Cottonwood, &c.

West Corrected (in marked) between sections, 21 & 28

Ch^d Sh.

40.00 Set quarter section post, from which a
Cottonwood 15 in. dia. bears N 56 W 13 links, & a
Maple 10 in. dia. bears S 60 E 23 link, dist.

80.00 Section corner

East On Random between sections, 22 & 27

40.00 Set temporary quarter section post

Level land; timber ash, Elm, Cottonwood, &c.

80.00 Intersected N. & S. line 18 links North of post
Level land; timber ash, Elm, Cottonwood, &c.

West Corrected West between sections, 22 & 27

40.00 Set quarter section post at the average
distance, on true line, from which an
Ash 8 in. dia. bears S 15 E 37 links, & an
Ash 12 in. dia. bears N 6 links, distant

80.00 Section corner

East On Random between sections, 23 & 26

40.00 Set temporary quarter section post

Level land; timber ash, Elm, Syc.,
Cottonwood, &c.

80.00 Intersected N. & S. line 15 links North of post
Level land; timber ash, Elm, Syc., Cottonwood, &c.

West Corrected West between sections, 23 & 26

40.00 Set quarter section post, at average
distance, on true line, from which a
Blk. Oak 15 in. dia. bears N 32 E 10 links, & a
Sycamore 24 in. dia. bears S 24 W 30 link, dist.

80.00 Section corner

West Between sections, 18 & 19, on true line

40.00 Set quarter section post, from which a
Bur Oak 20 in. dia. bears S 10 W 5 links, & a
Bur Oak 24 in. dia. bears N 27 E 13 link, dist.

chd Sh.

Level wet land; timber Swamp Oak, Elm,
ash, Cottonwood, &c
80.00 Intersected N. & S. line 5 links, South of post
Level wet land; timber as above

East On Random between Sections 17 & 20
40.00 Set temporary quarter section post
Level land; timber Oak, Elm, Syc, Oak, &c
80.00 Intersected N. & S. line at the post
Level land; timber Oak, Elm, Ash, Syc, &c

West Marked line back between Sections 17 & 20
40.00 Set quarter section post, from which a
Maple 12 in. dia. bears N 45° E 53 links, & an
Elm 12 in. dia. bears S 1° E 12 links, Dist.
80.00 Section corner. Nov. 8. 1805

East On Random between Sections 16 & 21
40.00 Set temporary quarter section post
Level land; timber Oak, Elm, Oak, &c
80.00 Intersected N. & S. line at the post
Level land; timber Oak, Elm, Syc, Oak, &c

West Marked line back, between Sections 16 & 21
40.00 Set quarter section post, from which an
Elm 10 in. dia. bears N 46° E 5 links, & a
Syc 12 in. dia. bears S 57° W 21 link, & distant
80.00 Section corner

East On Random between Sections 15 & 22
40.00 Set temporary quarter section post
Level land; timber Oak, Ash, Elm, Hickory, &c
80.00 Intersected N. & S. line at the post
Level land; timber Oak, Ash, Hickory, &c

West Marked line back, between Sections 15 & 22

chd Sh.

40.00 Set quarter section post, from which an
Ash 10 in. dia. bears N 20° E 21 links, & an
Elm 12 in. dia. bears S 5° E 33 link, & distant
80.00 Section corner

East On Random between Sections 14 & 23
40.00 Set temporary quarter section post
Level land; timber Oak, Ash, Elm, &c
80.00 Intersected N. & S. line 20 links, South of post
Level land; timber Oak, Ash, Elm, Hickory, &c

West Corrected West between Sections 14 & 23
40.00 Set quarter section post at the average
distance, on true line, from which a
W. Oak 24 in. dia. bears N 64° W 35 links, & a
W. Oak 27 in. dia. bears S 22° E 12 link, Dist.
80.00 Section corner.

East On Random between Sections 7 & 18,
40.00 Set temporary quarter section post
Level land; timber Oak, Hickory, Ash, Elm, &c
80.00 Intersected N. & S. line 7 links, South of post
Level land; timber Oak, Ash, Elm, &c

West Corrected West between Sections 7 & 18
40.00 Set quarter section post at the average
distance, on true line, from which an
Elm 10 in. dia. bears N 20° W 15 links, & an
Elm 20 in. dia. bears S 74° E 13 link, Dist.
80.00 Section corner

East On Random between Sections 8 & 17
40.00 Set temporary quarter section post
Level land; timber Oak, Ash, Elm, &c
80.00 Intersected N. & S. line at the post
Level land; timber Oak, Hickory, Ash, Elm.

Ch^d 24.

West Marked line between sections 8 & 17
 40.00 Set quarter section post, from which an
 elm 18 in. dia. bears N 89 W 22 links, & an
 Elm 18 in. dia. bears S 49 E 5 link, dist.
 80.00 Section corner

East On Random between sections 9 & 16
 40.00 Set temporary quarter section post
 level land; timber Oak, Hickory, Ash, Elm
 80.00 Intersected N. & S. line 4 links, North of post
 level land; timber Oak, Ash, Elm, &

West Corrected West between 9 & 16
 40.00 Set quarter section post at average
 distance on true line, from which an
 Elm 12 in. dia. bears N 5 E 24 links, & a
 Red Oak 12 in. dia. bears S 41 E 34 links, dist.
 80.00 Section corner

East On Random between sections 10 & 15
 40.00 Set temporary quarter section post
 level land; timber Ash, Elm, Oak, &
 80.00 Intersected N. & S. line 15 links, North of post
 level land; timber Ash, Elm, Cottonwood &

West Corrected West between sections 10 & 15
 40.00 Set quarter section post, at average
 distance, on true line, from which a
 Red Oak 14 in. dia. bears S 50 W 18 links, & an
 Ash 12 in. dia. bears N 41 E 30 links, dist.
 80.00 Section corner

East On Random between sections 11 & 14
 40.00 Set temporary quarter section post
 level land; timber Oak, Hickory, Ash,
 Elm, Lynn, &

Ch^d 24.

80.00 Intersected N. & S. line 2 links, South of post
 level land; timber Oak, Hickory, & and
 very stony.

West Corrected West between sections 11 & 14
 40.00 Set quarter section post at the average
 distance on true line, from which a
 Lynn 12 in. dia. bears N 36 E 20 links, & a
 Sugar 10 in. dia. bears N 70 W 23 links, dist.
 80.00 Section corner

West Between sections 6 & 7, on true line -
 40.00 Set quarter section post, in prairie, from
 which no bearing trees.
 level land; timber Oak
 80.00 Intersected Township line at the post
 level land; timber Oak, Hickory, &

East On Random between sections 5 & 8
 40.00 Set temporary quarter section post
 level land; timber Oak, Ash, Elm, &
 80.00 Intersected N. & S. line at the post
 level land; timber Oak, Ash, Elm, &

West Marked line between sections 5 & 8
 40.00 Set quarter section post, from which an
 Elm 12 in. dia. bears S 40 W 35 links, & a
 Run Oak 24 in. dia. bears N 65 W 14 links, dist.
 80.00 Section corner

East On Random between sections 4 & 9
 40.00 Set temporary quarter section post
 level land; timber Ash, Elm, Oak, &
 80.00 Intersected N. & S. 30 links, North of post
 level land; timber Oak, Ash, Elm, &

Ch^d Sh.

West corrected West between sections 4 & 9
 40.00 Set quarter section post at the average
 distance, on true line, from which an
 Ash 12 in. dia. bears S 39 E 15 link, & an
 Elm 14 in. dia. bears N 19 E 23 link, dist.
 80.00 Section Corner

East on Random between sections 3 & 10
 40.00 Set temporary quarter section post
 level land; timber Oak, ash, Elm, Hickory, &
 44.00 A path, course N. 75. & S. E.
 50.00 Intersected N. & S. line 30 link, North of post
 level land; timber Oak, ash, Elm, &

West corrected West between sections 3 & 10
 40.00 Set quarter section post at the average
 distance, on true line, from which a
 Hickory 12 in. dia. bears S 54 W 20 link, & a
 Red Oak 15 in. dia. bears N 57 E 18 link, dist.
 80.00 Section corner

East on Random between sections 2 & 11
 40.00 Set temporary quarter section post
 level land; timber Oak, Hickory, ash, Elm, &
 80.00 Intersected N. & S. line at the post
 level land; timber Oak, ash, Elm, Hickory, &

West Marked line between sections 2 & 11
 40.00 Set quarter section post, from which a
 Hickory 18 in. dia. bears N 27 E 34 link, & a
 Sycm 12 in. dia. bears S 31 E 14 link, dist.
 80.00 Section corner. Nov^r. 9. 1805

Surveyed in 1805, by
 Elias Glover
 Deputy Surveyor.

ch. 1, 2, 3,

Private Claims - (Connections with.)

Field Notes of the exterior lines of the Private Claims at the Rapids of the Miami River (of the Lakes)

Commencing at a post on the (left) border of the Miami river of the Lakes, upper corner of John Atkins' Survey N. 57° 5', from which post an Aspen 6 in. dia. bears N 89° 1/4 W 61 links, & a Willow 4 in. dia. bears N 18° 1/2 W 15 links, distant thence

N 35° W along South-Westerly line of said Survey

2.00 To old Fort Miami

14.25 a W. Oak 4 in. dia.

28.00 To wet land, timber small

43.26 a W. Oak 30 in. dia. Thence, far, the timber is small & scrubby; here commence, thrifty timber.

52.79 To corner of Lots 19 & 20 - arrive 6 links, South of the post set by Mr. Wampler: move it to intersection of Claim line, from which a Sup. Oak 30 in. dia. bears S 46° 1/4 W 18 links, & an Elm 15 in. dia. bears S 28° E 46 1/4 links, dist.

65.00 a Stream 15 links, wide, course East

78.24 a Aspen 6 in. dia.

90.98 To corner of Lots 20 & 21, 14 links East thence, where set a post, from which a W. Oak 6 in. dia. bears S 79° E 18 links, & a B. Oak 7 in. dia. bears S 30° 1/2 W 24 1/4 links, distant.

115.40 a Blue Ash 14 in. dia.

125.00 To dry, level, & good land, timber Oak, Ash, Hickory &

147.00 a W. Ash 15 in. dia.

158.17 To temporary post, where cross a N. & S. line

162.32 a Blue Ash 5 in. dia. Enter wet & swampy land

171.84 To an East & West line, at a Hickory 12 in. dia.

188.15 a W. Oak 30 in. dia. & Enter dry land again

197.06 a Stream 25 links, wide, course N. E.

Ch^l Lks.

215.50 Enter swampy & very brushy land
 219.00 Enter dry land
 230.00 Enter wet, swampy land
 246.38 a Sym 20 in. dia. Enter dry ^{oak} land, & broken
 248.75 a Stream 4 links wide, course North
 269.00 To Swan Creek 90 links wide, course North
 April 1st 1817

281.60 a W. Ash 36 in. dia.
 296.25 a Stream 4 links wide, course S. E.
 298.75 To most westerly corner of this Tract. Set
 post, from which a W. Oak 12 in. dia. bears
 S 4 1/2 W 10 1/2 links, & a W. Oak 30 in. dia. bears
 N 48 1/2 E 31 1/2 links distant. Thence

N 55 E along N. westerly - or rear - line

13.24 To Northerly Corner, - arrive 1.28 links S. E. of
 post on Random line; where set a post
 from which a Swamp W. Oak 10 in. dia. bears
 S 69 W 29, & a W. Oak 10 in. dia. bears N
 26 1/4 E 57 1/2 links, dist.

Land poor; timber Oak &c

A. Lyon's Survey, No. 581

Commencing at a post on the (left) border of
 the Miami River (of the Lake) lower cor-
 ner of Archibald Lyon's Survey No.
 581, from which post a W. Oak 8 in.
 dia. bears S 83 1/4 W 25 links, & a Buck-
 eye 5 in. dia. bears N 41 W 24 links
 distant.

From the above post, the corner set by Mr.
 Wampler, bears N 14 W 29 links, and
 from which a Buckeye 4 in. dia. bears
 N 78 1/2 W 5 links, & a Buckeye 5 in.
 dia. bears S 36 1/4 W 14 links, distant.

N 85 W thence, with A. Lyon's North Easterly line,
 15.03 a W. Oak 18 in. dia.

Ch^l Lks.

50.89 a Hickory 10 in. dia.
 66.00 Enter dry level land, - has been swampy within
 a few chains of the river.
 79.47 To North line of River Lot 18, 11 links, west of
 old post. Move it to intersection, corner of
 Lot 18 & Section 20, from which a
 B. Oak 24 in. dia. bears East 26 links, & an
 Elm 18 in. dia. bears N 17 1/2 E 14 links, dist.
 79.95 a Stream 14 link, wide, course East
 90.28 a Hickory 18 in. dia.
 100.00 Enter swampy land
 122.58 a Stream 20 links wide, course N. E.
 136.11 Intersect a N. & S. line; set temporary post.

Land low & wet; timber Oak, ash, Hickory, Gum &c

Proceed to corner of Sections 17, 18, 19, 20,
 in Township 3, & run South between Sections
 19 & 20: - at 34 ch. 93 links, intersect claim
 line 14 links, West [N. W. E.] of temporary post,
 where set a post cor. to Sect. 19 & 20, from which an
 Elm 10 in. dia. bears N 7 E 48 1/2 links, & a
 Sup. W. Oak 24 in. dia. bears S 52 E 25 1/2 links, dist.
 April 3. 1817

Went back on claim line, to Mr. Ham-
 pler's corner [West cor. of Lot 18] for the purpose
 of finding the corner for Lot 17. Measured
 16 chains on claim line, thence North 8 chains,
 then East without measuring, - & find the cor-
 ner of Lots 16 & 17. Then run South, and find
 the [S. W.] corner of Lot 17, on E. & W. line [be-
 tween Lots 17 & 18.] Thence measured West [on
 N. line of Lot 18] 9 ch. 67 links, to where in-
 tersect claim line, at the corner already estab-
 lished for Lot 18.

N 35 W Then proceed on claim line [from cor. on
 line of Sect. 19 & 20 - measure cont.]

152.00 Enter poor & thinly timbered land.

Ch. Lk.

- 166.00 To Aspen Swamp
 176.19 Set temporary post near an E. & N. line.
 Proceed to the corner of Sections 17, 18, 19, 20, &
 measured West, between Sections 18 & 19, - at
 21 ch. 31 link, intersect Claim line 109 links,
 North [N. 11.2] of temporary post, where set
 a post for corner of Sec. 18 & 19, from which a
 Jack Oak 20 in. dia. bears N 82° W 58 links, & an
 Elm 18 in. dia. bears S 47½° E 128½ links, dist.
 Land wet, with a few scattering trees.
 195.04 A Hickory 15 in. dia.
 203.77 A Sycamore 24 in. dia. Land poor & swampy
 to this place; then enter dry land & some broken.
 235.78 Swan Creek 100 link wide, course - N. 4.4.
 240.00 Swan Creek 90 link wide, course S. W.
 243.20 Swan Creek 100 link wide, course N. E.
 251.58 A W. Oak 12 in. dia. From Swan Cr. poor
 & somewhat broken land
 253.00 To wet prairie
 263.00 Enter scattering timber
 271.00 To a Blue Ash 12 in. dia.

Thence proceed to the quarter section
 corner between Sections 7 & 18, T. 3, and
 measured, thence, West on said line, 29
 chains, 13 links, to intersection of Claim
 line, 132½ links North of the Blue Ash last
 noted; where set a post, corner of Sections
 7 & 18, from which a W. Oak 14 in. dia.
 bears S 45° E 76 links, & a W. Oak 18 in.
 dia. bears N 74½° E 30 links, dist.

Land, between Sections 7 & 18, poor and
 swampy, with a few scattering Oak & Elm
 trees; from the claim line from the last
 section line, somewhat low & wet on first
 part, then along Swan Creek, broken Oak
 land to about 250 ch. then enter poor & swampy.

Ch. Lk.

- Continued on private claim line, from cor.
 on line of Sec. 7 & 18 -
 291.43 To northerly corner of A. Lyon's claim. Set
 post, from which a B. Oak 15 in. dia.
 bears N 6° E 69 links, & an Elm 10 in. dia.
 bears S 61½° W 43 links, distant.
 From said northerly corner of A. Lyon's
 claim N. 581, surveyed
 555 W along rear line of said claim
 0.35 To Township line, between Townships 2 & 3
 20.22 To corner of this tract and William Brown's
 Survey, N. 580. Set post, from which a
 W. Oak 12 in. dia. bears N 88° W 45 links, & a
 Maple 12 in. dia. bears S 37½° E 51½ links, dist.
 Poor wet land. cont. thence -
 555 W along rear line of Wm. Brown's said tract -
 9.40 Intersect the line between Sections 12 & 13, T. 2
 19.16 To corner of this tract and Whetmore Knapp's
 Survey N. 579, where set post, from which a
 W. Oak 15 in. dia. bears S 80° W 12 links, & a
 W. Oak 30 in. dia. bears N 24° E 63½ links, dist.
 Continued line thence,
 555 W along rear line of Whetmore Knapp's claim -
 18.92 To corner of this tract and Samuel Ewing's
 Survey, N. Set post from which a
 Jack Oak 12 in. dia. bears S 32° W 137½ links, & a
 Jack Oak 15 in. dia. bears N 7½° W 200 links, dist.
 Land wet, & thinly timbered. Apr. 5. 1817
 [Continued the line thence:
 555 W along rear line of Samuel Ewing's claim
 16.00 To corner of this tract and John Ashkin's claim
 N. 575, where set a post from which a
 Sup. W. Oak 10 in. dia. bears S 69° W 29 links, & a
 W. Oak 10 in. dia. bears N 26½° E 57½ links, dist.
 Continued the line thence:
 555 W along rear line of John Ewing's Ashkin's claim.

Ch. Sk.

13. 24 To Westerly corner of said John Askins tract. Set post, from which a W. Oak 12 in. dia. bears S 4 1/2 W 10 1/2 links, & a W. Oak 30 in. dia. bears N 48 1/2 E 3 1/2 links distant.
Poor Oak land.

From the post in North line of River Lot 18, S. W. corner of Lot 17, measured,
West Between Lot 18 & Section 20, T. 3

9. 67 Set post in N. Easterly line of A. Lyon's claim from which a R. Oak 24 in. dia. bears East 26 links, & an Elm 18 in. dia. bears N 17 1/2 E 13 3/4 links distant.

From the corner of Sections 17, 18, 19, 20 meas.
South Between Sections 19 & 20, T. 3

34. 93 Intersect N. Easterly line of Archibald Lyon's tract, where it set post cor. of Sec. 19 & 20, from which an Elm 10 in. dia. bears N 7 1/2 E 48 1/2 links, & a Sep. W. Oak 24 in. dia. bears S 52 1/2 E 25 1/2 links distant.

From corner of Sections 17, 18, 19, 20, measured -
West Between Sections 18 & 19, T. 3

21. 31 Intersect N. Easterly line of Arch. Lyon's claim. Set post cor. of Sec. 18 & 19, from which a Jack Oak 20 in. dia. bears N 8 1/2 W 58 links, & an Elm 18 in. dia. bears S 47 1/2 E 128 1/2 links distant.

From the quarter section post on line between Sections 7 & 18, T. 3, - measured -
West Between Section, 7 & 18

29. 13 Intersect N. Easterly line of Arch. Lyon's claim. Set post cor. of Sec. 7 & 18, from which a W. Oak 14 in. dia. bears S 45 1/2 E 76 links, & a W. Oak 18 in. dia. bears N 74 1/2 E 30 links distant.
Poor swampy land, some scattering Oak & Elm.

Ch. Sk.

From the quarter section post on East side of Section 12, T. 2, measured -
South On Township line between Sections 7 & 12, T. 2 & 3
24. 33 Intersect the N. Westerly (or rear) line of Arch. Lyon's survey N. 58 1/2, where set a post from which a Spar. Oak 24 in. dia. bears N 8 1/2 E 42 links, & a Spar. Oak 18 in. dia. bears N 22 1/2 W 52 links distant. Swampy land

From the quarter section post on the line between Sections 12 & 13, T. 2, measured -
East Between Sections 12 & 13 T. 2

15. 46 Intersect rear line of W. M. Brown's survey N. 58 1/2. Set post cor. of Sec. 12 & 13, from which a W. Oak 14 in. dia. bears N 1 W 105 1/2 links, & a W. Oak 18 in. dia. bears S 8 1/2 W 81 links distant.

From the corner of Sections 13, 14, 23, 24 T. 2, measured
East Between Sections 13 & 24

36. 60 Intersect South Westerly line of John Askins survey N. 57 1/2, set post cor. of Sec. 13 & 24, from which an Elm 16 in. dia. bears N 88 1/2 W 34 3/4 links, & an Elm 12 in. dia. bears S 38 1/2 E 35 links distant.
Measured thence, N. 35 W. along S. Westerly line of John Askin's claim, 58 ch! 50 ch. to Westerly corner thereof.

From the corner of Sections 19 & 30, on West boundary of Township 3, measured -
East Between Sections 19 & 30 T. 3

6. 98 Intersect the South-Westerly line of J. Askin's claim N. 57 1/2. Set post cor. of Sec. 19 & 30, where an Elm 9 in. dia. bears S 53 W 35 1/2 links, & a Red Oak 18 in. dia. bears N 70 1/2 W 27 1/2 links distant.

From the corner of Sections 24 & 25, on East

ch. 2. Sh.

side of T. 2, - measured,
North Along East side of Sec. 24, on Township line,
11. 34 Intersect the South Westerly line of John Atkins'
Survey N. 57.5. Set post, from which a
B. Ash 18 in. dia. bears S 15 1/4 E 54 1/2 links, & a
Maple 12 in. dia. bears N 80 W 19 1/2 links, dist.

Godfrey & Beaupré's Survey 595.

From a post and pile of stones, on the left
bank of the Miami River (of the Lake),
upper, or southerly, corner of Godfrey
& Beaupré's Survey N. 595, thence

N 35 W Along South Westerly line of said survey.

8.00 Leave old improvements, & enter brushy land

20.00 Enter wet, swampy land

23.74 An Elm 15 in. dia.

41.18 Set a temporary post. [Then the Surveyor ran
a random line, at right angles, across
the tract, & then S. Easterly - parallel to
this line - to the river, to determine the
quantity of land embraced. Then cont.]

58.76 Set post, Westerly corner of this tract, where a
W. Oak 16 in. dia. bears N 26 W 6 1/2 links, & an
Elm 8 in. dia. bears S 12 E 24 links, distant

Land swampy; timber Oak, Hickory, Ash, Elm &c.

N 55 E Thence, along rear line of said Survey.

14.63 An Elm 8 in. dia.

36.14 A W. Oak 26 in. dia.

47.43 1/2 Set post for Northerly corner of survey, where
an Elm 10 in. dia. bears S 64 E 47 links, & an
Elm 8 in. dia. bears S 64 W 12 links, distant.

S 35 E Thence, along N. Easterly line of said Survey

7.71 To intersection of line between Townships 2 & 3

30.11 To post, lower corner on left bank of River, where a
Swamp W. Oak 14 in. dia. bears S 26 W 26 links, & a
Swamp W. Oak 14 in. dia. bears N 31 E 34 links, dist.

ch. 2. Sh.

land wet, thick with under growth, timber Ash, Elm &c.

From the corner of Sections 25 & 36, on East
boundary of T. 2, - measured

South Along Township line, East side of Sec. 36, T. 2

37.85 1/2 Intersect N. Easterly line of Godfrey & Beaupré's
Survey N. 595, where set post, from which a
W. Oak 26 in. dia. bears N 56 1/2 E 66 links, & a
W. Ash 10 in. dia. bears N 23 1/2 W 106 1/2 links, dist.

Land wet; timber Oak, Ash, Elm &c.

Measured N 35 W along N. Easterly line of said
Survey N. 595, - 7 ch. 7 1/2 links, to Northerly corner
thereof.

Godfrey & Beaupré's Survey N. 682

From post on left bank of the Miami River (of
the Lake,) lower corner of Godfrey & Beaupré's
Survey N. 682, surveyed

N 35 W Along N. Easterly line of said Survey

15.95 To a bank, & brushy land

25.45 Enter wet & swampy land

56.45 To Offset, where find the old line of claim, &
which line continue

71.53 A W. Ash 20 in. dia.

95.81 Intersect line between Sections 35 & 36, T. 2

103.16 A Hickory 18 in. dia. Enter dry land

114.95 A Swampy stream, course East

152.51 Intersect line between Sections 26 & 35, T. 2

160.95 A Marshy stream, course East

163.95 Enter dry, lower land

172.38 A W. Oak 30 in. dia.

174.95 A Stream 15 link, wide, course N. E.

200.94 Set post for Northerly corner of this Survey, where
Hickory 10 in. dia. bears N 86 W 7 links, & a
B. Ash 12 in. dia. bears S 88 1/2 E 58 links, dist.

Thence correct back on N. Easterly line

Ch. Sk.

to the River.

Measured the distance across the Claim and set a post on the left bank of the River, for upper corner of this survey, and piled stones around it. Thence-

N 35° W On Random, S. Westerly line of said Godfrey & Beauprand's Survey N. 882 -

14.50 Pass out of old improvement, & into brushy land
52.00 Enter wet land; timber Oak, Ash, Elm, Hickory & undergrowth hazel

98.25 A stream 20 link, wide, course N.E. & enter dry land

130.00 Enter wet land, soil good; timber chiefly

141.00 To dry, level, Oak land

155.50 To a swampy run, course N.E. Enter wet land

191.55 Set temporary post, and ran a Random line N 55° E across, on rear, of the Survey, and intersect the N. Easterly line at the post set for the Northernly corner. Thence

S 55° W along rear line of this Survey.

29.89 Intersect the line between Sections 26 & 27, T. 2

32.57 To temporary post, which established for Westerly corner of the tract, from which an Elm 20 in. dia. bears S 24° W 44 links, & a Hickory 6 in. dia. bears N 22° E 18½ links, Dist.

S 35° E Thence return on S. Westerly line of Survey.

4.46 Intersect line between Sections 26 & 27, T. 2

22.12 Intersect line between Sections 26 & 35, T. 2

28.05 A Red Oak 8 in. dia.

71.67 A W. Oak 30 in. dia.

116.46 Intersect Township line between Townships 1 & 2, corner of Lot 24, & Sec. 35, in T. 2

121.67 To corner of Lots 23 & 24, in T. 1

191.55 To the post & pile of Stones, on left bank of the River, upper corner of this Survey, in Township 1.

Ch. Sk.

From the quarter section post on the South side of Section 36, Township 2, measured East along Township line

9.55 Intersect the S. Westerly line of Godfrey & Beauprand's Survey N. 595, & set post corner of Section, 1, T. 1 & 36 & 22, from which a W. Oak 24 in. dia. bears S 19° E 20 links, & a Red Oak 8 in. dia. bears N 42° W 87½ link, Dist.

Measured, thence, N 35° W along S. Westerly line of said Survey, 27 ch. 37 link, to Westerly corner thereof.

From said quarter section post, on South side of Section 36, - measured West along Township line

19.90 Intersect N. Easterly line of Godfrey & Beauprand's Survey N. 882. Set post, from which an Elm 10 in. dia. bears N 69° E 28¾ links, & a W. Oak 20 in. dia. bears S 67¾ E 69 link, Dist.

From the quarter section post on the line between Sections, 35 & 36, T. 2, measured South Between Sections 35 & 36

7.81 Intersect N. Easterly line of Godfrey & Beauprand's Survey N. 882. Set post, from which a Hickory 18 in. dia. bears N 34° E 15 links, & an Elm 10 in. dia. bears N 27° E 17 3/4 links, Dist. Land level & rich; timber Oak, Ash, Hickory.

From corner of Sections, 25, 26, 35, 36, T. 2, measured West Between Sections 26 & 35

29.64 Intersected N. Easterly line of Godfrey & Beauprand's Survey N. 882. Set post, where an Elm 12 in. dia. bears N 62° E 41 links, & a W. Oak 18 in. dia. bears S 49° E 24 links, Dist. Land level; timber Oak & Hickory

ch. 14.

From the quarter section post on line between
Sections 26 & 27. Measured
South Between Sections 26 & 27, T. 2
15.02 Intersect rear line of Godfrey & Beaupre's
Survey N. 68° E. where at post, from which a
W. Ash 12 in. dia. bears N 82° 1/4 W 53 links, & a
Hickory 8 in. dia. bears N 8 1/2 E 53 1/2 links, Dist.

From corner of Sec. 26, 27, 34, 35, T. 2, Measured
North Between Sections 26 & 27, T. 2
15.10 Intersect S. Westerly line of Godfrey & Beau-
pre's Survey N. 68° E. Set post from which an
Elm 18 in. dia. bears S 32° E W 28 1/2 links, & a
Red Oak 24 in. dia. bears S 18° E 55 links, Dist.

From corner of Section, 26, 27, 34, 35, T. 2, Measured
East Between Sections 26 & 35 T. 2
9.15 Intersect S. Westerly line of Godfrey & Beau-
pre's Survey N. 68° E. Set post from which a
Hickory 12 in. dia. bears N 48° 1/2 W 27 links, & a
Hickory 10 in. dia. bears S 54° W 21 links, Dist.
Land wet; timber Oak, Elm, Oak, &c

From rear corner of Lot, 24 & 25, on line
between Townships 1 & 2. Measured
East Between Lot 24 in T. 1, and Sec. 35, in T. 2
17.30 Intersect S. Westerly line of Godfrey & Beau-
pre's Survey 582. Set post, from which an
Elm 20 in. dia. bears N 49° W 58 1/2 links, & a
Hickory 18 in. dia. bears S 12° W 27 links, Dist.
Land wet; timber Oak, Hickory, Ash, Elm

Survey of Exterior lines of Private
Claims, and connexion of Section lines
therewith - in Apr. 1817 - by
Saml. Carpenter & S.

Certificate.April 19th 1817

I do hereby certify that the foregoing are
the field Notes (truly and accurately taken) of the
connexions of the sectional and Township lines,
with the lines of the private claims, in the
Reserve at the Foot of the Rapids, of the Miami
River (of the Lake) surveyed agreeably to the in-
structions of [Edward Tiffin] Surveyor General,
of the 26th of February 1817.

Saml. Carpenter Junr.
Dep. Sur.

[Note. In the foregoing survey, by Saml. Carpenter,
the courses of all the private claim
lines, and of the bearing trees at
the several corners made by him,
are taken with the sight of the
compass adjusted to the Magnetic
Meridian: - the Variation of the
needle, being at the time, about
3° 25' East of the True Meridian.
Saml. Williams.]